DOCUMENT RESUME

ED 345 418 EC 301 179

AUTHOR Wolery, Mark; And Others
TITLE Comparison of Instructional Strategies: A Literature Review.
INSTITUTION Kentucky Univ., Lexington. Dept. of Special Education.
SPONS AGENCY Department of Education, Washington, DC.
PUB DATE 86
CONTRACT G008530197
NOTE 283p.; Tables contain small print.
PUB TYPE Information Analyses (070)

EDRS PRICE MF01/PC12 Plus Postage.
DESCRIPTORS Behavior Change; Elementary Secondary Education; Experiential Learning; Instructional Design; *Instructional Effectiveness; Intervention; *Moderate Mental Retardation; Prompting; Research Needs; *Severe Mental Retardation; Stimuli; *Teaching Methods; Time Factors (Learning)

ABSTRACT

This literature review is one part of a research project, "The Comparison of Instructional Strategies," designed to investigate issues related to instructional procedures used with students having moderate and severe mental retardation and to develop and field test four modules/manuals using such procedures. The review examined the relevant (defined as instruction of this population in applied settings) literature from 1975 to 1986. Each chapter summarizes findings for one identified instructional strategy and includes an operational description of the procedure, methodological parameters, effectiveness and efficiency findings, and a bibliography of the reviewed research. The following instructional strategies are covered: error correction, antecedent prompt and test, antecedent prompt and fade, most to least prompting, system of least prompts, constant time delay, progressive time delay, naturalistic teaching strategies, and stimulus manipulation. A separate chapter addresses studies comparing two or more instructional strategies. A summary chapter notes commonalities across strategies, identifies issues for further research, and offers guidelines for selecting instructional strategies. (DB)

# Comparison of Instructional Strategies: A Literature Review

Mark Wolery

Melinda Jones Ault

Patricia Munson Doyle

David L. Gast

# COMPARISON OF INSTRUCTIONAL STRATEGIES:

# A LITERATURE REVIEW

Mark Wolery

Melinda Jones Ault

Patricia Munson Doyle

David L. Gast

1986

Department of Special Education

University of Kentucky

Preparation of this report was supported by the U.S. Department of Education, Grant number G008530197. However, the opinions expressed do not necessarily reflect the policy of the U.S. Department of Education, and no official endorsement of the U.S. Department of Education should be inferred.

## Acknowledgements

Several persons assisted in the library searches, typing, and proofing of this document and deserve thanks. The authors appreciate the assistance provided by Betty Wafford, Karen Hill, Marcia Bowling, Catherine Alig, Jackie Kues, Janet Twyman, Frances Glover, Jo Ann Walker, and Angela Rickman.

## Table of Contents

# Introduction to Literature Review

## Chapter 1

Mark Wolery, Patricia Munson Doyle, Melinda Jones Ault, and David L. Gast

Many issues in the education of students with moderate and severe handicapping conditions are interesting and demand research attention. Examples include service delivery models, assessment and placement procedures, control of inappropriate social behaviors, acceptance of the population in the community, family involvement, and personnel preparation and development. Another critical issue is instruction. The Comparison of Instructional Strategies (CIS) research project is designed to investigate issues related to instruction. CIS is a project funded by the Field Initiated Research Program of the Office of Special Education and Rehabilitation Services of the United States Department of Education to the Department of Special Education of the University of Kentucky. The CIS Project has three primary objectives:

1. To conduct a thorough review of the applied research literature that will result in a written product describing the instructional procedures that have been used in teaching students with moderate and severe retardation in applied settings.

2. To conduct and report on twelve investigations (four per year) using the selected instructional procedures (progressive time delay, constant time delay, mand-model procedure, system of least prompts) that result in recommendations concerning the relative effectiveness and efficiency (i.e., sessions, trials, and errors to criterion, and direct instruction time) of these procedures in teaching functional skills to preschool and elementary age students with moderate and severe retardation.

3. To develop and field test four modules/manuals that (a) describe the four instructional procedures (progressive time delay, constant time delay, mand-model procedure, system of least prompts), and (b) provide recommendations for the use of these procedures based on the results of the proposed investigations.

This product is an outcome of the first CIS objective. It was completed during the first year of Project CIS.

## Purpose of Literature Review

This document describes what is currently known in the special education literature about instructional strategies used with students who have moderate and severe handicapping conditions. Researchers and teacher-trainers were targeted as the primary readers; practitioners were targeted to a lessor degree. The purpose of the document is twofold: (1) to assist researchers, teacher trainers, and practitioners in placing their own research and practices in the context of what is known about instructional strategies, and (2) to stimulate further research comparing the various procedures.

## Description of the Review

The articles reviewed for this document addressed instructional strategies, primarily those used with subjects whose handicaps were moderate to severe handicaps. A strategy is defined as a replicable, systematized approach for providing instruction that addresses both antecedent and consequent events. The review focuses on instructional procedures, that is, how to teach. It does not, however, focus on manipulation of isolated instructional variables that are common across strategies. For example, the importance of manipulating reinforcement contingencies to facilitate attending during instruction is recognized, but this issue is not addressed because it is not unique to any given instructional strategy. Primary attention is given to acquisition of responses, although maintenance and generalization of responses are discussed. The review is limited, in large part, to studies that occurred since 1975, appeared in the professional literature, targeted students with moderate to severe handicaps, and addressed socially important behaviors.

## Methods Used in Conducting the Review

The literature review progressed through six distinct stages. First, the limits of the review were defined. This step involved identifying professional journals that were likely to include reports of research related to teaching students with moderate and severe handicaps. These journals included:

American Journal of Mental Retardation,

Analysis and Intervention in Developmental Disabilities,

Applied Research in Mental Retardation,

Behavior Research of Severe Developmental Disabilities,

Education and Training of the Mentally Retarded,

Education and Treatment of Children,

Journal of Applied Behavior Analysis,

Journal of Autism and Developmental Disorders,

Journal of the Association for Persons with Severe Handicaps, and

Mental Retardation.

The parameters of the review also were specified and included: (a) all journal issues from 1975 until early 1986, (b) all articles addressing instruction of subjects with moderate or severe handicaps (age of the subjects and setting were not issues), and (c) only articles that were conducterd in applied settings or addressed applied behaviors/problems.

Second, each article from the identified literature was screened using a form developed by the project personnel (this for is available from the authors). Definitions of each item on the form are available from the authors. The completed forms were then categorized by instructional strategy. Although specific strategies (e.g., progressive time delay and the system of

least prompts) were identified a priori, some categories of strategies were added, modified, or deleted as the articles were analyzed. These nine categories emerged from the literature: (a) error correction, (b) antecedent prompt and test, (c) antecedent prompt and fade, (d) most-to-least prompting, (e) system of least prompts, (f) constant time delay, (g) progressive time delay, (h) naturalistic teaching, and (i) stimulus modifications. An additional category included comparison studies where two or more of the above procedures were compared directly. Articles were placed into these categories based on the similarities of experimenter behavior across articles. Thus, categorization occurred on the basis of the described procedures rather than on the labels applied by authors. In many cases, experimenters used identical procedures but labeled them differently.

Third, each article was analyzed. The specific variables analyzed depended upon the strategy being reviewed; however, in all cases, the population, behaviors, antecedent events, consequent events, effectiveness, efficiency, maintenance, and generalization were addressed. The analysis for each category of the instructional strategies occurred separately.

Fourth, a description of the analyzed literature was written. Each strategy was described separately and was included as a separate chapter of this document. A final section was written that described summary statements from the review for researchers, teacher-trainers, and practitioners, and made suggestions about selecting instructional strategies.

Fifth, the written descriptions of each study were checked for reliability. A Research Associate who had not been the primary reviewer for a given section, reviewed a minimum of ten percent of the articles to ensure that the information in the written descriptions was correct. Interobserver

agreement percentages for each category on the effectiveness tables were: gender = 100; age = 94; diagnosis = 92; setting = 94; behavior taught = 100; effectiveness = 100; efficiency = 83; generalization data = 100; maintenance data = 100; and design = 92. For strategy specific tables, the interobserver agreement percentages were as follows: name of behavior taught = 100; type of behavior taught = 100; procedural specifications = 100; consequences for correct responses = 94; and consequences for errors = 100.

Sixth, the written documents were reviewed by all project staff members. Other persons were also asked to review the product and to make comments for revisions. This product represents the summation of this process.

## Organization of the Review

The review is organized into twelve chapters: an initial introductory chapter, a chapter for each of the identified instruction strategies, and a final chapter describing recommendations from the review and issues for selecting appropriate instructional strategies. For each chapter that describes an instructional strategy, an operational description of the procedure is presented followed by a review of the research pertaining to that strategy. The review of each strategy focuses on (a) the population and behaviors taught, (b) a description of the methodological parameters of the strategy, (c) the results from its use including effectiveness and efficiency data, and (d) summary statements about the strategy.

## Other Important Instructional Issues

Since this review is limited to instructional strategies used in teaching persons with severe and moderate handicaps, many issues are not addressed. Some of these issues are mentioned here to acknowledge their importance and place the strategies within a broader instructional context. Wolery and Gast

(1984) suggest that all instructional endeavors implicitly or explicitly address at least four issues; these are discussed in the following paragraphs.

The content of instruction should be specified. Content refers to what is to be taught and is frequently known as the curriculum or scope and sequence. Teachers of students with moderate to severe handicaps commonly use two sources when identifying the content of the curriculum: normal development (e.g., Cohen & Gross, 1979a; 1979b) and the demands of current and immediate future environments (Brown et al., 1979). With the former, called the developmental (or "academic") model, the sequences of skill acquisition observed in typical children are transformed into instructional objectives for students with handicaps. The developmental model seeks to prepare students for a broad range of potential environments, and has been used extensively in early childhood special education programs and the development of early childhood assessment tools. With the latter approach, called the functional model, the activities and skills required for independent functioning in specific environments are identified and serve as the primary instructional objectives. The functional model seeks to prepare students for a limited number of environments. This model has been used extensively in secondary programs for students with moderate to severe handicaps. The emphasis placed on one model over the other is influenced by at least three factors. First, the student's age is considered; generally, the developmental (academic) model is used with younger students and the functional model is used with older students. Second, the severity of the student's handicap is considered; for students with mild handicaps the developmental model is recommended and for students with severe handicaps the functional model is advocated. Third, the

imminence of transition into other educational or living situations is considered; the functional model is given more emphasis as a transition nears.

Specifying the content of instruction outlines the general skills to be learned, but may also influence the effectiveness and efficiency of instruction. Content that is viewed by learners as "interesting" and "worthwhile" may well be learned more readily than content viewed as "boring" and "useless." This issue needs research attention by curriculum developers for students with moderate and severe handicaps. Considerable agreement appears to exist on the general curriculum domains for students with moderate and severe handicaps (cf. Gaylord-Ross & Holvoet, 1985; Sailor & Guess, 1983; Snell, 1983); however, no uniformally accepted curriculum is apparent. Further, because of the heterogenity of learner characteristics and needs, no single universally accepted curriculum is likely to be developed.

Instruction should be matched to learners' needs and abilities. This activity includes initial and ongoing "matching." Initial matching involves some type of assessment of students' behavior and preferably the demands and supports of the environments in which they function. The initial assessment activities are determined, in part, by the model used for specifying the curriculum content. If the developmental (academic) model is used, then assessment activities will most likely include some developmental measures. On the other hand, if the functional model is used, then assessment activities will probably include ecological inventories (Snell, 1983) or activity catalogs (Wilcox & Bellamy, 1983). Neither approach is mutually exclusive and they can be used together.

Ongoing matching involves regular collection and analysis of data on learner performance (White & Haring, 1986). While relatively little research

exists concerning teachers' collection and use of instructional data (cf. Farmer, 1985; Holvoet, O'Neil, Chazdon, Carr, & Warner, 1983), nearly all methods textbooks advocate this practice (e.g., Snell, 1983). Haring, Liberty, and White (1980) present initial data decision rules for analyzing data and making the relevant adjustments in the instructional program based on the patterns evident in the data series. Clearly, collection of performance data is simply a prerequisite step to ongoing matching of instruction to learners' needs and abilities; the data must be used to modify the instructional program. Data decision rules allow teachers to modify programs based on "hard" evidence rather than experience and assumption. A computer program called Aimstar incorporates those rules and can be used to facilitate teachers' analysis of data (Hasselbring & Hamlett, 1983, 1984). However, current trends in instruction will complicate the data collection issue. Currently authors are placing more emphasis on instruction using naturalistic procedures (Halle, Alpert, & Anderson, 1984) teaching behaviors within naturally occurring routines (cf. Neel, et al., 1983) and basing instruction in terms of ecologically variables (Rogers-Warren, 1984). Identification of behaviors to be measured, determination of measurement strategies, and application of rules for data analysis will become more demanding as these trends become more predominate.

Instruction involves some manipulation of environmental variables to facilitate learners' acquisition of targeted responses. While learning can occur separately from manipulation of the environment by others, teaching and instruction, by definition, imply that some person changes or structures the environment to influence the behavior of another (i.e., the student). Teaching can be conceptualized and implemented on a number of levels.

Examples include environmental arrangement and design (Bailey, Harms, & Clifford, 1983), material and instructional stimuli modification (Etzel LeBlanc, 1979; Mercer, Mercer, & Bott, 1984), assistance provision through prompts (Billingsley & Romer, 1983; Wolery & Gast, 1984), and facilitation of students' attention and engagement with instructional activities (Paine, Radicchi, Rosellini, Deutchman, & Darch, 1983).

In this document, the literature concerning instructional strategies are described. Effective and efficient instruction must deal with appropriate use of instructional strategies, but must also include decisions related to the manipulation of many other variables. When screening articles for the literature review, many were found that did not address instructional strategies but focused on the manipulation of specific instructional variables. Although these variables are important, they are not reviewed here because several descriptions of effective teaching behaviors have recently appeared (cf. Bennett, 1986; Goode & Brophy, 1984; Paine et al., 1983; White, Wyne, Stuck, & Coop, 1983; also see Exceptional Children, April, 1986). However, examples of the decisions and practices that influence students' performance are described below.

Numerous teacher decisions are related to the environment in which instruction will occur. These include determining whether a classroom or a more natural setting will be used (Marchetti, Cecil, Groves, & Marchetti, 1984; Marchetti, McCartney, Drain, Hooper, & Dix, 1983), identifying ways to arrange the environment such as providing more varied materials (Horner, 1980), using dividers (Hooper & Reid, 1985), and manipulating variables such as lighting (Bailey, Wolery, & Sugai, in press) to enhance student engagement with instructional activities. Teachers must also determine whether a fixed

or varied schedule of activities will be used (Frederiksen & Frederiksen, 1977) and whether particular times between activities will be employed (Nietupski, Clancy, Wehrmacher, & Parmer, 1985). Teachers should also analyze the use of different instructional arrangements such as group versus one-to-one instruction (Alberto, Jobes, Sizemore, & Doran, 1980; Favell, Favell, & McGimsey, 1978), and if groups are employed, they should determine whether unison or individual responding will be required (Sindelar, Bursuck, & Halle, 1986). Teachers also make decisions about instructional materials. They should analyze the stimulus prcperties of materials (Thvedt, Zane, & Walls, 1984) and employ those that (a) are similar to stimuli in the natural environment (Welch & Pear, 1980), (b) elicit the desired responses from students (Bambara, Spiegel-McGill, Shores, & Fox, 1984; Jones, Favell, Lattimore, & Risley, 1984), and (c) minimize the occurrence of over selective responding (Meisel, 1981; Schneider & Salzberg, 1982). When planning instruction, teachers should employ examples that are representative of the concepts being taught (Sprague & Horner, 1984), ensure that students can perform prerequisite skills, (Huguenin, 1985), and suppress competing responses (e.g., stereotypic behaviors) with certain students in certain conditions (Chock & Glahn, 1983). If the response being taught is a chained task, teachers must decide whether to use total task training, backward chaining, or forward chaining (cf. Spooner, Weber, & Spooner, 1983) and whether to use long or short task analyses (cf. Crist, Walls, & Haught, 1984).

During actual instruction, several variables also appear to influence students' performance. The following variables appear to facilitate acquisition:

(a) using distributed rather than massed or spaced trial presentation (Goetz, Gee, Sailor, 1985; Mulligan, Lucy, & Guess, 1982),

(b) presenting trials in natural contexts (Kayser, Billingsley, & Neel, 1986),

(c) providing information through a mode that matches the response to be performed (Barrera, Lobato-Barrera, & Sulzer-Azaroff, 1980; Remington & Clarke, 1983),

(d) presenting examples in concurrent rather than successive order (Fink & Brice-Gray, 1979; Waldo, Guess, & Flanagan, 1982) or initially presenting examples successively and then concurrently (Cuvo, Klevans, Borakove, Borakove, Van Landuyt, & Lutzker, 1980),

(e) interspersing previously learned behaviors with behaviors to be acquired (Rowan & Pear, 1985),

(f) requiring an attending response or delay interval after presentation and before responding (Dyer, Christian, & Luce, 1982), and

(g) presenting varied tasks (Dunlap & Koegel, 1980).

Teachers must also attend to how they provide assistance to students (Wacker, Steil, & Greenebaum, 1983) and match that assistance to the response being learned (Dowler, Walls, Haught, & Zawlocki, 1984). They must control the number and content of their verbalizations (Belch, 1978; Broden, Copeland, Beasley, & Hall, 1977) and the timing of their feedback (Hughes, Wolery, & Neel, 1983; Singh, Winton, & Singh, 1985). A rapid pace of instruction and specific response time limits appear to facilitate correct responding (Allyon, Garber, & Pisor, 1976; Koegel, Dunlap, & Dyer, 1980). Teachers should control and manipulate task irrelevant stimuli (Miyashite, 1985). Finally, the

consistency with which instructional sessions are conducted may influence their outcomes (Carnine, 1981).

The consequences teachers provide after students respond correctly also require consideration. Although teacher attention, praise, and other commonly used stimuli may function as reinforcers for most students, some students may require selection of novel reinforcing stimuli (Wolery, Kirk, & Gast, 1985) or use of negative reinforcement (Mithaug, 1979). Teachers must also consider the density of reinforcement (Neef, Iwata, & Page, 1980) and whether the reinforcement is clearly related to the responses being acquired (Litt & Schreibman, 1981; Williams, Koegel, & Egel, 1981). Finally, teachers must carefully manipulate the reinforcement schedule (Koop, Martin, Yu, & Suthons, 1980; Mansdorf, 1977). Based on the preceding paragraphs, teachers clearly should consider a number of factors when planning and implementing instruction. Many of these manipulations can be made while using the instructional strategies described in this document.

Instruction should be designed to facilitate maintenance and generalization of learner responses to the natural environment. "Schools are publicly supported in the hope that more general uses will be made of what is learned in school. To some extent all schooling is aimed at a kind of transfer beyond the school" (Hilgard, 1956, p. 24). "Thus, transfer of learning is a cornerstone upon which education should ultimately rest" (Bigge, 1971, p. 244). However, a frequent and well recognized research finding with students who have moderate and severe handicaps is that learning occurs within the instructional situation, but is not maintained and does not generalize across settings, persons, behaviors, and variations in materials/conditions (cf. Stokes & Baer, 1977; Wehman, Abramson & Norman, 1977). Since Stokes and

Baer (1977) focused attention on this issue, considerable work has been initiated in developing and testing strategies for facilitating maintenance and generalization. Approaches for dealing with this problem can be grouped into at least two categories. The first approach is to teach in the natural environment and thereby side step the issue of generalization (cf. Gaylord-Ross & Holvoet, 1985; Kayser, et al., 1986; Sailor & Guess, 1983); however, this strategy is not totally nor consistently successful (White, Leber, & Phifer, 1985). Variations of this strategy are to match the behaviors being taught to responses that are needed in the natural environment, i.e, community-referenced instruction (Snell & Browder, 1986) and providing instruction that simulates natural conditions (Nietupski, Hamre-Nietupski, Clancy, & Veerhusen, 1986). The second approach to facilitating maintenance and generalization is to manipulate instructional variables. These manipulations take many forms, most of which were identified by Stokes and Baer (1977), including:

(a) targeting behaviors that will be needed frequently in the natural environment (Horner, Williams, & Knobbe, 1985);

(b) using materials similar to those found in the natural environment (Welch & Pear, 1980);

(c) carefully selecting and using exemplars during instruction (Pancsofar & Bates, 1985; Sprague & Horner, 1984);

(d) varying instruction variables such as using multiple trainers, settings, and intructional formats (Campbell & Stremel-Campbell, 1982; Dunlap, Koegel, & Koegel, 1984; Lowther & Martin, 1980);

(e) manipulating reinforcement contingencies by using or accessing natural reinforcers and contingencies (Stokes, Fowler, & Baer,

1978), delaying reinforcement (Fowler & Baer,1981), and decreasing the predictability of the contingencies (Baer, Williams, Osnes, & Stokes, 1984; Dunlap & Johnson, 1985);

(f) analyzing and manipulating competing behaviors (Billingsley & Neel, 1985; Matlock, Billingsley, & Thompson, 1985); and

(g) using self-management strategies (Fowler, 1984; Liberty & Michael, 1985).

Neither approach (teaching in the natural environment and manipulating instructional variables) guarantees that generalization will occur; thus, continual attention must be given to ensuring that maintenance and generalization are facilitated. Horner, Bellamy, and Colvin (1984) provide a conceptual framework for analyzing instances where generalization fails to occur.

The chapters that follow address specific instructional strategies. Less than a dozen repeatedly used instructional strategies emerged from the literature. These strategies were employed to teach a wide range of behaviors to a large number of subjects of different ages and functioning levels in a variety of settings. However, when teachers use these strategies they should specify the content of instruction, match instruction to learners' needs and abilities, manipulate other environmental or instructional variables, and faciliate the occurrence of maintenance and generalization.

## References


Alberto, P., Jobes, M., Sizemore, A., & Doran, D. (1980). A comparison of individual and group instruction across response tasks. Journal of the Association for the Severely Handicapped, 5, 285-293.

Allyon, T., Garber, S., & Pisor, K. (1976). Reducing time limits: A means to increase behavior of retardates. Journal of Applied Behavior Analysis, 9, 247-252.

Baer, R. A., Wiliams, J. A., Osnes, P. G., & Stokes, T. F. (1984). Delayed reinforcement as an indiscriminable contingency in verbal/nonverbal correspondence training. Journal of Applied Behavior Analysis, 17, 429-440.

Bailey, D. B., Harms, T., & Clifford, R. M. (1983). Matching changes in preschool environments to desired changes in child behavior. Journal of the Division for Early Childhood, 7, 61-68.

Bailey, D. B., Wolery, M., & Sugai, G. M. (in press). Effective teaching: Principles and procedures of applied behavior analysis with exceptional children. Boston: Allyn and Bacon.

Bambara, L. M., Spiegel-McGill, P., Shores, R. E., & Fox, J. J. (1984). A comparison of reactive and nonreactive toys on severely handicapped children's manipulative play. Journal of the Association for Persons with Severe Handicaps, 9, 142-149.

Barrera, R. D., Lobato-Barrera, D., & Sulzer-Azaroff, B. (1980). A simultaneous treatment comparison of three expressive langauge training programs with a mute autistic child. Journal of Autism and Developmental Disorders, 10, 21-37.

Belch, P. J. (1978). Improving the reading comprehension scores of secondary level educable mentally handicapped students through selective teacher questionning. Education and Training of the Mentally Retarded, 13, 385-389.

Bennett, W. (1986). What works: Research about teaching and learning. Washington, DC: U.S. Department of Education.

Bigge, M. L. (1971). Learning theories for teachers. (2nd ed.). New York: Harper & Row.

Billingsley, F. F., & Neel, R. S. (1985). Competing behaviors and their effects on skill generalization and maintenance. Analysis and Intervention in Developmental Disabilities, 5, 357-372.

Billingsley, F. F., & Romer, L. T. (1983). Response prompting and the transfer of stimulus control: Methods, research, and a conceptual framework. Journal of the Association for the Severely Handicappped, 8, 3-12.

Broden, M., Copeland, G., Beasley, A., & Hall, R. V. (1977). Altering student responses through changes in teacher verbal behavior. Journal of Applied Behavior Analysis, 10, 479-487.

Brown, L. Branston, M. B., Hamre-Nietupski, S., Pumpian, I. Certo, N., Gruenewald, L. (1979). A strategy for developing chronological-age appropraite and functional curricular content for severely handicapped adolescents and young adults. Journal of Special Education, 13 81-90.

Campbell, C. R., & Stremel-Campbell, K. (1982). Programming "loose training" as a strategy to facilitate language generalization. Journal of Applied Behavior Analysis, 15, 295-301.

Carnine, D. W. (1981). High and low implementation of direct instruction teaching techniques. Education and Treatment of Children, 4(1), 43-51.

Chock, P. N., & Glahn, T. J. (1983). Learning and self-stimulation in mute and echolalic autistic children. Journal of Autism and Developmental Disorders, 13, 365-381.

Cohen, M. A., & Gross, P. J. (1979). The developmental resource: Behavioral sequences for assessment and program planning. (Vol. 1). New York: Grune & Stratton. a

Cohen, M. A., & Gross, P. J. (1979). The developmental resource: Behavioral sequences for assessment and program planning. (Vol. 2). New York: Grune & Stratton. b

Crist, K., Walls, R. T., & Haught, P. A. (1984). Degrees of specificity in task analysis. American Journal of Mental Deficiency, 89, 67-74.

Cuvo, A. J., Klevans, L., Borakove, S., Borakove, L. S., Van Landuyt, J., & Lutzker, J. R. (1980). A comparison of three strategies for teaching object names. Journal of Applied Behavior Analysis, 13, 249-257.

Dowler, D. L., Walls, R. T., Haught, P. A., & Zawlocki, R. J. (1984). Effects of preference, prompt, and task agreement on the discrimination learning of mentally retarded adults. American Journal of Mental Deficiency, 88, 428-434.

Dunlap, G., & Koegel, R. L. (1980). Motivating autistic children through stimulus variation. Journal of Applied Behavior Analysis, 13, 629-627.

Dunlap, G., Koegel, R. L., & Koegel, L. K. (1984). Continuity of treatment: Toilet training in multiple community settings. Journal of the Association for Persons with Severe Handicaps, 9, 134-141.

Dunlap, G., & Johnson, J. (1985). Increasing the independent responding of autistic children with unpredictable supervision. Journal of Applied Behavior Analysis, 18, 227-236.

Dyer, K., Christian, W. P., & Luce, S. C. (1982). The role of response delay in improving the discrimination performance of autistic children. Journal of Applied Behavior Analysis, 15, 231-240.

Etzel, B. C., & LeBlanc, J. M. (1979). The simplest treatment alternative: Appropriate instructional control and errorless learning procedures for the difficult-to-teach child. Journal of Autism and Developmental Disorders, 9, 361-382.

Favell, J. E., Favell, J. E., & McGimsey, J. F. (1978). Relative effectiveness and efficiency of group versus individual training of severely retarded persons. American Journal of Mental Deficiency, 83, 104-109.

Farmer, R. (1985). Individual staff training to increase the frequency of data collection. Unpublished masters thesis, University of Kentucky, Lexington.

Fink, W. T., & Brice-Gray, K. J. (1979). The effects of two teaching strategies on the acquisition and recall of an academic task by moderately and severely retarded preschool children. Mental Retardation, 17, 8-12.

Fowler, S. A. (1984). Introductory comments: The pragmatics of self-management for the developmentally disabled. Analysis and Intervention in Developmental Disabilities, 4, 85-89.

Fowler, S. A., & Baer, D. M. (1981). "Do I have to be good all day?" The timing of delayed reinforcement as a factor in generalization. Journal of Applied Behavior Analysis, 14, 13-24.

Frederiksen, L. W., & Frederiksen, C. B. (1977). Experimental evaluation of classroom environments: Scheduling planned activities. American Journal of Mental Deficiency, 81, 421-427.

Gaylord-Ross, R. J., & Holvoet, J. (1985). Strategies for educating students with severe handicaps. Boston, MA: Little Brown.

Goetz, L., Gee, K., & Sailor, W. (1985). Using a behavior chain interruption strategy to train communication skills to students with severe disabilities. Journal of the Association for Persons with Severe Handicaps, 10, 21-30.

Goode, T. L., Brophy, J. E. (1984). Looking in classrooms (3rd ed.). New York: Harper & Row.

Halle, J. W., Alpert, C. L., & Anderson, S. R. (1984). Natural environment language assessment and intervention with severely impaired preschoolers. Topics in Early Childhood Special Education, 4(2), 36-73.

Haring, N. G., Liberty, K. A., White, O. R. (1980). Rules for data-based strategy decisions in instructional programs: Current research and instructional implications. In W. Sailor, B. Wilcox, & L. Brown (Eds.), Methods of instruction for severely handicapped students. (pp. 159-192). Baltimore: Paul Brookes.

Hasselbring, T. S., & Hamlett, C. L. (1983). AIMSTAR: A data management and decision making [Computer program]. Portland, OR: ASIEP Education Company.

Hasselbring, T. S., & Hamlett, C. L. (1984). Planning and managing instruction: Computer-based decision making. Teaching Expectional Children, 16, 248-252.

Hilgard, E. R. (1956). Theories of learning. (2nd ed). New York: Appleton-Century-Crofts.

Holvoet, J., O'Neil, C., Chazdon, L., Carr, D., & Warner, J. (1983). Hey, do we really have to take data? Journal of the Association for the Severely Handicapped, 8(3), 56-70.

Hooper, J., & Reid, D. H. (1985). A simple environmental re-design for improving classroom performance of profoundly retarded students. Education and Treatment of Children, 8, 25-39.

Horner, R. D. (1980). The effects of an environmental "enrichment" program on the behavior of institutionalized profoundly retarded children. Journal of Applied Behavior Analysis, 13, 473-491.

Horner, R. H., Bellamy, G. T. & Colvin, G. T. (1984). Responding in the presence of nontrained stimuli: Implications of generalization error patterns. Journal of the Association for Persons with Severe Handicaps, 9, 287-295.

Horner, R. H., Williams, J. A., & Knobbe, C. A. (1985). The effect of "opportunity to perform" on the maintenance of skills learned by high school students with severe handicaps. Journal of the Association for Persons with Severe Handicaps, 10, 172-175.

Hughes, V., Wolery, M., & Neel, R. S. (1983). Teacher verbalizations and task performance with autistic children. Journal of Autism and Developmental Disorders, 13, 305-316.

Huguenin, N. H. (1985). Attention to multiple cues by severely mentally retarded adults: Effects of single-component pretraining. Applied Reserach in Mental Retardation, 6, 319-335.

Jones, M. L., Favell, J. E., Lattimore, J., & Risley, T. R. (1984). Improving independent engagement of nonambulatory multiply handicapped persons through the systematic analysis of leisure materials. Analysis and Intervention in Developmental Disabilities, 4, 313-332.

Kayser, J. E., Billingsley, F. F., & Neel, R. S. (1986). A comparison of in-context and traditional instructional approaches: Total task, single trial versus backward chaining, multiple trials. Journal of The Association for Persons with Severe Handicaps, 11, 1-28.

Koegel, R. L., Dunlap, G., & Dyer, K. (1980). Intertrial interval duration and learning in autistic children. Journal of Applied Behavior Analysis, 13, 91-99.

Koop, S., Martin, G., Yu, D., & Suthons, E. (1980). Comparison of two reinforcement strategies in vocational-skill training of mentally retarded persons. American Journal of Mental Deficiency, 84, 616-626.

Liberty, K. A., & Michael, L. J. (1985). Teaching retarded students to reinforce their own behavior: A review of process and operation in the current literature. In N. G. Haring (Principal Investigator) Investigating the problem of skill generalization (3rd ed.) (pp. 88-106). (US Department of Education, Contract no. 300-82-0364). Seattle, WA: University of Washington, College of Education.

Litt, M. D., & Schreibman, L. (1981). Stimulus-specific reinforcement in the acquisition of receptive labels by autistic children. Analysis and Intervention in Developmental Disabilities, 1, 171-186.

Lowther, R. M., & Martin, G. L. (1980). Multiple settings and trainers for programming generalization of a social response of severely retarded persons. Behavior Research of Severe Developmental Disabilities, 1(2), 131-145.

Mansdorf, I. J. (1977). Learning concepts through modeling: Using different instructional procedures with institutionalized mentally retarded adults. American Journal of Mental Deficiency, 82, 287-291.

Marchetti, A. G., Cecil, C. E., Graves, J., Marchetti, D. C. (1984). Public transportation: Comparison of classroom instruction, community instruction, and facility grounds instruction. Mental Retardation, 22, 128-136.

Marchetti, A. G., McCartney, J. R., Drain, S. Hooper, M., & Dix, J. (1983). Pedestrian skills training for mentally retarded adults: Comparison of training in two settings. Mental Retardation, 21, 107-110.

Matlock, B., Billingsley, F. F., & Thompson, M. (1985). Response competition and generalization. In N. G. Haring (Principal Investigator) Investigating the problem of skill generalization (3rd ed.) (pp. 80-87). (US Department of Education, Contract no. 300-82-0364). Seattle, WA: University of Washington, College of Education.

Mercer, C. D., Mercer, A. R., & Bott, D. A. (1984). Self-correcting learning materials for the classroom. Columbus, OH: Merrill.

Meisel, C. J. (1981). Stimulus overselectivity by mentally retarded adolescents: Effects of pretraining on cue identification. American Journal of Mental Deficiency, 86, 317-322.

Mithaug, D. (1979). A comparison of procedures to increase responding in three severely retarded noncompliant young adults. Journal of the Association for the Severely Handicapped, 4(1), 66-80.

Miyashite, T. (1985). Visual discrimination learning with variable irrelevant cues in autistic children. Journal of Autism and Developmental Disorders, 15, 399-408.

Mulligan, M., Lucy, L., & Guess, D. (1982). Effects of massed, distributed, and spaced trial sequencing on severely handicapped students' performance. Journal of the Association for the Severely Handicaps, 7(2), 48-61.

Neef, N. A., Iwata, B. A., Page, T. J. (1980). The effects of interspersal training versus high desity reinforcement on spelling acquisition and retention. Journal of Applied Behavior Analysis, 13, 153-158.

Neel, R. S., Billingsley, F. F., McCarty, F., Symonds, D., Lambert, C., Lewis-Smith, N, & Hanashiro, R. (1983). Teaching autistic children: A functional curriculum approach. Seattle, WA: University of Washington.

Nietupski, J., Clancy, P., Wehrmacher, L. & Parmer, C. (1985). Effects of minimal versus lengthy delay between simulated and in vivo instruction on community performance. Education and Training of the Mentally Retarded, 20, 190-195.

Nietupski, J., Hamre-Nietupski, S., Clancy, P., & Veerhusen, K. (1986). Guidelines for making simulation an effective adjunct to in vivo community instruction. Journal of the Association for Persons with Severe Handicaps, 11, 12-18.

Paine, S. C., Radicchi, J., Rosellini, L. C., Deutchman, L., & Darch, C. B. (1983). Structuring your classroom for academic success. Champaign, IL: Research Press.

Pancsofar, E. L., & Bates, P. (1985). The impact of the acquisition of successive training exemplars on generalization. Journal of the Association for Persons with Severe Handicaps, 10, 95-104.

Remington, B., & Clarke, S. (1983). Acquisition of expressive signing by autistic children: An evaluation of the relative effects of simultaneous communication and sign-alone training. Journal of Applied Behavior Analysis, 16, 315-328.

Rogers-Warren, A. K. (1984). Ecobehavioral analysis. Education and Treatment of Children, 7, 283-303.

Rowan, V. C., & Pear, J. J. (1985). A comparison of the effects of interspersal and concurrent training sequences on acquisition, retention, and generalization of picture names. Applied Research in Mental Retardation, 6, 127-145.

Sailor, W., & Guess, D. (1983). Severely handicapped students: An instructional design. Boston: Houghton Mifflin.

Schneider, H. C., & Salzberg, C. L. (1982). Stimulus overselectivity in a match-to-sample paradigm by severely retarded youth. Analysis and Intervention in Developmental Disabilities, 2, 273-304.

Sindelar, P. T., Bursuck, W. D., & Halle, J. W. (1986). The effects of two variations of teacher questioning on student performance. Education and Treatment of Children, 9, 55-66.

Singh, N. N., Winton, A. S. W., & Singh, J. (1985). Effects of delayed versus immediate attention to oral reading errors on the reading proficiency of mentally retarded children. Applied Research in Mental Retardation, 6, 283-293.

Snell, M.E. (1983). Systematic instruction of the moderately and severely handicapped (2nd ed). Columbus, OH: Charles Merrill.

Snell, M. E., & Browder, D. M. (1986). Community-referenced instruction: Research and issues. Journal of the Association for Persons with Severe Handicaps, 11, 1-11.

Spooner, T., Weber, L. H., & Spooner, D. (1983). The effects of backward chaining and total task presentation on the acquisition of complex tasks by severely retarded adolescents and adults. Education and Treatment of Children, 6, 401-420.

Sprague, J. R., & Horner, R. H. (1984). The effects of single instance, multiple instance, and general case training on generalized vending machine use by moderately and severely handicapped students. Journal of Applied Behavior Analysis, 17, 273-278.

Stokes, T. F., & Baer, D. M. (1977). An implicit technology of generalization. Journal of Applied Behavior Analysis, 10, 349-367.

Stokes, T. F., Fowler, S. A., & Baer, D. M. (1978). Training preschool children to recruit natural communities of reinforcement. Journal of Applied Behavior Analysis, 11, 285-303.

Thvedt, J. E., Zane, T., & Walls, R. T. (1984). Stimulus functions in response chaining. American Journal of Mental Deficiency, 88, 661-667.

Wacker, D. P., Steil, D. A., & Greenebaum, F. T. (1983). Assessment of discrimination skills of multiply handicapped preschoolers and prediction of classroom task performance. Journal of the Association for the Severely Handicapped, 8(2), 65-78.

Waldo, L., Guess, D., & Flanagan, B. (1982). Effects of concurrent and serial training on receptive labeling by severely retarded individuals. Journal of the Association for the Severely Handicapped, 6(4), 56-65.

Wehman, P., Abramson, M., & Norman, C. (1977). Transfer of training in behavior modification programs: An evaluative review. Journal of Special Education, 11, 217-231.

Welch, S. J., & Pear, J. J. (1980). Generalization of naming responses to objects in the natural environment as a function of training stimulus modality with retarded children. Journal of Applied Behavior Analysis, 13, 629-643.

White, K. P., Wyne, M. D., Stuck, G. B., & Coop, R. H. (1983). Teaching effectiveness evaluation project. Final Report. Chapel Hill, NC: School of Education, University of North Carolina at Chapel Hill.

White, O. R., & Haring, N. G. (1986). Exceptional teaching (3rd ed). Columbus, OH: Charles Merrill.

White, O. R., Leber, B. D., & Phifer, C. E. (1985). Training in the natural environment and skill generalization: It doesn't always come naturally. In N. G. Haring (Principal Investigator) Investigating the problem of skill generalization (3rd ed.) (pp. 63-79). (US Department of Education, Contract no. 300-82-0364). Seattle, WA: University of Washington, College of Education.

Wilcox, B., & Bellamy, G. T. (1983). Design of high school programs for severely handicapped students. Baltimore: Paul H Brookes.

Williams, J. A., Koegel, R. L., & Egel, A. L. (1981). Response-reinforcer relationships and improved learning in autistic children. Journal of Applied Behavior Analysis, 14, 53-60.

Wolery, M., & Gast, D.L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

Wolery, M., Kirk, K., & Gast, D. L. (1985). Stereotypic behavior as a reinforcer: Effects and side effects. Journal of Autism and Developmental Disorders, 15, 149-161.

# Error Correction

## Chapter 2

Patricia Munson Doyle, Mark Wolery, Melinda Jones Ault, and David L. Gast

Error correction is a means of providing additional assistance or information to a student after an incorrect response has occurred. This is done in order to establish instructional control in the presence of the discriminative stimulus. This "corrective information communicates to the student that a response already performed is inappropriate or that a different action is needed" (Falvey, Brown, Lyon, Baumgart, & Schroeder, 1980, p. 109). Error correction differs from simple error consequation because additional assistance/information needed to perform a correct response is provided.

The type of assistance used in error correction may be a verbal instruction, model, gesture, visual cue, or any combination of these. The type of assistance selected is generally dependent upon the student, the student's response, and the behavior being trained. Bellamy, Horner, and Inman (1979) suggest that observation of student errors will help determine the type of correction cues. In addition they state, "the trainer should provide corrections with the least help possible that results in subsequent correct performance" (p. 109). This allows the student the opportunity to respond to correction cues most often approximating those found in the natural environment as well as eliminating the need for assistance as correct responding increases and instructional control is established.

The error correction trial sequence is shown in Figure 1 and consists of the trainer presenting the instructional discriminative stimulus and allowing the student the opportunity to respond independently. This is followed by the delivery of reinforcement for correct responding and some form of assistance




Figure 2.1 Flow chart depicting the error correction strategy.

if an error occurred. Delivery of this assistance gives the student another opportunity to respond correctly, receive reinforcement, and practice the difficult response. Due to the amount of literature reviewed and experiments identified as error correction studies, this chapter describes only those articles meeting the operational definition of error correction. The studies reviewed here do not include those where only a differential consequence (e.g., verbal reprimand or timeout) was presented contingent upon errors; all studies described in this chapter provided additional information to the subjects contingent upon error. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in error correction investigations are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and consequences for correct and incorrect responses are shown in Table 2.

Table 1

Results from Investigations Using the Error Correction Strategy

| Citation | Population / Number Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Ackerman & Shapiro (1984) | 3M 2F | $\bar{X}$= 33 | MoMR | CS | Vocat.; increase production | + | N/D | S= - | N/D | MB |
| Alberto et al. (1980) | 16 N/D | 6-9 | MoMR | IN | Lang.; 1. prep. 2. colors 3. dress. | +V1V2>V3 1. V1=V2 2. V1=V2/V2>V1 3. V1>V2 | N/D | N/D | N/D | AT |
| Variable 1 - Indiv.; Variable 2 - Group; Variable 3 - Control | | | | | | | | | | |
| Albin (1977) | 1M | 7-11 | PMR Aut | IN | Self care; feeding | + | N/D | S= + | M= + | MB |
| Altman & Krupsaw (1982) | 1M | 3 | DD | SS | Attending; eye contact | +/- 14 sess. | N/D | T= + | N/D | MB |
| Anderson & Spradlin (1980) | 1M | 16 | SMR | IN | Lang. express/ recept; label, match | + | N/D | T= + | D= + | MB |
| Bellamy et al. (1975) | 1M 1F | 22;26 | SMR DD | IN | Vocat.; switch assembly | + | T,M | N/D | N/D | A-B-C-D |
| Braam & Poling (1983) | | | | | | | | | | |
| Exp. I | 1F | 17 | MH | PS | Sign categ. | + | S,M | T=+ | D=+ | MB |
| Exp. II | 2F | 17; 23 | MH | PS | Intraverbals | + | S,E | N/D | D=+ | MP |
| Bucher (1983) | | | | | | | | | | |
| Exp. I | 8M 3F | 7-17 | HI | IN | Recept. to prod. labeling | + | T,M | T=+ | N/D | N/D |
| Exp.II | 7M 5F | 6-14 | HI | IN | | +/- | N/D | T=+/- | N/D | N/D |

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Bucher & Keller (1981) | | | | | | | | | | |
| Exp. I | 1M 3F | 7-12 | MiMR MoMR SMR | IN | Match/ express. | +/- | N/D | T=+/- | N/D | N/D |
| Exp. II | 3M 2F | 5-9 | MI MiMR N | IN | Recept./ express. | +/- | N/D | T=+/- | N/D | N/D |
| Exp. III | 10M 4M | 3-7 | MI N | IN | Recept./ express. | +/- | N/D | T=+/- | N/D | N/D |
| Campbell & Stremel-Campbell (1982) | 2M | 10; 12 | MoMR | PS | Lang.; answer questions | + | S | T= + | D= +/- | MB |
| Carey & Bucher (1981) | | | | | | | | | | |
| Exp. I | 2M 2F | 27-56 | SMR PMR | IN | 1. Correct eating 2. puzzle | 1. +V1 -V2 2. -V3 | N/D | N/D | N/D | A-B-A- |
| Variable 1- similar/ positive practice; Variable 2- dissimilar/positive practice | | | | | | | | | | |
| Exp. II | 2M 2F | 27-56 | SMR PMR | IN | Eating | + | N/D | N/D | N/D | A-B-A- |
| Variable 1- positive practice + restitution | | | | | | | | | | |
| Carey & Bucher (1983) | 4M 1F | 10.11-13.7 | MoMR SMR PMR | CS PS | Object placement | V1>V2 | T,N= V1<V2 P/U | S= + | N/D | MB AT |
| Variable 1 - Short positive practice; Variable 2 - Long positive practice | | | | | | | | | | |

Table 1 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Carr et al. (1978) | 4M | 10-15 | Aut | PS | Lang.; manual sign | + | T | T= +/- | N/D | MB |
| Carr & Kologinsky (1983) | | | | | | | | | | |
| Exp. I | 3M | 9-14 | Aut | PS | Lang.; mand signs | + | T | T= +/- | N/D | MB |
| Exp. II | 3M | 10-14 | Aut | PS | General.; mand signs | + | N/D | P= + | N/D | MB |
| Certo et al. (1985) | 1M | 20.5 | SMR | CS | Vocat., bus boy | + | S | N/D | D= + | MP |
| Close et al. (1978) | 70 N/D | 16-45 | SMR | IN | Vocat.; axle-nut, axle-post assembly | +/- V1=V2 V3>V4 | T= V3<V4 | N/D | N/D | GR |

Variable 1 - Specific; Variable 2 - Nonspecific; Variable 3 - VI + FP; Variable 4 - VI + G

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Dyer et al. (1982) | 1M 2F | 13-14 | Aut | IN | Lang. con-cepts; pronoun, right, left | V1=+ V2=- | N/D | N/D | N/D | MB WTD |

Variable 1 - Response delay; Variable 2 - No response delay

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Egel et al. (1984) | 4M | 6-8 | Aut | PS | Lang. con-cepts; preposition | V1=+ V2=+ | S= V2<V1 | T= +/-a | N/D | AT MB |

Variable 1 - Position Self; Variable 2 - Position Object

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Entrikin et al. (1977) | 1M 2F | 8.10-11.10 | MoMR | PS | Academic; reading | + | N/D | N/D | N/D | MB |

Table 1 continued.



| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Fav et al. (1981) | | | | | | | | | | |
| Exper. 1 Training | 3M 3F | 16-22 | PMR | IN | Lang.; manual signs | + | N/D | S,T= - | D= + | MB |
| Exper. 2 Generalization | | | | | Setting, stimulus general. | NA | N/D | S,T= + | N/D | MB |
| Foxx (1977) | 2M 1F | 6-8 | SMR Aut | PS | Attending; eye contact | V2>V1 | N | P,S= +/-a | N/D | ST CC ST MB |
| Variable 1 - Edibles, praise; Variable 2 - Edibles, praise, functional movement | | | | | | | | | | |
| Foxx (1984) | 2M 2F | 6-8 | SMR Aut | PS | Lang.; color, object, discrim. | + V1V2 | N= V2<V1 | P,S= +a | M= + | AT |
| Variable 1 - Edibles, praise; Variable 2 - Edibles, praise, graduated guidance | | | | | | | | | | |
| Frank et al. (1985) | 1M 4F | 11.3-13.6 | MiMR | PS | Academic; micro. computer spelling | + | E,S | T= +a | D= + | MB WTD |
| Freeman et al. (1975) | 1M | [illegible] | Aut | IN | Lang. express.; answer questions | + | S | N/D | N/D | A-B |
| Giangreco (1982) | 1M | 7 | PMR | SS | Lang.; motor imitation | + | T | T= A +/- | M= + | N/D |

Table 1 continued.

| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Goetz et al. (1985) | 2M | 12; 14 | SMR | PS | Lang.; comm. books activities | V1=- V2=+ | S | N/D | N/D | MB |
| Variable 1 - Trial presented traditional; Variable 2 - Interrupted training | | | | | | | | | | |
| Gruber et al. (1979) | 4M | 18-26 | PMR | IN | Comm. living; indep. travel | + | S | P= + T= A+ | M= + | MB |
| Handleman & Harris (1980) | 3M | 6-9 | Aut | SS CS | Lang.; answer questions | + | T | S= + | N/D | MB |
| Hanley-Maxwell et al. (1982) | 6 M/F | 10.5-14.8 | MoMR | PS | Academic; reading | +/- V3V1V2> V4V1V2 V1>V2 | T | N/D | M= +/- | GB |
| Variable 1 - Direct instruction; Variable 2 - Incidental learning; Variable 3 - High group; Variable 4 - Low group | | | | | | | | | | |
| Horner et al. (1985) | 1M 2F | 12-53 | MoMR PMR | CS | Comm. living; street crossing | +V1 | T,S | S= + | M= A+ | MP |
| Variable 1 - General case; Variable 2 - Control | | | | | | | | | | |
| Huguenin (1985) | 4 N/D | N/D | SMR | N/D | Lang. recept.; i.d. cards | + | S | T= +/- | N/D | MB WTD |
| Hundert (1981) | 1M | 10 | Aut. HI | IN | Lang.; manual sign | + V1,V2 | T,E= V1<V2 | P,S,T= V2>V1 | N/D | AT |
| Variable 1 - Single stimulus; Variable 2 - Multiple stimulus | | | | | | | | | | |

Table 1 continued.



| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Keller & Bucher (1980) | 4M 1F | 5.11-10.4 | BMR MiMR SMR | IN | Lang. express; i.d. pictures | + V1,V2 | S,T= V1=V2 | T= V1>V2 | A-B, B-A, A-B, B-A... | |
| Variable 1 - Receptol productive training; Variable 2 - Productive only | | | | | | | | | | |
| Koegel et al. (1979) | 8M 4F | 4.2-15 | Aut | N/D | Lang. recept.; i.d. pictures | + | N/D | N/D | N/D | N/D |
| Krantz et al. (1981) | | | | | | | | | | |
| Exper. I | 4M | 7.8-13.1 | Aut | SS | Lang. express.; multiple descriptors | + | N/D | P,S,T= + | M= +/- | MB |
| Lally (1981) | 9M 7F | 9-16 | MiMR MoMR | PS | Academic; computer assisted reading | + | N/D | N/D | M= + | GR |
| Lehr (1985) | 2M 2F | 12.6-21 | MR | PS | Lang.; i.d. stove, dryer | -V1 +V2 | AM | N/D | N/D | MB |
| Variable 1 - 10 Trial training; Variable 2 - 30 Trial training | | | | | | | | | | |
| Lowther & Martin (1980) | | | | | | | | | | |
| Exper. I 2 Trainers/ 1 Setting | 1M 5F | 20-33 | SMR | IN | Social; positive greeting | E1+ | N/D | P,S= +m,A | M= +A | MB |
| Exper. II 1 Trainer/ 2 Settings | 1M 5F | 20-33 | SMR | IN | Social; positive greeting | E2+ | N/D | P,S= +m,A | M= +A | MB |

Table 1 continued.

| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Luiselli & Rice (1983) | 1M | 8 | MR | SS | Social; postive toy play | + | N/D | N/D | N/D | A-B WTD |
| Matson et al. (1982) | 1M 2F | 10-12 | BMR MMR | IN | Academic; spelling fluency | V2>V1 | N/D | N/D | N/D | MB AT |
| Variable 1 - Positive practive; Variable 2 - Positive practice + reinf. | | | | | | | | | | |
| Mithaug & Liberty (1980) | 1F | 20 | SMR | PS | Lang. recept; i.d. words | + 7 words +A 3 words | S | T= + | N/D | MB |
| Murdock et al. (1977) | 2F | 8.11; 9.7 | MoMR | PS | Lang. express; artic. | + | S | S,P= +a | N/D | MB |
| Neef et al. (1983) | | | | | | | | | | |
| Exper. I | 3M 3F | 6-8 | DD | PS | Compliance do/don't | + | S | T=+ | N/D | MB |
| Exper. II | 5M 5F | 6-8 | DD | PS | General.; setting/ teacher | NA | N/D | S,P= + | N/D | MB |
| Nelson et al. (1980) | 13M 7F | $\bar{X}$ = 11.5-13.1 | Aut | SS | Self-care; shoe lacing | + | T | T = +/- | N/D | GR |
| Nietupski et al. (1984) | 3F 1F | 7.5-10.3 | MoMR | PS | Comm. living; vending machine | + | T | T= +a | M= + | MP |
| Orelove (1982) | 12 N/D | 19-38 | MoMR SMR | IN | Acad.; sight reading | +/- | N/D | T= +/- | Probes + | GR |

Table 1 continued.



| Citation | Population / Number Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Page, et al. (1976) | 5M | 16-25 | MR | PS | Comm. living; street crossing | + | S,M | S= +/-m | M= +/-m | MB |
| Palyo et al. (1979) | 2M 1F | 3.8-5.7 | DD | SS | Lang.; answer questions | + | S | P,S,T= +m | D,M= +m | MB |
| Partington et al. (1979) | 1M 4F | 4-14 | MiMR M | PS | Academic; tell time | + | S | T= +m | +M | CC |
| Reid & Buribut (1977) | | | | | | | | | | |
| Exper. I | 3M 1F | 31-34 | MR | IN | Comm. board | + | S | N/D | N/D | MB |
| Exper. II | 3M 1F | 31-34 | MR | IN | Id. training | + | N/D | P,S= + | M= + | MB |
| Richman et al. (1986) | 4F | 17-21 | MoMR SMR PMR | SS | Self care; menstrual care | + | N/D + | T= + | M= + | MB |
| Romanczyk et al. (1975) | | | | | | | | | | |
| Exper. I Error Corr. | 2M 2F | 5.3-7.1 | DD | SS | Social; positive interaction, play | + | N/D | N/D | N/D | MB WTD |
| Exper. II Withdrawn | | | | | | | | | | |
| Error Corr. | 4 N/D | 7.10-12.10 | DD | SS | Social; positive interaction, play | + E2>E1 | N/D | N/D | N/D | MB WTD |

Table 1 continued.

| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Singh et al. (1985) | 2M 2F | 11-17 | MoMR | PS | Academic: read in context | + V1V2>V3 V2>V1 | N= V2<V1,V3 | N/D | N/D | AT |

Variable 1 - Error corr., all errors; Variable 2 - Error corr. at end of sentence; Variable 3 - No consequences

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Sisson & Barrett (1984) | 3M | 4.8-8.1 | MiMR MoMR | SS | Lang.; expressive comm. | +V2 -V1 | S= V2<V1 | N/D | N/D | AT MB MP |

Variable 1 - Oral comm.; Variable 2 - Total comm.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Sneenge et al. (1980) | 3M | 17-23 | MiMR ED | PS | Academic; measurement skills | + | N/D | T= +/- | M= + | MB |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Trace et al. (1971) | 7M 7F | 14-18 | MiMR MoMR | IN | Acad.; coin equiv. | + V1>V2 | S,E,M | N/D | V,M= V1+ V2- | MB |

Variable 1 - Experimental group; Variable 2 - Control group

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Waldo et al. (1982) | 2M 1F | 8-16 | SMR | IN | Lang. recept.; nonsense labels | V2>V1 | T= V1<V2 | N/D | N/D | A-B |

Variable 1 - Serial; Variable 2 - Concurrent

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Walls et al. (1979) | 16M 16F | 18-50 | MiMR MoMR SMR | CS | Vocat.; assembly skills | + V1, V2, V3, V4 | M,E= V1,V3,V4<V2 positive trend V4<V1,V3 | N/D | M= +m V1,V2,V3,V4 | GR |

Variable 1 - Tactile; Variable 2 - Auditory; Variable 3 - Visual; Variable 4 - all 3

Table 2

Methods from Investigations Using the Error Correction Strategy

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Ackerman & Shapiro (1984) | 5 | MoMR | Vocat.; increase production | DS | Social praise, pats on back | VI, PP |
| Alberto et al. (1980) | 16 | MoMR | Lang.; 1. prep. 2. colors 3. dressing | DS Ch | Edibles, Social Praise | Repeat VI/SD PP=A, repeat VI |
| Albin (1977) | 3 | PMR Aut | Self care feeding | Ch | Social praise, Edible | VI,PP |
| Altman & Krupsav (1982) | 1 | DD | Attending: eye contact | DS | Social praise, Edible, toy | PP, repeat trial |
| Anderson & Spradlin (1980) | 1 | SMR | Lang. express./ recept.; label, match | DS | Social praise, primary reinforcer, | VR,MO, repeat trial |
| CODES | See Appendix A | | See Appendix A | Ch = chained DS = dis-crete | N/D = not defined | VR = verbal reprimand<br>NR = no response<br>VI = verbal instruction<br>MO = model<br>G = gesture<br>PP = positive practice<br>FP = full physical manipulation<br>VP = visual prompt<br>OC = overcorrection<br>IVI= indirect verbal instruction<br>GG = graduated guidance<br>SD = discriminative stimulus |

Table 2 continued.

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Bellamy et al. (1975) | 2 | SMR DD | Vocat.; switch assembly | Ch | Compliments, edibles, physical affection | VI, MO, FP Assistance based on trainer discretion |
| Braam & Poling (1983) | | | | | | |
| Exp. I | 1 | MR | Lang.; sign categ. | DS | Descriptive verbal praise, tokens | 10 - sec. timeout |
| Exp. II | 2 | MR | Intraverbals | DS | Descriptive verbal praise, tokens | Repeat trial with MO |
| Bucher (1983) | | | | | | |
| Exp. I | 11 | MI | Lang.;recept. to prod. labeling | DS | Social praise, edibles | MO, rearrange materials repeat trial |
| Exp. II | 12 | MI | Label | | Social praise, edibles | in both experiments |
| Bucher & Keller (1981) | | | | | | |
| Exp. I | 4 | MiMR MoMR SMR | Match/ Express. | DS | Social praise, edibles in all experiments | MO, G rearrange materials repeat trial; in all experiments |
| Exp. II | 5 | MI MiMR N | Recept./ Express. | DS | | |
| Exp. III | 14 | MI N | Recept./ Express. | DS | | |
| Campbell & Stremel-Campbell (1982) | 2 | MoMR | Lang.; answer questions | DS | Descriptive praise, token | Expand MO, 2-sec. wait |

Table 2 continued.

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Carey & Bucher (1981) Exp. I | 4 | SMR PMR | 1. Correct eating<br>2. puzzle | DS<br>DS | Social praise | 1. Positive practice, restitution<br>2. positive practice |
| Exp. II | 4 | SMR PMR | 3. eating | DS | Social praise | 3. positive practice, restitution |
| Carey & Bucher (1983) | 5 | MoMR SMR | Object placement | DS | Verbal feedback | Positive practice, VI, FP, repeat SD |
| Variable 1 - short positive practice; Variable 2 - long positive practice | | | | | | |
| Carr et al. (1978) | 4 | Aut | Lang.; manual sign | DS | Social praise, edible | VR, VI, FP |
| Carr & Kologinsky (1983) Exp. I | 3 | Aut | Lang.; signing mands | DS | Received manded item | MO, differential reinforcement |
| Exp. II | 3 | Aut | General mand signs | | Received manded item | MO, differential reinforcement |
| Certo et al. (1985) | 1 | SMR | Vocat.; bus boy | Ch | Edible (drink) | VI, G, MO, FP Assistance based on trainer discretion |

Table 2 continued.

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Close et al. (1978) | 70 | SMR | Vocat.; axle-nut, axle-post assembly | Ch | Social praise | V1-V6 |
| Variable 1 - IVI, G; Variable 2 - VI,G; Variable 3 - VI, FP; , FP<br>Variable 4 - IVI, FP; Variable 5 - VI, FP(5x); Variable 6 - IVI, FP(5x) | | | | | | |
| Dyer et al. (1982) | 3 | Aut | Lang.; concepts, pronoun, right/ left | DS | Social praise, primary | VR, NO if 3 consecutive incorrects |
| Variable 1 - Response delay; Variable 2 - no response delay | | | | | | |
| Egel et al. (1984) | 4 | Aut | Lang.; concepts, prepositions | DS | Descriptive verbal praise, toys, activities, praise only remedial | SD/VI, FP, repeat trial NO on remedial |
| Entrikin et al. (1977) | 3 | MoMR | Academic; reading | DS | Social praise | VR, NO, repeat trial |
| Faw et al. (1981) | | | | | | |
| Exp. I training | 6 | PMR | Lang.; manual signs | DS | Social praise | 1. Repeat SD, if still incorrect- |
| Exp. II generalization | 6 | PMR | Setting/ stimulus generalization | | | 2. SD + NO/Staff 1 FP/Staff 2 |
| Foxx (1977) | 3 | SMR Aut | Attending; eye contact | DS | Social praise, edibles | VR, functional movement training |
| Variable 1 - edibles, praise; Variable 2 - edibles, praise, functional movement | | | | | | |

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Foxx (1984) | 4 | SMR Aut | Lang.; color, object discrim. | DS | Social praise, edibles | VR, GG |
| Varibles 1 - edibles, praise: Variable 2 - edibles, praise, graduated guidance | | | | | | |
| Frank et al. (1985) | 5 | MiMR | Academic; micro-computer spelling | Ch | Social praise | VI |
| Freeman et al. (1975) | 1 | Aut | Express. lang.; question answer | DS | Edibles | NO, VI |
| Giangreco (1982) | 1 | PMR | Lang.; motor imitation | DS | Social praise, received item used in task | NO, VI, PP, PP(5x) when necessary. Assistance based on trainer discretion |
| Goetz et al. (1985) | 2 | SMR | Lang.; comm. books activities | DS | Social praise | NO, PP Repeat trial after 20-40 min.; errors on repeat trial results in no more opportunities to respond in that session. |
| Gruber et al. (1979) | 4 | PMR | Comm. living; indep. travel | Ch | Social praise, edibles | VR, VI if still incorrect VI, PP |

Table 2 continued.

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Handleman & Harris (1980) | 3 | Aut | Lang.; answer questions | DS | Verbal praise, edibles | VR, MO |
| Hanley-Maxwell et al. (1982) | 6 | MoMR | Academic: reading | DS | Descriptive social praise | VI (R\), G, VI(SD) if still incorrect, VI again |
| Horner et al. (1985) | 3 | MoMR PMR | Comm. living: street crossing | Ch | Coins and/or social praise | VR, VI repeat task |
| Hugenin (1985) | 4 | SMR | Lang. recept.; id. cards | DS | Social praise, edibles, token | VR, VI, MO |
| Hundert (1981) | 1 | Aut MI | Lang.; manual signs | DS | Social praise, drink | VR, MO; if still incorrect- FP |
| Keller & Bucher (1980) | 5 | BMR MiMR SMR | Lang. Express.; id. pictures | DS | M/D | VR, MO repeat SD |
| Koegel et al. (1979) | 12 | Aut | Lang. Recept.; id. pictures | DS | Social praise, edibles | VR, remove materials; if still incorrect- FP |
| Krantz et al. (1981) Exp. I | 4 | Aut | Lang. express.; multiple descriptors | DS | Social praise, token, or ints | MO, repeat SD; if still incorrect- next trial |

Table 2 continued.



| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Lally (1981) | 16 | MiMR MoMR | Academic; computer assisted reading | DS | Computer praised student, lights flashed | VR, IVI; if still incorrect present VP |
| Lehr (1985) | 4 | MR | Lang.; id. stove, dryer | DS | Social praise | MO, require correct imitation |
| Lowther & Martin (1980) Exp.I 2 trainers 1 setting Exp. II 1 trainer 2 settings | 6 | SMR | Social; positive greeting | DS | Social praise, edibles | MO |
| Luiselli & Rice (1983) | 1 | MR | Social; positive toy play | DS | Reinforcers available in free play | 30 sec. positive practice, (VI, FP) |
| Matson et al. (1982) | 3 | BMR MiMR | Academic; spelling fluency | DS | Stars or stickers, and praise | VI, OC |

Variable 1 - positive practice; Variable 2 - positive practice + reinforcement

| | | | | | | |
|---|---|---|---|---|---|---|
| Mithaug & Liberty (1980) | 1 | SMR | Lang.; recept. id. words | DS | Social praise and trainer accepted selected card | VR, MO, incorrect card not accepted; require correct response |
| Murdock et al. (1977) | 2 | MoMR | Lang. express.; artic. | DS | Social praise and end of session reinforcers | MO |

Table 2 continued.

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Neef et al. (1983) | | | | | | |
| Exp. I | 6 | DD | Compliance Do/Don't | DS | Descriptive verbal praise, edibles, hugs, praise, | descriptive VI, remedial trial, FP |
| Exp. II | 10 | DD | Generalization setting/ teacher | | popcorn | FP, praise for correct |
| Nelson et al. (1980) | 20 | Aut | Self-care; shoe lacing | Ch | praise, edibles, toys; 'break' for independent response | FP |
| Nietupski et al. (1984) | 4 | MoMR | Comm. living; vending machine | Ch | Allowed to continue through task steps | MO, require correct response |
| Orelove (1982) | 12 | MoMR SMR | Acad.: sight read | DS | Descriptive verbal praise | MO, require correct imitation |
| Page et al. (1976) | 5 | MR | Comm. living; street crossing | Ch | Descriptive verbal praise | Explicit VI repeat trial, if incorrect, MO entire task and repeat trial |
| Palyo et al. (1979) | 3 | DD | Lang.: question/ answer | DS | Social praise, edibles | VR, in-seat timeout, MO, require correct response |
| Partington et al. (1979) | 5 | MiMR M | Acad.: tell time | DS | Social praise, intermittent edible | VI, MO |

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Reid & Hurlbut (1977) | | | | | | |
| Exp. I | 4 | MR | Comm. board | DS | Descriptive verbal praise | VI, FP repeat trial |
| Exp. II | 4 | MR | Board id. training | | Descriptive verbal praise | VI, repeat trial until correct |
| Richman et al. (1986) | 4 | MoMR SMR PMR | Self care; menstrual care | Ch | Social praise and/or edible | VI, repeat trial |
| Romanczyk et al. (1975) | | | | | | |
| Exp. I error correction | 4 | DD | Social; positive interaction, play | DS | Descriptive verbal praise | FP contingent on MR |
| Exp. II withdraw error correction | 4 | DD | | | | Gradual reduction of FP |
| Singh et al. (1985) | 4 | MoMR | Acad.; read in context | DS | Edible | V1=VI all errors V2=VI at end of sentence V3=No correction |
| Variable 1 - Error Correction all errors; Variable 2 - Error correction at end of sentence; Variable 3 - No consequence | | | | | | |
| Sisson & Barrett (1984) | 3 | MiMR MoMR | Lang. express.; communication | DS | Edible, praise | VI, FP, or both, assistance based on trainer discretion |
| Smeenge et al. (1980) | 3 | MiMR ED | Acad.; measurement skills | DS | Descriptive praise | VI, repeat trial |
| Trace et al. (1971) | 14 | MiMR MoMR | Acad.: coin equiv. | Ch | Descriptive praise, edibles | VI, NO, repeat trial require correct response |

Table 2 continued.

| Citation | Population Number | Diagnosis | Behavior Name | Type | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|
| Waldo et al. (1982 | 3 | SMR | Lang. recept.; nonsense labels | DS | N/D | VR, NO |
| Walls et al. (1979) | 32 | MIMR<br>MoMR<br>SMR | Vocat.; assembly skills | Ch | N/D | V1=PP<br>V2=VI<br>V3=NO<br>V4=PP,VI,NO |

Variable 1 - tactile; Variable 2 - Auditory; Variable 3 - Visual; Variable 4 - all 3

Population

Error correction has been implemented with a diverse population. The handicapping conditions ranged from persons with borderline/mild (e.g., Frank, Wacker, Berg, & McMahon, 1985; Matson, Esveldt-Dawson, & Kazdin, 1982; Partington, Sundberg, Iwata, & Mountjoy, 1979), moderate (e.g., Campbell & Stremel-Campbell, 1982; Hanley-Maxwell, Wilcox, & Heal, 1982; Murdock, Garcia, & Hardman, 1977), severe (e.g., Goetz, Gee, & Sailor, 1985; Mithaug & Liberty, 1980; Waldo, Guess, & Flanagan, 1982), and profound mental retardation (e.g., Albin, 1977; Giangreco, 1982; Gruber, Resser, & Reid, 1979). The population also included persons with autism (e.g., Koegel, Schreibman, Britten, & Lartinen, 1979) and multiple handicaps (e.g., Bucher, 1983; Luiselli & Rice, 1983; Page, Iwata, & Neef, 1976).

The chronological ages of the students included preschoolers, 3.0-5.0 years (e.g., Altman & Krupshaw, 1982; Carr & Kologinsky, 1983), and 70% of the studies used elementary-aged and adolescent students, 5.0-17.0 years (e.g., Dyer, Christian & Luce, 1982; Foxx, 1984; Singh, Winton, & Singh, 1985). Adults, those 18 years or older, also participated in the error correction studies (e.g., Bellamy, Peterson, & Close, 1975; Carey & Bucher, 1981; Orelove, 1982).

Behaviors

The behaviors selected for training varied across studies. Although error correction was used to teach both chained and discrete behaviors across domains, the majority (78%) involved discrete responses. A large percentage (49%), taught discrete receptive/expressive language or language concept skills. For example, Braam and Poling (1983) trained intraverbal responses to categories of home, school, and people. Egel, Shafer, and Neef, (1984) taught

autistic students prepositional concepts, and Hundert (1981) taught a multiply handicapped student manual labeling of pictures. Other discrete skills trained using an error correction strategy included academic or pre-academic skills (e.g., Lally, 1981; Smeenge, Page, Iwata & Ivancic, 1980), social skills (e.g., Lowther & Martin, 1980; Romanczyk, Diament, Goran, Trunell, & Harris, 1975), and increasing attending or on task behaviors (e.g., Ackerman & Shapiro, 1984; Foxx, 1977).

As noted in Table 1, 22% of the experiments taught a diverse selection of chained behaviors. These chained behaviors across domains included (a) self-care skills including shoe lacing (Nelson, Gergenti, & Hollander, 1980) and independent menstrual care (Richman, Ponticas, Page, & Epps, 1986); (b) community living skills such as independent street crossing (Horner, Jones, & Williams, 1985; Page et al., 1976) and appropriate vending machine use (Nietupski, Clancy, & Christiansen, 1984); and (c) vocational skills such as complex task assembly (Bellamy et al., 1975; Close, Irvin, Prehm, & Taylor, 1978; Walls, Ellis, Zane, & Vanderpoel, 1979) and bus boy skills (Certo, Mezzullo, & Hunter, 1985). In addition, Frank et al. (1985) task analyzed and trained beginning microcomputer skills and Trace, Cuvo, and Criswell (1977) taught a 3-response chain, coin-equivalancy task.

## Consequences

### Correct Responses

Of the studies reviewed, few specify differential consequences for corrected and uncorrected responses. Egel et al. (1984) delivered descriptive verbal praise, edibles, toys, and activities for correct responses to the $S^D$ and praise only for correct response during a remedial trial. Palyo et al. (1979) reinforced all correct responses with praise and edibles whether they

occurred in the presence of the $S^D$ or following the error correction procedure. The reinforcers chosen for correct responding were student specific but generally included descriptive verbal praise.

Incorrect Responses

The operational definition of error correction includes teacher delivery of assistance contingent upon incorrect responding. Falvey et al. (1980) identified different types of error correction strategies which were effective in establishing instructional control: (a) primed correction procedures, (b) modeled correction, (c) direct verbal correction, (d) indirect verbal correction, (e) gestural correction, and (f) pictorial correction procedures. Primed correction strategies refer to full or partial physical guidance used to obtain correct responses following students' errors. Primed assistance was used in 42% of the error correction experiments. This percentage includes the use of physical guidance in isolation; for example, Egel et al. (1984) provided a remedial trial including a restatement of the $S^D$ and physical guidance of correct receptive identification of prepositions, and Nelson et al. (1980) delivered a minimal manual prompt contingent on students' errors in shoe lacing. However, the majority of the studies presented physical assistance in combination with other types of correction procedures. Carey and Bucher (1983) delivered verbal correction and physical guidance following incorrect responses; Faw, Reid, Schepis, Fitzgerald, and Welty (1981) modeled and physically guided a correct manual sign following an error by adults with profound mental retardation; and Neef, Shafer, Egel, Cataldo, and Parrish (1983) delivered descriptive verbal correction plus a remedial trial and physical guidance contingent upon students' errors in a compliance/instruction following experiment. As seen in Table 2, a physical manipulation was used as

part of the error correction strategy across behaviors and domains. The specific physical manipulations were generally task specific. For example, a different type of physical manipulation was used for dressing than for a receptive identification task. Falvey et al. (1980) suggest that use of direct physical guidance may be "non-functional or even counterproductive" (p. 110) when used to teach certain behaviors.

The second type of error correction is a verbal or nonverbal model or direct demonstration of the desired response by the trainer. A model in isolation or in combination with another correction type occurred in 42% of the experiments. Model correction in isolation included delivery of an expanded model of the correct behavior, correct intraverbal question answering (Campbell & Stremel-Campbell, 1982), and providing the $S^D$ and model of a correct language descriptor (Krantz, Zalenski, Hall, Fenske, & McClannahan, 1981). As seen in Table 2, many studies using the model presented it with another type of correction procedure. For example, Goetz et al. (1985) delivered a model and manually guided the correct response while training a communication book system, and Sisson and Barrett (1984) delivered a vocal model, manual model, or both in an expressive language study.

Falvey et al. (1980) defined a direct verbal correction as a verbal instruction occurring after an error and one which provides supplementary information explicitly describing a desired response. An indirect verbal correction is an "implicit statement" (p.117) not explicitly defining the correct response. Verbal corrections were delivered in 33% of the studies. Included in this percentage are those experiments where the verbal discriminative stimulus was repeated as a direct verbal correction procedure in combination with another correction type. For instance, Alberto, Jobes,

Sizemore, and Doran (1980) repeated the $S^D$, verbal cue, and then guided the student through the correct response. Examples of indirect verbal instructions found in Table 2, include saying, "Try another way" in an assembly task (Close et al., 1978), "Say word" used to increase spelling fluency (Matson et al., 1982), and "Try again" in training computer-assisted sight reading (Lally, 1981). For the studies cited in Table 2, the majority of the verbal corrections were direct corrections. For example, Neef et al. (1983) delivered descriptive verbal correction when increasing instruction following; Reid and Hurlbut (1977) delivered direct verbal correction and manual guidance when training use of a communication board; Smeenge et al. (1980) presented a descriptive verbal correction following errors while training an academic skill; and Walls et al. (1979) provided descriptive verbal instructions to one group when training complex assembly skills.

Gestural error correction procedures have also been used, but rather infrequently (i.e., < 1%). Gestures have been used to to indicate a correct response (Certo et al., 1985), to identify errors (Close et al., 1978) or in combination with other correction procedures such as a verbal model of the correct response (Bucher & Keller, 1981).

No examples were found of the sixth correction type, pictures, described by Falvey et al. (1980). However, other types of error correction occured such as positive practice (e.g. Carey & Bucher, 1981, 1983; Luiselli & Rice, 1983; Matson et al., 1982). In addition, 21% of the error correction studies specified the use of other consequences for errors paired with the correction procedures. For example, a mild verbal reprimand followed by a correction procedure (e.g., Entrikin, York, & Brown, 1977; Handleman & Harris, 1980; Huguenin, 1985; Keller & Bucher, 1980). Braam and Poling (1983) provided a

10-sec. timeout procedure followed by presentation of the $S^D$ and model of correct response. Palyo, Cooke, Schuler, and Apolloni (1979) presented a loud "No" and a limited in-seat timeout followed by presentation of a taped correct response.

As stated previously, the majority (53%) of studies used a combination of correction procedures contingent on students' errors. Occasionally, experimenters specified different correction options, and delivery of an option was based on trainer discretion (e.g. Bellamy, et al., 1975; Certo, et al., 1985).

## Results

### Effectiveness

All of the studies identified as error correction investigations reported effectiveness data. The majority (79%) of the studies taught the target behavior to criterion. The remaining studies either (a) demonstrated mixed results (e.g., reaching criterion for some students but not others, for example, Hanley-Maxwell et al. [1982] taught reading skills to six students and four met criterion but two only improved performance over baseline levels) or (b) the authors did not train to criterion (Lally [1981] conducted a four week training program for computer-assisted sight reading).

Although the majority of studies reported data demonstrating the effectiveness of error correction as an instructional strategy, 27% manipulated an instructional variable resulting in some comparative data. These variables included (a) environmental manipulations such as group versus individual training (Alberto, et al., 1980), 10-trial versus 30-trial presentation (Lehr, 1985), and varying the number of trainers and settings (Lowther & Martin, 1980); (b) stimulus variation, Hundert (1981) compared

single stimulus versus multiple stimulus training of manual signs, and Sisson and Barrett (1984) compared results of oral versus total communication training; or (c) post response manipulations, Close et al. (1978) compared effectiveness and efficiency of six types of error correction procedures, Matson et al. (1982) compared positive practice versus postive practice plus reinforcement, and Walls et al. (1979) compared efficiency of four types of error correction prompts. In all of the parametric studies, error correction was the only strategy used.

Efficiency

Efficiency data such as total training time, number of sessions, number of trials to criterion, and total number of errors was reported in 56% of the studies. The most frequently reported efficiency data were the number of sessions to criterion (57%) followed by trials to criterion (38%). Some studies reported more than one efficiency measure. Braam and Poling (1983) reported sessions to criterion and total training time in their first experiment, and Trace et al. (1977) reported sessions, number of errors, and total training time. Anectdotal statements were also noted; for example, Foxx (1984) states that the length of each session decreased as negative reinforcement intervention occurred. The efficiency measures of each study reporting this data can be found in Table 1.

Summary

Based upon the literature reviewed, the following statements can be made.

* The population selected for training in the error correction studies demonstrated a wide range of variance in both chronological age and handicapping conditions.

* Error correction was used to teach a wide range of behaviors, however, the majority (78%) of studies reviewed taught discrete reponses.

* The type of error correction procedure selected was dependent upon the population and behavior being trained. The majority (53%) delivered a combination of correction types contingent on student errors.

* The majority of error correction studies reported that the procedure was effective in training a wide range of behaviors to students with a variety of handicaps.

* Efficiency data were reported inconsistently across studies. The majority reported total number of sessions and/or trials to criterion.

* The current literature cannot be used to establish the relative efficacy of one error correction procedure over others.

* Reinforcement for correct responses combined with error correction appears to be more effective that reinforcement alone or error correction alone.

* Comparisons of the effectiveness and efficiency of different types of error correction and error correction to other instructional strategies should be addressed in future research.

## References

Ackerman, A. M., & Shapiro, E. S. (1984). Self-monitoring and work productivity with mentally retarded adults. Journal of Applied Behavior Analysis, 17, 403-407.

Alberto, P., Jobes, N., Sizemore, A., & Doran, D. (1980). A comparison of individual and group instruction across response tasks. Journal of the Association for the Severely Handicapped, 5, 285-293.

Albin, J. B. (1977). Some variables influencing the maintenance of acquired self-feeding behavior in profoundly retarded children. Mental Retardation, 15(5), 49-52.

Altman, K., & Krupshaw, R. (1982). Increasing eye contact by headholding. Analysis and Intervention in Developmental Disabilities, 2, 319-327.

Anderson, S. R., & Spradlin, J. E. (1980). The generalized effects of productive labeling training involving common object classes. Journal of the Association for the Severely Handicapped, 5, 143-157.

Bellamy, G. T., Horner, R. H., & Inman, D. P. (1979). Vocational habilitation of severely retarded adults: A direct service technology. Baltimore: Paul Brookes.

Bellamy, G. T., Peterson, L., & Close, D. (1975). Habilitation of the severely and profoundly retarded: Illustrations of competence. Education and Training of the Mentally Retarded, 10, 174-186.

Braam, S. J., & Poling, A. (1983). Development of intraverbal behavior in mentally retarded individuals through transfer of stimulus control procedures: Classification of verbal responses. Applied Research in Mental Retardation, 4, 279-302.

Bucher, B. (1983). Effects of sign-language training on untrained sign use for single and multiple signing. Analysis and Intervention in Developmental Disabilities, 3, 261-277.

Bucher, B., & Keller, M. F. (1981). Transfer to productive labeling after training in comprehension: Effects of three training variables. Analysis and Intervention in Developmental Disabilities, 1, 315-331.

Campbell, C. R., & Stremel-Campbell, K. (1982). Programming "loose training" as a strategy to facilitate language generalization. Journal of Applied Behavior Analysis, 15, 295-301.

Carey, R. G., & Bucher, B. (1981). Identifying the educative and suppressive effects of positive practice and restitutional overcorrection. Journal of Applied Behavior Analysis, 14, 71-80.

Carey, R. G., & Bucher, B. (1983). Positive practice overcorrection: The effects of duration of positive practice on acquisition and response reduction. Journal of Applied Behavior Analysis, 16, 101-109.

Carr, E. G., Binkoff, J. A., Kologinsky, E., & Eddy, M. (1978). Acquisition of sign language by autistic children. I: Expressive labeling. Journal of Applied Behavior Analysis, 11, 489-501.

Carr, E. G., & Kologinsky, E. (1983). Acquisition of sign language by autistic children II: Spontaneity and generalization effects. Journal of Applied Behavior Analysis, 16, 297-314.

Certo, N., Mezzullo, K., & Hunter, D. (1985). The effect of total task chain training on the acquisition of bus person job skills at a full service community restaurant. Education and Training of the Mentally Retarded, 20, 148-156.

Close, D. W., Irvin, L. K., Prehm, H. J., & Taylor, V. E. (1978). Systematic correction procedures in vocational-skill training of severely retarded individuals. American Journal of Mental Deficiency, 83, 270-275.

Dyer, K. Christian, W. P., & Luce, S. C. (1982). The role of response delay in improving the discrimination performance of autistic children. Journal of Applied Behavior Analysis, 15, 231-240.

Egel, A. L., Shafer, M. S., & Neef, N. A. (1984). Receptive acquistion and generalization of prepositional responding in autistic children: A comparison of two procedures. Analysis and Intervention in Developmental Disabilities, 4, 285-298.

Entr[illegible]in, D. York, R., & Brown, L. (1977). Teaching trainable level multiply handicapped students to use picture cues, context cues, and initial consonant sounds to determine the labels of unknown words. AAESPH Review, 2, 169-190.

Falvey, M., Brown, L., Lyon, S., Baumgart, D., & Schroeder, J. (1980). Strategies for using cues and correction procedures. In W. Sailor, B. Wilcox, and L. Brown (Eds.). Methods of instruction for severe handicapped students. (pp. 109-133). Baltimore: Paul H. Brookes.

Faw, G. D., Reid, D. H., Schepis, M. M. Fitzgerald, J. R., & Welty, P. A. (1981). Involving institutional staff in the development and maintenance of sign language skills with profoundly retarded persons. Journal of Applied Behavior Analysis, 14, 411-423.

Foxx, R. M. (1977). Attention training. The use of overcorrection avoidance to increase the eye contact of autistic and retarded children. Journal of Applied Behavior Analysis, 10, 489-499.

Foxx, R. M. (1984), The use of a negative reinforcement procedure to increase the performance of autistic and mentally retarded children on discrimination training tasks. Analysis and Intervention in Developmental Disabilities, 4, 253-265.

Frank, A. R., Wacker, D. P., Berg, W. K., & McMahon, C. M. (1985). Teaching selected microcomputer skills to retarded students via picture prompts. Journal of Applied Behavior Analysis, 18, 179-185.

Freeman, B. J., Ritvo, E., & Miller, R. (1975). An operate procedure to teach an echolalic, autistic child to answer questions appropriately. Journal of Autism and Childhood Schizophrenia, 5, 169-176.

Giangreco, M. F. (1982). Teaching imitation to a profoundly delayed learner through functional tasks. Education and Training of the Mentally Retarded, 17, 163-167.

Goetz, L., Gee, K., & Sailor, W. (1985). Using a behavior chain interruption strategy to teach communication skills to students with severe disabilities. The Journal of the Association for Persons with Severe Handicaps, 10, 21-30.

Gruber, B., Resser, R., & Reid, D. H. (1979). Providing a less restrictive environment for profoundly retarded persons by teaching independent walking skills. Journal of Applied of Behavior Analysis, 12, 285-297.

Handleman, J. S., & Harris S. L. (1980). Generalization from school to home with autistic children. Journal of Autism and Developmental Disorders, 10, 323-333.

Hanley-Maxwell, C., Wilcox, B., & Heal, L. W. (1982). A comparison of vocabulary learning by moderately retarded students under direct instruction and incidental presentation. Education and Training of the Mentally Retarded, 17, 214-221.

Horner, R. H., Jones, D. N., & Williams, J. A. (1985). A functional approach to teaching generalized street crossing. Journal of the Association for Persons with Severe Handicaps, 10, 71-78.

Huguenin, N. H. (1985). Attention to multiple cues by severely mentally retarded adults: Effects of single-component pretraining. Applied Research in Mental Retardation, 6, 319-335.

Hundert, J. (1981). Stimulus generalization after training an autistic deaf boy in manual signs. Education and Treatment of Children, 4, 329-337.

Keller, M. F., & Bucher, B. (1980). The influence of receptive training on role of productive language acquisition in mentally retarded children. Behavior Research of Severe Developmental Disabilities, 1, 93-103.

Koegel, R. L., Schreibman, L., Britten, K., & Lartinen, R. (1979). The effects of schedule of reinforcement on stimulus overselectivity in autistic children. Journal of Autism and Developmental Disorders, 9, 383-397.

Krantz, P. J., Zalenski, S., Hall, L. J., Fenske, E. C., & McClannahan, L. E. (1981). Teaching complex language to autistic children. Analysis and Intervention in Developmental Disabilities, 1, 259-297.

Lally, M. (1981). Computer-assisted teaching of sight-word recognition for mentally retarded school children. Amercian Journal of Mental Deficiency, 85, 383-388.

Lehr, D. (1985). Effects of opportunities to practice on learning among students with severe handicaps. Education and Training of the Mentally Retarded, 20, 268-274.

Lowther, R. M., & Martin, G. L. (1980). Multiple settings and trainers for programming generalization of a social response of severely retarded persons. Behavior Research of Severe Developmental Disabilities. 1, 131-145.

Luiselli, J. K., & Rice, D. M. (1983). Brief positive practice with a handicapped child: An assessment of suppressive and re-educative effects. Education and Treatment of Children, 6, 241-250.

Matson, J. L., Esveldt-Dawson, K., & Kazdin, A. E. (1982). Treatment of spelling deficits in mentally retarded children. Mental Retardation, 20, 76-81.

Mithaug, D. E., & Liberty, S. (1980). Word discrimination training to improve the communication skills of a severely retarded, non-vocal woman: A case study. Education and Treatment of Children, 3, 1-12.

Murdock, J. Y., Garcia, E. E., & Hardman, M. L. (1977). Generalizing articulation training with trainable mentally retarded subjects. Journal of Applied Behavior Analysis, 10, 717-733.

Neef, N. A., Shafer, M. S., Egel, A. L., Cataldo, M. F., & Parrish, J. M. (1983). The class specific effects of compliance training with "do" and "don't" requests: Analogue analysis and classroom application. Journal of Applied Behavior Analysis, 16, 81-99.

Nelson, D. L., Gergenti, E., & Hollander, A. C. (1980). Extra prompts versus no extra prompts in self-care training of autistic children and adolescents. Journal of Autism and Developmental Disorders, 10, 311-321.

Nietupski, J., Clancy, P., & Christiansen, C. (1984). Acquisition maintenance and generalization of vending machine purchasing skills by moderately handicapped students. Education and Training of the Mentally Retarded, 19, 91-96.

Orelove, F. P. (1982). Acquisition of incidental learning in moderately and severely handicapped adults. Education and Training of the Mentally Retarded, 17, 131-136.

Page, T. J., Iwata, B. A., & Neef, N. A. (1976). Teaching pedestrian skills to retarded persons: Generalization from the classroom to the natural environment. Journal of Applied Behavior Analysis, 9, 433-444.

Palyo, N. J., Cooke, T. P., Schuler, A. L., & Apolloni, T. (1979). Modifying echolalic speech in preschool children: Training and generalization. American Journal of Mental Deficiency, 83, 480-489.

Partington, J. W., Sundberg, M. L., Iwata, B. A., & Mountjoy, P. T. (1979). A task-analysis approach to time telling instruction for normal and educably mentally impaired children. Education and Treatment of Children, 2, 17-29.

Reid, D. H., & Hurlbut, B. (1977). Teaching nonvocal communication skills to multihandicapped retarded adults. Journal of Applied Behavior Analysis, 10, 591-603.

Richman, G. S., Ponticas, Y., Page T. J., & Epps, S. (1986). Simulation procedures for teaching independent menstrual care to mentally retarded persons. Applied Research in Mental Retardation, 7, 21-35.

Romanczyk, R. G., Diament, C., Goran, E. R., Trunell, G., & Harris, S. L. (1975). Insuring isolate and social play in severely disturbed children: Intervention and post-intervention effectiveness. Journal of Autism and Childhood Schizophrenia, 5, 57-70.

Singh, N. N., Winton, A. S. W., & Singh, J. (1985). Effects of delayed versus immediate attention to oral reading errors on the reading proficiency of mentally retarded children. Applied Research in Mental Retardation, 6, 283-293.

Sisson, L. A., & Barrett, R. P. (1984). An alternating treatments comparison of oral and total communication training with minimally verbal retarded children. Journal of Applied Behavior Analysis, 17, 559-566.

Smeenge, M. E., Page, T. J., Iwata, B. A., & Ivancic, M. T. (1980). Teaching measurement skills to mentally retarded students: Training, generalization, and follow-up. Education and Training of the Mentally Retarded, 15, 224-230.

Trace, M. W., Cuvo, A. J., & Criswell, J. L. (1977). Teaching coin equivalence to the mentally retarded. Journal of Applied Behavior Analysis, 10, 85-92.

Waldo, L., Guess, D., & Flanagan, B. (1982). Effects of concurrent and serial training on receptive labeling by severely retarded individuals. Journal for the Association of the Severely Handicapped, 6(1), 56-65.

Walls, R. T., Ellis, W. D., Zane, T., & Vanderpoel, S. J. (1979). Tactile, auditory, and visual prompting in teaching complex assembly tasks. Education and Training of the Mentally Retarded, 14, 120-130.

# Antecedent Prompt and Test

## Chapter 3

Patricia Munson Doyle, Mark Wolery, Melinda Jones Ault, and David L. Gast

Antecedent prompt and test is a means of providing additional information about correct responses to students by presenting a prompt or cue with the discriminative stimulus. The simultaneous pairing of the $S^D$ and the prompt increases the probability of the correct response occurring. Because the prompt is delivered prior to the opportunity to respond (e.g. Wolery & Gast, 1984), it must be removed in order to determine whether transfer to the natural $S^D$ has occurred. The studies described in this section meet two criteria: (a) a single cue or combination of prompts that control the correct response is provided rather than a hierarchy of prompts and (b) test or probe trials without the prompt are provided rather than systematically fading the prompt as training progresses.

The information supplied by the antecedent prompt may be a verbal instruction, model, picture cue, or any combination of extra-stimulus prompts (e.g., Schreibman, 1975). Each type of cue may be further identified as either a stimulus or response prompt. Becker, Engelmann, and Thomas (1975) discriminated between stimulus prompts which provide the "essential aspects of the task stimuli" and response prompts which "control the specific form of the task response" (p. 25). In this chapter, the term antecedent prompt has been used to identify both stimulus and response prompts. The antecedent prompt and test procedure is similar to other response prompting procedures (e.g. antecedent prompt and fade, most-to-least, and graduated guidance) in that all of these strategies present the prompt prior to the response; however, the antecedent prompt and test is dissimilar because (a) a controlling prompt is

presented and (b) the prompt is totally removed on test trials rather than being systematically faded.

The antecedent prompt and test trial sequence is shown in the flow chart in Figure 1, and consists of experimenters presenting the discriminative stimulus paired with the prompt. The student is then allowed to respond followed by the experimenters' delivery of consequences for correct or incorrect responding. At some other time, the discriminative stimulus is presented without the prompt. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using the antecedent prompt and test procedure are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.




Figure 3.1 Flow chart depicting the antecedent prompt and test strategy.

Table 1

Results from Investigations Using the Antecedent Prompt and Test Strategy

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Adkins & Matson (1980) | 6F | $\bar{X}$= 31.6 | MoMR SMR | IN | Leisure; craft skill | + | N/D | A/T= + | V= + | MB |
| Barakove & Cuvo (1976) | 7M | $\bar{X}$= 15.36 | MoMR | SS | Academic; count, sum, coins | +V1 +V2 | T=V1<V2 S=V1<V2 | A/T= +/- | A, V= +/- | GR MB |
| Variable 1 - Displacement; Variable 2 - Non-displacement | | | | | | | | | | |
| Brady & Smouse (1978) | 1M | 6.4 | Aut | SS | Recept. inst. following; objects | -V1 -V2 +V3 | N/D | N/D | N/D | AT |
| Variable 1 - SD/VI; Variable 2 -SD/sign; Variable 3 - SD/VI, sign | | | | | | | | | | |
| Cooke & Apolloni (1976) | 1M 3F | $\bar{X}$= 8.6 | LD | SS | Social; smile, share, contact | + | N/D | P,S= + A,T= +/- | V= + | MB |
| Crist et al. (1984) | 6M 13F | $\bar{X}$= 33.6 | MiMR MoMR SMR | CS | Vocat.; complex assembly skills | + across V1 - V6 | R= V1=V2=V3 V4,V5<V6 E = V4,V5<V6 V2,V3<V1 | N/D | N/D | GR |
| Variable 1 - Short task analysis; Variable 2 -Medium task analysis; Variable 3- Long task analysis Variable 4 - MiMR; Variable 5 - MoMR; Variable 6 - SMR | | | | | | | | | | |
| DeHaven (1981) | 3 N/D | 6-14 | SMR | PS | Recept. Inst. following | + across V1-V3 | R= V1,V2<V3 | Probes -/V1,V2 +/V3 | N/D | AT |
| Variable 1 - Inst. + model; Variable 2 - Inst.+ model; Variable 3 - Inst. + model/withdrawn | | | | | | | | | | |

Table 1 continued.



| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Fink & Brice-Gray (1979) | 4M 6F | $\bar{X}$= 54 mo. | MoMR SMR | SS | Lang.; sight words | +V1 +V2 | T= V2<V1 | N/D | Post test V2>V1 | GR |
| Variable 1 - successive; Variable 2 - cumulative | | | | | | | | | | |
| Gersten et al. (1982) | 12M 14F | >18 | SMR | CS | Lang.; diagonal line discrim. | +V1 +V2 | T= V1<V2 | T= + | N/D | N/D |
| Variable 1 - Dynamic ; Variable 2 - Static | | | | | | | | | | |
| Gickling et al. (1981) | 4M 5F 4M 5F | 9.4-16.5 HR 5.2-6.0 H | | PS | Lang.; sight words | +/- 10 sessions only | N/D | N/D | Post test D,A= V1>V2 A V3=V4 | GR |
| Variable 1 - High imagery; Variable 2 - Low imagery; Variable 3 - HR; Variable 4 - H | | | | | | | | | | |
| Hardman et al. (1975) | 1F | 4.6 | DD | SS | Motor; play equip. | + V1>V2 | N/D | T.S= + | M= +/- | MB WTD |
| Variable 1- VI; Variable 2 - differential reinforcement | | | | | | | | | | |
| Katz et al. (1977) | 2M 2F | 19-27 | SMR | CS | Vocat.; outlet plate assembly | + | H | S,P= + | M= +/- | N/D |
| Koegel et al. (1981) | 3M/D | 4.11-7.1 | Aut | SS | Lang.; complex concepts | +V1 -V2 | T= V1<V2 | N/D | N/D | MB |
| Variable 1 - Specific orienting cues; Variable 2 - Nonspecific orienting cues | | | | | | | | | | |
| Love & Cuvo (1976) | 2M 2F | $\bar{X}$= 14.8 | MiMR | N/D | Acad.; count, sum, coins | + | H S E | N/D | M= +/- | MB PP |

Table 1 continued.

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Hansdorf (1977) | 14M 3F | $\bar{X}$= 18.5 | SMR | IN | Lang.; concepts | +V4=V5=V6 +V1>V2,V3 | N/D | T=+ | N/D | GR |

Variable 1 - image/model; Variable 2 - verbal/model; Variable 3 - model;
Variable 4 - Diff. reinf.; Variable 5 - Noncontingent reinf.; Variable 6 - No consequence

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| McGee et al. (1984) | 3M | 13-15.5 | Aut | PS | Lang.; assertive statements | + | N/D | S=+ | M= + | MB |
| Nelson et al. (1976) | 2M 2F | 3.0-5.9 | MR | SS | Express. lang.; imitate | + V1=V2 | T= V2<V1 | T= +/- | N/D | A-B-A-C-A |

Variable 1 - Method A; Variable 2 - Method B

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Olenick & Pear (1980) | 2M 1F | 4 | SMR | IN | Recept. lang.; picture naming | + V1/V3-V2/V4 > V1/V4-V2/V3 | Z | N/D | N/D | 5 phase reversal |

Variable 1 - FR; Variable 2 - CRF; Variable 3 - Prompt; Variable 4 - Probe

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Peterson et al. (1979) | 1M 2F | N/D | SMR PMR | PS | Social; inter-action | + | P | P,S= + | A= + | WTD |
| Radgowski et al. (1978) | 1 N/D | 5.1 | DD | PS | Express. lang.; articulation | + | N/D | N/D | Post test + | PP |
| Rowan & Pear (1985) | 1M 2F | 7-11 | MR | IN | Express. lang.; label, pict. | + V1>V2 | T= V1<V2 | T= V1=V2 | W= V1=V2 | B-A-B |

Variable 1 - Interspersal; Variable 2 - Concurrent

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Barber et al. (1983) | 1F | 34 | MiMR | CS | Comm. Living; menu, shop | + menu<br>+ shop | N/D | S=<br>+V2 | M=<br>+V2 | PP<br>MB |
| Variable 1 - Menu; Variable 2 - Shop | | | | | | | | | | |
| Schutz et al. (1980) | 2F | 26 | MoMR | CS | Vocat.; sweep, mop | + | N/D | S=<br>+ | M=<br>+ | MB |
| Shapiro & Sheridan (1985) | 1F | 30 | MiMR | CS | Self-care; body parts, gyn. exam | + | N/D | A,S=<br>+ | A=<br>+ | MP |
| Sindelar et al. (1986) | 5M<br>6F | 6.9-11 | LD<br>MiMR | PS | Lang.; sight words | +<br>V1,V2 | A,S=<br>V2<V1 | N/D | N/D | AT |
| Variable 1 - ordered; Variable 2 - unison | | | | | | | | | | |
| Sheets & Kleinloog (1988) | 3F | 30.4-34.7 | MoMR | CS | Comm. living; calculator | + | M,T,E | N/D | N/D | PP<br>MB |
| Smith [illegible] (1979) | 42M<br>18F | 42.7-49.10 | MoMR<br>SMR<br>PMR | IN | Comm. living; phone use | +=<br>V1-V6<br>V2,V4>V1,V3<br>V1-V4>V5,V6 | A,M =<br>V1-V4<V5,V6 | S=<br>+ | V,M=<br>+/- | GR |
| Variable 1 - Indiv./MO, VI; Variable 2 - Group/MO, VI; Variable 3 - Indiv./MO; Variable 4 - Group/MO; Variable 5 - Control/ lecture; Variable 6 - Control/ practice | | | | | | | | | | |
| Spangler & Marshall (1983) | 14M | 8-18 | SMR<br>PMR | IN | Social; play | +/- | N/D | N/D | N/D | A-B-A-VTD |

Table 1 continued.

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Wacker & Greenbaum (1984) | 7 M/D | 19-22 | MoMR SMR | CS | Lang.; sort, color, shape, id. | +V1 +/-V2 | S T=V1<V2 | T= +/-V1,V2 | M/D | MD |

Variable 1 - Verbal; Variable 2 - Nonverbal

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Welch et al. (1985) | 2M 4F | 18-20 | MoMR | PS CS | Comm. living; bus riding | + | M | S= +m | M= + | MP |

Table 2

Methods from Investigations Using the Antecedent Prompt and Test Strategy

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Testing Procedures/ Criteria | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Adkins & Matson (1980) | 6 | MoMR SMR | Leisure; craft skill | Ch | 1. MO, 3 times<br>2. independent test trial | N/D | VI, FP if needed |
| Borakove & Cuvo (1976) | 14 | MoMR | Academic; count, sum, coins | DS | 1. MO<br>2. MO + imitate<br>3. independent test trial | praise | VR return to previous step |
| Brady & Smouse (1978) | 1 | Aut | Recept.; instruction following with objects | DS | 1. V1, V2, V3 = MO, FP<br>2. A = test | V1, V3 = praise, edibles<br>V2 - edibles smiles & touch | Diff. reinf. |
| Variable 1 - SD/VI; Variable 2 - SD/sign; Variable 3 - SD/VI, sign | | | | | | | |
| Cooke & Apolloni (1976) | 4 | LD | Social; smile, share, contact | DS | 1. VI, MO beginning each day<br>2. observation rest of the school day | Descriptive verbal praise | VI, contingent on NR in observation |
| CODES | See Appendix A | | See Appendix A | Ch= chained DS= discrete | VI= verbal instruction IVI= indirect verbal instruction MO= model FP= full physical SD= discriminative stimulus | VR=variable ratio reinf. CRF=continuous reinf. FR=fixed ratio N/D=not defined | VR=verbal reprimand VI=verbal instruct. MO=model FP=full physical GG=grad. guidance pp=posit. practice G=gesture NR=no response R+=corr. R-=error |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Testing Procedures/ Criteria | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Crist et al. (1984) | 21 | MIMR MoMR SMR | Vocat.; complex assembly skills | Ch | 1. MD each step<br>2. independent test trial on whole task | M/D | MD whole task |
| DeHaven (1981) | 3 | SMR | Recept. instruction following | DS | 1. Phase I, 2 inst. VI, MD<br>2. Phase II, 2 inst. VI, MD<br>3. 1 inst. VI alone | praise, token, or edibles | VI FP |
| Fink & Brice-Gray (1979) | 10 | MoMR SMR | Lang.; sight words | DS | 1. MD, G, VI/SD<br>2. posttest, VI/SD alone | appropriate to participant | VR,MD, G,SD |
| Gersten et al. (1982) | 26 | SMR | Lang.; diagonal line discrim. | DS | 1. 6 demonstration trials; MD, G, VI/SD<br>2. Independent test/ training trials | praise | VR MD |
| Gickling et al. (1981) | 9<br>9 | MR N | Lang.; sight words | DS | 1. MD<br>2. imitate<br>3. MD in sentence<br>4. imitate in sentence<br>5. independent test<br>6. review & posttest | M/D | M/D |
| Hardiman et al. (1975) | 1 | DD | Motor; play equip. | | 1. V1 or V2 in training<br>2. observation session | praise in reinforcement condition | PP VI |
| Variable 1 - VI/IVI; Variable 2 - VI/IVI and differ. reinf. | | | | | | | |
| Katz et al. (1977) | 4 | SMR | Vocat.; outlet plate assembly | Ch | 1. MD<br>2. imitate<br>3. changed to workshop, with SD alone | edibles | Diff. reinf. |

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Testing Procedures/ Criteria | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Koegel et al. (1981) | 3 | Aut | Lang.; complex concepts | DS | 1. V1 or V2 plus task<br>2. A = task alone | praise | FP<br>NO |
| Variable 1 - specific orienting cue; Variable 2 - non specific orienting cue | | | | | | | |
| Lowe & Cuvo (1976) | 4 | MIMR | Acad: count, sum, coins | DS | 1. MO<br>2. MO + imitate<br>3. independent test trial | M/O | FP |
| Mansdorf (1977) | 45 | SMR | Lang; Concepts | DS | 1. V1, V2, or V3<br>2. Wait 10 sec<br>3. independent test trial | V4, V5, V6 | V4,V5, V6 |
| Variable 1 - model/image; Variable 2 - model/verbal; Variable 3 - model alone<br>Variable 4 - Diff.reinf.; Variable 5 - noncontingent reinf.; Variable 6 - no consequence | | | | | | | |
| McGee et al. (1984) | 3 | Aut | Lang; assertive statements | DS | 1. model; training setting<br>2. rehersal; training setting<br>3. observation; game setting | tokens, praise | diff. reinf. |
| Nelson et al. (1976) | 4 | MR | Express lang; imitate | DS | 1. V1 or V2<br>2. independent test sessions; MO alone | Differential reinforcement | |
| Variable 1 - Method A: MO + touch childs face; Variable 2 - Method: MO + child touches therapist face and own face | | | | | | | |
| Olenick & Pear (1980) | 3 | SMR | Recept. lang; picture naming | DS | 1. prompt trial - picture, MO,SD/ V1<br>2. probe trial - picture, SD/V1 | V1, V2<br>R+ on prompt, go to probe;<br>R+ on probe, go to next prompt trial | R- on prompt, repeat prompt;<br>R- on probe, return to prompt trial |
| Variable 1 - Fixed Ratio; Variable 2 - continuous reinf.; Variable 3 - prompt trial; Variable 4 - probe trial | | | | | | | |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Testing Procedures/ Criteria | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|
| Peterson et al. (1979) | 3 | SMR PMR | Social; interaction | DS | 1. direct VI<br>2. change setting for independent observation | praise | diff. reinf. |
| Radgowski et al. (1978) | 1 | DD | Express lang; articulation | DS | 1. formal; MO in group<br>2. formal prompt; MO with error correction<br>3. informal; MO, VI<br>4. . ttest | praise | VI |
| Rowan & Pear (1985) | 3 | MR | Express language; label pict. | DS | 1. prompt trial/picture, MO, SD/ VI<br>2. probe trial/picture, SD/VI | R+ on prompt, go to probe; R+ on probe, go to next prompt trial | R- on prompt, repeat prompt; R- on probe, return to prompt trial |
| Sarber et al. (1983) | 1 | MiMR | Comm. living; menu, shopping | Ch | 1. MO<br>2. rehersal<br>3. independent test trial | praise | MO |
| Schutz et al. (1980) | 2 | MoMR | Vocat.; sweep, mop | Ch | 1. direct VI prior to beginning task<br>2. observation | no consequences | |
| Shapiro & Sheridan (1985) | 1 | MiMR | Self-care; body parts, gyn. exam | DS | 1. VI<br>2. imitate<br>3. MO (exam)<br>4. Rehersal; FP<br>5. Independent test trial | praise | VI, reinstruct |
| Sindelar et al. (1986) | 11 | LD MiMR | Lang; sight words | DS | 1. MO. SD/VI; imitate<br>2. 3 independent test trials | N/D | VR, MO, repeat prompt trial |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Testing Procedures/ Criteria | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Sheets & Kleinloog (1980) | 3 | MoMR | Comm living; calculator | DS | 1. IVI<br>2. posttest<br>3. Exp. 2 removed VI | praise | VR, VI or VI, MD |
| Smith & Meyers (1979) | 60 | MoMR SMR PMR | Comm. living; phone use | Ch | 1. VI - V6; 2 sessions<br>2. independent test sessions | N/D | N/D |
| Variable 1 - individual/ MD, VI; Variable 2 - group/ MD, VI; Variable 3 - individual/MD; Variable 4 - group/ MD; Variable 5 - control/lecture; Variable 6 - control/practice | | | | | | | |
| Spangler & Marshall (1983) | 14 | SMR PMR | Social; play | DS | 1. VI, FP<br>2. Observation | N/D | VI, FP |
| Wacker & Greenbaum (1984) | 7 | MoMR SMR | Lang; sort, color, shape, id. | DS | 1. Variable 1 or Variable 2<br>2. independent test trials | praise, attention | VI, FP if needed |
| Variable 1 - verbal MD; Variable 2 - nonverbal MD | | | | | | | |
| Welch et al. (1985) | 6 | MoMR | Comm. living; bus riding | Ch | 1. picture, VI<br>2. total task MD<br>3. practice; independent test trials | N/D | VI, MD if needed |

Behavior/Population

The antecedent prompt and test procedure has been used to teach a wide range of behaviors across domains. The majority (76%) of the studies taught discrete behaviors. Examples of those skills included expressive language skills (McGee, Krantz, & McClannahan, 1984; Nelson, Peoples, Hay, Johnson, & Hay 1976; Radgowski, Douglas, Allen, & LeBlanc, 1978), receptive language skills (Rowan & Pear, 1985), language/academic skills (Gersten, White, Falco, & Carnine, 1982; Gickling, Hargis, & Alexander, 1981; Koegel, Dunlap, Richman, & Dyer, 1981; Sindelar, Bursuck, & Halle, 1986), community living skills (Lowe & Cuvo, 1976; Welch, Nietupski, & Hamre-Nietupski, 1985), leisure/social skills (Peterson, Austin, & Lang, 1979; Spangler & Marshall, 1983), daily living/self care skills (Sarber, Halasz, Messmer, Bickett, & Lutzker 1983; Shapiro & Sheridan, 1985), vocational skills (Crist, Walls, & Haught, 1984; Katz, Goldberg, & Shurka, 1977; Schutz, Jostes, Rusch, & Lamson, 1979), and motor skills (Hardiman, Goetz, Reuter, & LeBlanc, 1975). The studies teaching chained behaviors included potholder making (Adkins & Matson, 1980), object assembly (Crist et al., 1984; Katz et al., 1977), menu planning and grocery shopping (Sarber, Halasz, Messmer, Bickett, & Lutzker, 1983), sweeping and mopping (Schutz, et al., 1979), appropriate telephone usage (Smith & Meyers, 1979), and independent bus riding (Welch, Nietupski, & Hamre-Nietupski, 1985).

The population chosen for intervention in the antecedent prompt and test studies exhibited a wide range of handicapping conditions including students with mild mental retardation (Sindelar et al., 1986) and extending to severe and profound retardation (Peterson, Austin, & Lang, 1979), autism (McGee et al., 1984), physical handicaps (Hardiman et al., 1975), and learning disabilities (Cooke & Apolloni, 1976).

Type of Prompts

The type of prompt used appeared to be dependent upon the population, task selected for training, and experimenter discretion. The majority (79%) of studies used a model alone or in combination with another prompt. For example, Brady and Smouse (1978) paired a model with a verbal direction and/or a sign with physical guidance; Gersten et al. (1982) used simple declarative statements and questions to present a model six times; Lowe and Cuvo (1976) modeled a correct coin counting response while requiring concurrent imitation nby the student. Examples of other prompts included direct and indirect verbal cues (e.g., Hardiman et al., 1975), physical/kinesthetic prompts (Nelson et al., 1976), and verbal instructions (Peterson et al., 1979). All of these prompts provided information to the student as to the precise form of the correct response.

Stimulus prompts, see Table 2, make the task easier for the student by providing information regarding the "essential characteristics" of the task stimuli (Becker et al., 1975). For example, Koegel et al. (1981), while training a variety of language concepts, compared the effectiveness of nonspecific or indirect verbal attending cues to a specific orienting cue when paired with the $S^D$. In addition, Smeets and Kleinloog (1980) delivered a variety of indirect verbal discriminative instructions prior to each task component.

Test for Stimulus Transfer

With the antecedent prompt and test procedure, transfer of stimulus control to the $S^D$ is tested by providing trials without the prompt. These trials were conducted in a variety of ways across studies. The most frequently used format was the model-lead-test strategy which involves the

experimenter demonstrating the correct response, allowing the student to practice (often with the experimenter present), and requiring the student to respond independently to the discriminative stimulus (Carnine & Silbert, 1979).

Olenick and Pear (1980) trained expressive identification of pictures and provided prompted trials consisting of a model of the picture name and an opportunity to respond followed by a probe or test trial without the model. When teaching counting and coin summation, Borakove and Cuvo (1976) and Lowe and Cuvo (1976) presented a model and required concurrent imitation by the student, and this was followed by an independent test trial (i.e., the model prompt was removed and the student was given the opportunity to respond).

Crist et al. (1984) delivered a model of an assembly task step and instructed the student to perform that step (e.g., "Now you do it."). Each training trial was followed by a test trial or opportunity to perform the whole task independently. When training students to assemble an electrical outlet, Katz et al. (1977) delivered a model of the behavior and told the student to "Do it." When students were presented with the task in another setting, the experimenters removed the model and recorded the number of completed tasks. Mansdorf (1977) began teaching matching concepts with the experimenter modeling the correct matching response followed by a 10-sec wait and presentation of a trial without the model. Sindelar et al. (1986) taught sight words by having the teacher model each word in the instructional set, requiring students to imitate, and then providing three test trials without the model.

Some studies did not remove the prompt during training sessions but tested for stimulus control in other situations. One procedure was

observational recording following training. For example, Hardiman et al. (1975) delivered direct verbal primes in a free play session then observed and measured engagement with, and skill in using, playground equipment in a second session; Cooke and Apolloni (1976) delivered verbal instructions and models for appropriate social interactions followed by observations for those responses throughout the day; and McGee et al. (1984) modeled and required repeated practice trials of assertive statements in a training setting, and then observed and measured the frequency of assertive statements in a game playing setting. Another procedure involved implementing test sessions following training sessions. For example, Smith and Meyers (1979) conducted test trials following two training sessions in correct telephone usage; Gickling et al. (1981) trained sight word reading and then presented review trials, omitting the antecedent prompt in sessions following training. Radgowski et al. (1978) trained correct articulation of the "L" sound followed by a posttest; and Smeets and Kleinloog (1980) trained three students to use a pocket calculator, however, the antecedent verbal cues were not removed until experiment 2.

Some studies stated transfer occurred; however, their descriptions were not in sufficient detail to determine how it was assessed. For example, Brady and Smouse (1978) stated that once the initial $S^D$ "evoked the correct response" the experimenter went on to a second behavior (p. 274). Koegel et al. (1981) reported anecedotally that "some of the children were observed to continue to respond successfully after the specific orienting cues were withdrawn" (p. 196). In addition, DeHaven (1981) in phase I trained receptive instruction following using a verbal prompt and model; in phase II, a model and verbal prompt for training one instruction and a verbal prompt alone for

training the fourth instruction were used. The correct responses to instructions trained with different types of antecedent prompts were compared in generalization probes.

## Consequences

### Correct Responding

The majority of studies using the antecedent prompt and test procedure reported that praise was delivered contingent upon the occurrence of correct responding during both training and test trials (e.g., Gersten et al., 1982). The studies which tested for transfer in observational settings or in later test sessions generally provided reinforcement in the training sessions alone.

### Incorrect Responses

The consequences for errors varied across studies and in some cases trainers differentiated between training and test trials. For example, Smeets and Kleinloog (1980) used a verbal error correction procedure plus demonstration of the correct response on training trials only. In other studies, such as Adkins and Matson (1980), descriptive verbal statements explaining student errors were given followed by physical guidance if the verbal correction was ineffective. This error correction procedure was used in training and test trials. However, only those correct responses occurring without error correction on the test trials counted towards criterion. Some studies reported that student errors in training produced a continuation of the training trials versus going to a test trial (e.g. Olenick & Pear, 1980; Rowan & Pear, 1985). As reported in Table 2, consequences for both correct and incorrect responding were dependent upon population, behavior taught, and trainer discretion.

## Results

### Effectiveness

All antecedent prompting studies reported that the procedure was either effective in training target behaviors to criterion (e.g., Borakove & Cuvo, 1976; Crist et al., 1984; DeHaven, 1981) or increased the frequency of student responding over baseline rates (e.g., McGee et al., 1984; Peterson et al., 1979).

Although these studies reported data demonstrating the effectiveness of antecedent prompting as an instructional strategy, 52% manipulated an additional variable resulting in some form of comparative data. These variables included (a) stimulus variation, e.g., Brady and Smouse (1978) compared sign $S^D$ alone, verbal $S^D$ alone, to sign/verbal $S^D$, Crist et al. (1984) compared the effectiveness and efficiency of training complex assembly skills using short, medium, or long task analysis, and Koegel et al. (1981) compared performance during presentation of specific versus nonspecific orienting cues; (b) post response manipulations, e.g., Olenick and Pear (1980) compared different schedules of reinforcement on prompt and probe trials; (c) types of antecedent prompts; and (d) environmental manipulation, e.g., Smith and Meyers (1979) compared posttest scores following training of six groups in individual or group instruction settings in addition to varying the type of prompts delivered to each group.

### Efficiency

Some form of efficiency data were reported in 52% of the studies. This information included total training time (Crist et al., 1984; Lowe & Cuvo, 1976; Smeets & Kleinloog, 1980; Smith & Meyers, 1979; Welch et al., 1985), sessions to criterion (Lowe & Cuvo, 1976; Wacker & Greenbaum, 1984), number of

errors (Crist et al., 1984; DeHaven, 1981; Lowe & Cuvo, 1976; Olenick & Pear, 1980; Smeets & Kleinloog, 1980), trials to criterion (Fink & Brice-Gray, 1979; Gersten et al., 1982; Koegel et al., 1981; Nelson et al., 1976; Rowan & Pear, 1985; Smeets & Kleinloog, 1980; Wacker & Greenbaum, 1984), and one study calculated the median number of teacher prompts per 5-minute training sessions (Peterson et al., 1979).

## Summary

Based on the literature reviewed, the following statements can be made:

* Antecedent prompting has been used to teach a wide range of persons with handicapping conditions.
* This strategy has been used to train a variety of behaviors to criterion and to increase performance of others. Both chained and discrete tasks were taught; however, the majority of studies employed discrete responses.
* The type of prompts used was dependent upon population, behavior, and trainer discretion; however, in 79% of the studies, a model alone or in combination with other prompts was used as the antecedent prompt.
* The most frequently used test for transfer of stimulus control was the model-lead-test, or a pretest-train-posttest format.
* The consequences for correct and incorrect responding varied across the studies and was based upon population and target behaviors.
* No data were reported comparing antecedent prompting with other instructional strategies. However, a slight majority of studies reported efficiency data; trials to criterion was the most frequently cited measure.

## References

Adkins, J., & Matson, J. L. (1980). Teaching institutionalized mentally retarded adults socially appropriate leisure skills. Mental Retardation, 18, 249-252.

Becker, W. C., Engelmann, S., & Thomas, D. R. (1975). Teaching 2: Cognitive Learning and Instruction. Chicago, IL: Science Research Associates.

Borakove, L. S., & Cuvo, A. J. (1976). Facilitative effects of coin displacement on teaching coin summation to mentally retarded adolescents. American Journal of Mental Deficiency, 81, 350-356.

Brady, D. O., & Smouse, A. D. (1978). A simultaneous comparison of three methods for language training with an autistic child: An experimental single case analysis. Journal of Autism and Childhood Schizophrenia, 8, 271-279.

Carnine, D., & Silbert, J. (1979). Direct instruction reading. Columbus, OH: Charles E. Merrill.

Cooke, T. P., & Apolloni, T. (1976). Developing positive social-emotional behaviors: A study of training and generalization effects. Journal of Applied Behavior Analysis, 9, 65-78.

Crist, K., Walls, R. T., & Haught, P. A. (1984). Degrees of specificity in task analysis. American Journal of Mental Deficiency, 89, 67-74.

DeHaven, E. (1981). Teaching three severely retarded children to follow instructions. Education and Training of the Mentally Retarded, 16, 36-48.

Fink, W. T. & Price-Gray, K. J. (1979). The effects of the teaching strategies in the acquisition and recall of an academic task by moderately and severely retarded preschool children. Mental Retardation, 17, 8-12.

Gersten, R. M., White, W. A. T., Falco, R., & Carnine, D. (1982). Teaching basic discriminations to handicapped and non-handicapped individuals through a dynamic presentation of instructional stimuli. Analysis and Intervention of Developmental Disabilities, 2, 305-317.

Gickling, E. E., Hargis, C. H., & Alexander, D. R. (1981). The function of imagery in sight word recognition among retarded and non-retarded children. Education and Training of the Mentally Retarded, 16, 259-263.

Hardiman, S. A., Goetz, E. M., Reuter, K. E., & LeBlanc, J. M. (1975). Primes, contingent attention, and training: Effects on a child's motor behavior. Journal of Applied Behavior Analysis, 8, 399-409.

Katz, S., Goldberg, J., & Shurka, E. (1977). The use of operant techniques in teaching severely retarded clients work habits. Education and Training of the Mentally Retarded, 12, 14-20.

Koegel, R. L., Dunlap, G., Richman, G. S., & Dyer, K. (1981). The use of specific orienting cues for teaching discrimination tasks. Analysis and Intervention in Developmental Disabilities, 1, 187-198.

Lowe, M. L., & Cuvo, A. J. (1976). Teaching coin summation to the mentally retarded. Journal of Applied Behavior Analysis, 9, 483-489.

Mansdorf, I. J. (1977). Learning concepts through modeling: Using different instructional procedures with institutionalized mentally retarded adults. American Journal of Mental Deficiency, 82, 287-291.

McGee, G. G., Krantz, P. J., & McClannahan, L. E. (1984). Conversational skills for autistic adolescents: Teaching assertiveness in naturalistic game settings. Journal of Autism and Developmental Disorders, 14, 319-330.

Nelson, R. O., Peoples, A., Hay, L. R., Johnson, T., & Hay, W. (1976). The effectiveness of speech training techniques based on operant conditions: A comparison of two methods. Mental Retardation, 14(3), 34-38.

Olenick, D. L., & Pear, J. J. (1980). Differential reinforcement of correct responses to probes and prompts in picture-name training with severely retarded children. Journal of Applied Behavior Analysis, 13, 77-89.

Peterson, G. A., Austin, G. J., & Lang, R. P. (1979). Use of teacher prompts to increase social behavior: Generalization effects with severely and profoundly retarded adolescents. American Journal of Mental Deficiency, 84, 82-86.

Radgowski, T. A., Douglas, P. S., Allen, K. E., & LeBlanc, J. M. (1978). A simple teacher intervention program for the remediation of misarticulated "L" in a preschool child's speech. Education and Treatment of Children, 1(4), 15-21.

Rowan, V. C., & Pear, J. J. (1985). A comparison of the effects of interpersonal and concurrent training sequels on acquisition, retention and generalization of picture names. Applied Research in Mental Retardation, 6, 127-145.

Sarber, R. E., Halasz, M. M., Messmer, M. C., Bickett, A. D., & Lutzker, J. K. (1983). Teaching menu planning and grocery shopping skills to a mentally retarded mother. Mental Retardation, 21, 101-106.

Schriebman, L. (1975). Effects of within stimulus and extra-stimulus prompting on discrimination learning in autistic children. Journal of Applied Behavior Analysis, 8, 91-112.

Schutz, R. R., Jostes, K. F., Rusch, F. R., & Lamson, D. S. (1979). Acquisition, transfer, and social validation of two vocational skills in a competitive employment setting. Education and Training of the Mentally Retarded, 15, 306-311.

Shapiro, E. S., & Sheridan, C. A. (1985). Systematic assessment and training of sex education for a mentally retarded woman. Applied Research in Mental Retardation, 6, 307-317.

Sindelar, P. T., Bursuck, W. D., & Halle, J. W. (1986). The effects of two variations of teacher questioning on student performance. Education and Treatment for Children, 9, 56-66.

Smeets, P. M., & Kleinloog, D. (1980). Teaching retarded women to use an experimental pocket calculator for making financial transactions. Behavior Research of Severe Developmental Disabilities, 1(1), 1-20.

Smith, M., & Meyers, A. (1979). Telephone-skills training for retarded adults: Group and individual demonstrations with and without verbal instruction. American Journal of Mental Deficiency, 83, 581-587.

Spangler, P. F., & Marshall, A. M. (1983). The unit lay manager as facilitator of purposeful activities among institutionalized profoundly and severely retarded boys. Journal of Applied Behavior Analysis, 16, 345-349.

Wacker, D. P., & Greenbaum, F. T. (1984). Efficacy of a verbal training sequence on the sorting performance of moderately and severely retarded adolescent. American Journal of Mental Deficiency, 88, 653-660.

Welch, J., Nietupski, J., & Hamre-Nietupski, S. (1985). Teaching public transportation problem solving skills to young adults with moderate handicaps. Education and Training of the Mentally Retarded, 20, 287-295.

Wolery, M., & Gast, D. L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

# Chapter 4

Melinda Jones Ault, Mark Wolery, Patricia Munson Doyle, and David L. Gast

The antecedent prompt and fade procedure involves the presentation of a prompt presented with the discriminative stimulus. "A prompt is defined as a cue that is presented with the $S^D$ and that serves to guarantee correct responding" (Koegel, Egel, & Dunlap, 1980, p. 289). As training progresses, the prompt is gradually faded out until the student responds to the $S^D$ alone. This procedure has been reviewed and procedural descriptions have been described in Striefel and Owens (1980) and Wolery and Gast (1984).

The antecedent prompt and fade studies reviewed here are similar to the most-to-least procedure and the graduated guidance procedure in that prompts are initially presented at the most intrusive level and assistance is gradually decreased over trials or sessions. However, these studies differ from those procedures in that the prompts are faded without using the most-to-least or graduated guidance procedure. Studies are included here if they do not have a hierarchy of prompts, specify a criterion for moving to the next prompt level, or do not involve the immediate fading or application of assistance based on moment-to-moment responding of the student. It is possible that some systematic prompt fading was used in these studies, but in the published report the procedures were not specifically described.

The prompt and fade trial sequence is shown in Figure 1 and consists of the experimenter presenting the novel stimulus paired with a prompt which controls the correct response. The student then responds and the experimenter delivers consequences for correct or incorrect responding. A description of the subjects, settings, behaviors, results, and experimental designs that were




Figure 4.1 Flow chart depicting the antecedent prompt and fade strategy.

involved in the investigations using the antecedent prompt and fade procedure are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.

Table 1

Results from Investigations Using the Antecedent Prompt and Fade Strategy

| Citation | Population Number/ Gender | Age/ yrs | Diag-nosis | Setting | Behavior | Effective-ness | Efficiency | Generali-zation | Mainten-ance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Barrera et al. (1980) | 1M | 4.6 | Aut | CS | Expressv. id. of objects | V1+ V2+ V3+ | T,S,M = V1>V2,V3 | P,T=+ | N/D | MB |
| Variable 1 - Total comm; Variable 2 - Sign alone; Variable 3 - Oral alone | | | | | | | | | | |
| Clark & Sherman (1975) | 2M 1F | 15-17 | MoMR VI | SS | Oral responding to questions | + | N/D | T=+ | N/D | MB |
| | 3M 1F | 3.6-4.7 | EC | CS | | | | | | |
| Crouch et al. (1984) | 2M 1F | 23-33 | MoMR | CS | Completing food service jobs | + | N/D | N/D | N/D | MB |
| Deckner & Blanton (1980) | 15M 5F | 5.25-16.92 | SBD ED | SS | Pressing panel | +/- | N/D | N/D | N/D | Gr |
| Frank & Wacker (1986) | 1M 3F | 11.5-13.0 | MiMR | PS | Make purchases | + | N/D | T=+ | N/D | MB VTD |
| Knapczyk (1983) | 1M | 10 | SMR | PS | Appropriate self-feeding | + | N/D | S,T=+ | +M | VTD |
| Koegel & Rincover (1977) | | | | | | | | | | |
| Exper. I | 3M | 7.5-11.0 | Aut | IN | Motor imitation/ recept. id. of body parts | + | T | S,P=+/- | +/-N/D | N/D |
| Marchetti et al. (1983) | 18M/F | 19-59 | MoMR | IN | Street crossing | V1- V2+ | N/D | N/D | N/D | Gr |
| Variable 1 - classroom training; Variable 2 - community training | | | | | | | | | | |

Table 1 continued.

| Citation | Population Number/ Gender | Age/ yrs | Diag-nosis | Setting | Behavior | Effective-ness | Efficiency | Generali-sation | Mainten-ance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Murphy & Callias (1985) | | | | | | | | | | |
| Exp. gr. | 4M 6F | $\bar{X}$= 14 | PHR | IN | Increase constructive play | - | N/D | N/D | -M | Gr |
| Control gr. | 5M 5F | $\bar{X}$= 14.3 | PHR | IN | | | | | | |
| Oliver & Scott (1981) | 6M 2F | 19-21 | SHR | PS | Recept. id. of hard/heavy objects | + | T V1=V2 | T V2<V1 | N/D | Gr |
| Variable 1 - individual training; Variable 2 - group training | | | | | | | | | | |
| O'Neill & Bellamy (1978) | 1F | 30 | S/PHR | CS | Saw chain assembly | + | M | N/D | N/D | MB |
| Remington & Clark (1983) | 1M 1F | 10; 15 | SHR Aut | SS | Manual signing | + | T,S V1=V2 | T V2<V1 | +/-M | AT MB |
| Variable 1 - sign alone; Variable 2 - total communication | | | | | | | | | | |
| Rincover et al. (1979) | 2M 2F | 8-10 | Aut VI | SS | Toy play | +/- | N/D | N/D | +/-M | A-B |
| Rincover & Koegel (1975) | 6M 2F | 6.5-13.5 | Aut | IN | Motor imit Recept. id. of body parts/Right vs left | + | T | S,P+/- | N/D | WTD |
| Salisbury et al. (1978) | 2M | 13; 3 | DD | IN; CS | Manual signing | + | N/D | S,T=+ | N/D | N/D |
| Salvin et al. (1978) | 1M | 5 | Aut | CS | Manual signing | + | N/D | T=+ | +M | PP |
| Schreibman & Carr (1978) | 1M 1F | 7; 15 | DD Sch | IN | Answering questions | + | T | T,P=+ | +M | MB |
| Sternberg et al. (1985) | 1M 2F | 10-21 | PHR VI MR | PS | Co-active gross motor imitation | + | S | P=+ | N/D | MB |
| VanBiervliet (1977) | 6M | 11.9-21.8 | DD | IN | Express./ recept. id. of manual signs | + | E S | T=+ | N/D | N/D |
| Whitman et al. (1971) | 1M 1F | 4.5; 7 | SHR | PS | Instruction following | + | N/D | T=+ | N/D | WTD |

Table 2

Methods from Investigations Using the Antecedent Prompt and Fade Strategy

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Fading Procedures/ Criteria | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|
| Barrera et al. (1980) | 1 | Aut | Expres. id. of objects | DS | MO; fading N/D, A | praise | VR |
| Clark & Sherman (1975) | 3 | MoMR VI | Oral responding to questions | DS | MO, faded number of words modeled | praise | VR, MO then VR, timeout if needed |
| | 4 | EC | | | | | |
| Crouch et al. (1984) | 3 | MoMR | Completing food service jobs | DS | VI, faded VI and reinforcement | praise | N/D |
| Deckner & Blanton (1988) | 20 | SBD DD | Pressing panel | DS | PP, fading N/D, A | doorbell chimes, edibles | N/D |
| Frank & Wacker (1986) | 4 | MiMR | Make purchases | DS | VP, faded number of material prompts | N/D | N/D |
| Knapczyk (1989) | 1 | SMR | Appropriate self-feeding | Ch | PP + VI; faded PP; faded VI and verbal prompts | N/D | N/D |
| Koegel & Rincover (1977) | 3 | Aut | Motor imitation/ Recept. id. of body parts | DS | PP, faded intensity and delayed presentation of prompt | praise, edibles | none |
| Marchetti et al. (1983) | 18 | MoMR | Street crossing | Ch | VI, G, PP; fading N/D, A | praise, social reinforcement | N/D |
| CODES | See Appendix A | | See Appendix A | Ch = chained DS = discrete | MO = model VI = verbal instruction PP = full physical manipulation G = gesture N/D = not defined A = anecdotal | VR = variable ratio reinforcement CRF = continuous reinforcement N/D = not defined | VR = verbal repri-mand MO = model PP = full physical N/D = not defined |

Table 2 continued.



| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Fading Procedures/ Criteria | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|
| Murphy & Callias (1985) | 20 | PMR | Increase constructive play | DS | PP, fading N/D | N/D | N/D |
| Oliver & Scott (1981) | 8 | SMR | Recept. id. of hard/heavy objects | DS | MO, faded prompts and added distractors/7 out of 8 correct move to next fading step | praise, tangible CRF | VR, repeat instruc-tion; PP |
| O'Neill & Bellamy (1978) | 1 | S/PMR | Saw chain assembly | Ch | MO; 1 correct fade MO | verbal and social praise, edibles | PP or MO if no progress-VR and PP or MO |
| Remington & Clarke (1983) | 2 | SMR Aut | Manual Signing | DS | MO; fading N/D, A | unprompted-praise, edibles prompted-praise | PP faded over time |
| Rincover et al. (1979) | 4 | Aut VI | Toy play | DS | PP, faded over trials | edibles CRF | N/D |
| Rincover & Koegel (1975) | 10 | Aut | Motor imit./ recept. id. of body parts/ right vs. left | DS | PP, faded intensity and delayed presentation of prompt | praise, edibles | none |
| Salisbury et al. (1978) | 2 | DD | Manual signing | DS | MO; fading N/D, A or PP, fade degree of assistance | N/D | N/D |
| Salvin et al. (1978) | 1 | Aut | Manual signing | DS | PP; fading N/D | received stimulus | VR, placed hands at side, PP if repeated errors |
| Schreibman & Carr (1978) | 2 | DD Sch | Answering questions | DS | MO: fading N/D | N/D | N/D |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Type of Prompt and Fading Procedures/ Criteria | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|
| Sternberg et al. (1985) | 3 | PMR VI MR | Co-active gross motor imitation | DS | FP, fade locus of control | praise at first, then praise only for improved performance | N/D |
| VanBiervliet (1977) | 6 | DD | Express./recept. id. of manual signs | DS | MD; fading N/D, A | unprompted - token, praise CRF; edibles VR3 prompted - praise | FP faded |
| Whitman et al. (1971) | 2 | SMR | Instruction following | DS | FP, faded number of prompts given | Praise, edibles CRF | N/D |

Behavior/Population

The antecedent prompt and fade procedure has been used to teach expressive language skills (Barrera, Lobato-Barrera, & Sulzer-Azaroff, 1980; Clark & Sherman, 1975; Remington & Clarke, 1983; Salisbury, Wambold, & Walter, 1978; Salvin, Routh, Foster, & Lovejoy, 1977; Schreibman & Carr, 1978; VanBiervliet, 1977), receptive language skills (Koegel & Rincover, 1977; Oliver & Scott, 1981; Rincover & Koegel, 1975; VanBiervliet, 1977; Whitman, Zakaras, & Chardos, 1971), imitation (Koegel & Rincover, 1977; Rincover & Koegel, 1975; Sternberg, McNerney, & Pegnatore, 1985), vocational skills (Crouch, Rusch, & Karlan, 1984; O'Neill & Bellamy, 1978), discrimination skills ( Deckner & Blanton, 1980), daily living skills (Frank & Wacker, 1986; Marchetti, McCartney, Drain, Hooper, & Dix, 1983), self-help skills (Knapczyk, 1983), and play skills (Murphy & Callias, 1985; Rincover, Cook, Peoples, & Packard, 1979). The majority of behaviors taught with this procedure have been discrete tasks. However, three studies taught chained skills including appropriate self-feeding (Knapczyk, 1983), street crossing (Marchetti et al., 1983), and saw chain assembly (O'Neill & Bellamy, 1978). The population that participated in these studies included persons with mental retardation (ranging from mild to profound), autism, and multiple handicaps.

Fading of Prompts

A variety of prompts have been applied and then faded in these studies. They include: physical prompts, verbal models, physical models, verbal prompts, visual prompts, and a combination of two or more of the prompts listed above. The majority of studies initially applied a physical prompt and gradually faded the physical assistance provided as training progressed (Deckner & Blanton, 1980; Murphy & Callias, 1985; Rincover et al., 1979;

Salisbury et al., 1978; Salvin et al., 1977). For example, Rincover et al. (1979) taught four autistic children to play with toys. They stated "for each toy, a child was physically prompted through the topography of the correct response, and the physical guidance was gradually faded over trials" (p. 225). Rincover and Koegel (1975) and Koegel and Rincover (1977) also initially provided physical guidance but faded the assistance by delaying the delivery of the prompt and decreasing the intensity of the physical prompt. Sternberg et al. (1985) taught co-active gross motor imitation to profoundly handicapped students by fading physical assistance using first hand-over-hand guidance, followed by hand-over-elbow, and finally a touch prompt. Criterion levels for progressing from one of these prompts to the next were not specified. Whitman et al. (1971) faded physical guidance for following instructions by removing assistance first from the completion of the task and "it was progressively removed from other movements in the total response sequence in a reverse fashion" (p. 285). Physical assistance continued to be withdrawn until the student could perform the behavior in response to the verbal direction alone.

The next most frequently used prompt was a verbal model for teaching oral responses (Barrera et al., 1980; Clark & Sherman, 1975; Schreibman & Carr, 1978; VanBiervliet, 1977). Clark and Sherman (1975) taught three adolescents with mental retardation and four children from economically disadvantaged backgrounds to respond orally with complete sentences to three forms of questions. The experimenter stated the question, and then immediately modeled the entire answer. Over trials, the model was faded by decreasing the number of words modeled from the end of the sentence.

Physical models have also been used as prompts. In both the Oliver and Scott (1981) and VanBiervliet (1977) studies, receptive identification tasks

were taught by initially presenting a model of pointing to the correct object and then gradually fading the model.

Verbal prompts were faded in the Crouch et al. (1984) investigation with what the authors called, "the verbal training procedure of the verbal correspondence training paradigm" (p. 273). Three adults with moderate handicaps were taught to reduce the time they needed to complete a vocational task. At the beginning of training, a coworker prompted the students by telling them a few minutes before they were to begin work the specific times they were to start and stop their jobs. These direct verbal prompts were then faded and thej subjects were required to state by themselves the times they would start and stop work. Finally, subjects were still required to state start adn stop times but received reinforcement only when they actually began and ended their jobs at the times they had started.

Frank and Wacker (1986) was the only study that faded visual or material prompts. Four mildly handicapped children were taught to make purchases using a number line, coin segments, and item segments. The authors state they used a 5-step procedure to fade each of these prompts, but specific procedures are not described.

The remaining studies used one or more of the prompts described above in their fading procedure (Knapczyk, 1983; Marchetti et al., 1983; O'Neill & Bellamy, 1978; Remington & Clarke, 1983). Knapczyk (1983) for example, taught a boy with severe multiple handicaps to self-feed appropriately by fading manual guidance first and then verbal prompts.

Movement Through Prompt Levels

The studies reviewed here did not specify exact procedures for progressing from one prompt level to another. Some of the studies did

indicate that prompts were faded over trials or sessions (Clark & Sherman, 1975; Marchetti et al., 1983; Oliver & Scott, 1981; Rincover et al., 1979), where others stated that as the students' responding progressed, prompts were faded (Remington & Clarke, 1983; Salvin et al., 1977; Sternberg et al., 1985). Remaining studies simply stated that prompts were faded and did not elaborate further on the fading procedure.

## Consequences

### Correct Responses

Of the studies reviewed, three specify differential consequences for prompted and unprompted responding. Remington and Clarke (1983) provided praise plus food for correct responses following a model prompt and praise alone for correct responses that were physically prompted following the model. Sternberg et al. (1985) initially provided praise for both prompted and unprompted responses and later in training only provided praise for unprompted responses or responses which received prompts at a lower level of assistance. VanBiervliet (1977) provided praise only for prompted responses, whereas unprompted responses received praise plus a token on a CRF schedule of reinforcement and edibles on a VR3 schedule. Other investigations only specified consequences for correct responses and did not differentiate between prompted and unprompted responding.

### Error Responses

Studies which specified consequences for incorrect responding utilized ignoring, verbal reprimand, putting through, time-out, and prompt and fade as error correction. Koegel and Rincover (1977) and Rincover and Koegel (1975) both stated that incorrect responses were ignored. Barrera et al. (1980) said "No" following an incorrect response and Salvin et al. (1977) said "No" and

placed the student's hands at his/her side. Clark and Sherman (1975) and Oliver and Scott (1981) provided a verbal reprimand and then gave the correct response following an incorrect response. In addition, if the student still did not respond correctly, Clark and Sherman (1975) said, "No" and then provided a timeout.

Several studies used prompt and fade procedures as error correction (O'Neill & Bellamy, 1978; Remington & Clarke, 1983; Salvin et al., 1977; Van Biervliet, 1977). For example, in Remington and Clarke (1983) if a student did not respond correctly to a model prompt, physical prompts were provided and then faded. Salvin et al. (1977) stated that the prompt and fade procedure was reinstated if the student began making repeated errors.

## Results

### Effectiveness

The majority of the antecedent prompt and fade studies reported that the procedure was effective for teaching the targeted behaviors (e.g., Crouch et al., 1984; Koegel & Rincover, 1977; Remington & Clarke, 1983). Two studies reported mixed results of effectiveness in which some students acquired the behavior and some did not (Deckner & Blanton, 1980; Marchetti, 1983). Deckner and Blanton (1980) used an antecedent physical prompt and fade procedure to teach students to touch a panel containing 10 dots versus an empty panel. Sixteen of the 21 students did not acquire the behavior. Marchetti et al. (1983) compared a community group with a classroom group in teaching street crossing using an antecedent prompt and fade strategy. The procedure was effective for the community group but not for the classroom group.

Only one study reported that the prompt and fade procedure was not effecti Murphy and Callias (1985) compared an experimental group with a

control group for increasing constructive play. The results indicated that seven out of 10 experimental students increased their constructive play, but no significant difference occurred between the two groups.

## Efficiency

Nine of 20 studies reported some type of efficiency measure. These included trials to criterion, sessions to criterion, number of errors, days to criterion, minutes to criterion, rate of acquisition, and trial presentation rate across conditions (Barrera et al., 1980; Koegel & Rincover, 1977; Oliver & Scott, 1981; Remington & Clarke, 1983; Rincover & Koegel, 1975; Schreibman & Carr, 1978; Sternberg et al., 1985; VanBiervliet, 1977). The most frequently reported efficiency measure was trials to criterion.

## Summary

Based on the literature reviewed, the following statements can be made:

* The antecedent prompt and fade procedure has been used to teach students with mild to to profound mental retardation and those with autism. Elementary- and secondary-aged students were the most frequently used in the studies.

* The majority of behaviors taught with this procedure were discrete tasks.

* Most of the studies employed physical prompts which were gradually faded.

* These studies did not state procedures for moving from one prompt level to the next prompt level.

* Most studies did not specify differential consequences for prompted and unprompted responses.

* The majority of studies reported that the procedure was effective in teaching the targeted behaviors.

* Few studies reported efficiency measures, but of those that did, trials to criterion was the most frequently cited.

## References

Barrera, R. D., Lobato-Barrera, D., & Sulzer-Azaroff, B. (1980). A simultaneous treatment comparison of three expressive language training programs with a mute autistic child. Journal of Autism and Developmental Disorders, 10(1), 21-37.

Clark, H. B., & Sherman, J. A. (1975). Teaching generative use of sentence answers to three forms of questions. Journal of Applied Behavior Analysis, 8(3), 321-330.

Crouch, K. P., Rusch, F. R., & Karlan, G. R. (1984). Competitive employment: Utilizing the correspondence training paradigm to enhance productivity. Education and Training of the Mentally Retarded, 19(4), 268-275.

Deckner, C. W., & Blanton, R. L. (1980). Classification of abnormal children: Discrimination learning ability. Journal of Autism and Developmental Disorders, 10(4), 405-415.

Frank, A. R., & Wacker, D. P. (1986). Analysis of a visual prompting procedure on acquisition and generalization of coin skills by mentally retarded children. American Journal of Mental Deficiency, 90(4), 468-472.

Knapczyk, D. R. (1983). Use of teacher-paced instruction in developing and maintaining independent self-feeding. Journal of the Association for the Severely Handicapped, 8(3), 10-16.

Koegel, R. L., Egel, A. L., & Dunlap, G. (1980). Learning characteristics of autistic children. In W. Sailor, B. Wilcox, & L. Brown (Eds.), Methods of instruction for severely handicapped students (pp. 259-301). Baltimore: Paul H. Brookes.

Koegel, R. L., & Rincover, A. (1977). Research on the difference between generalization and maintenance in extra-therapy responding. Journal of Applied Behavior Analysis, 10(1), 1-12.

Marchetti, A. G., McCartney, J. R., Drain, S., Hooper, M., & Dix, J. (1983). Pedestrian skills training for mentally retarded adults: Comparison of training in two settings. Mental Retardation, 21(3), 107-110.

Murphy, G., & Callias, M. (1985). Increasing simple toy play in profoundly mentally handicapped children: I. Training to play. Journal of Autism and Developmental Disorders, 15(4), 375-388.

Oliver, P. R., & Scott, T. L. (1981). Group versus individual training in establishing generalization of language skills with severely handicapped individuals. Mental Retardation, 19(6), 285-289.

O'Neill, C. T., & Bellamy, G. T. (1978). Evaluation of a procedure for teaching saw chain assembly to a severely retarded woman. Mental Retardation, 16(1), 37-41.

Remington, B., & Clarke, S. (1983). Acquistion of expressive signing by autistic children: An evaluation of the relative effects of simultaneous communication and sign-alone training. Journal of Applied Behavior Analysis, 16(3), 315-328.

Rincover, A., Cook, R., Peoples, A., & Packard, D. (1979). Sensory extinction and sensory reinforcement principles for programming multiple adaptive behavior change. Journal of Applied Benavior Analysis, 12(2), 221-233.

Rincover, A., & Koegel, R. L. (1975). Setting generality and stimulus control in autistic children. Journal of Applied Behavior Analysis, 8(3), 235-246.

Salisbury, C., Wambold, C., & Walter, G. (1978). Manual communication for the severely handicapped: An assessment and instructional strategy. Education and Training of the Mentally Retarded, 13(4), 393-396.

Salvin, A., Routh, D. K., Foster, R. E., Jr., & Lovejoy, K. M. (1977). Acquisition of modified American sign language by a mute autistic child. Journal of Autism and Childhood Schizophrenia, 7(4), 359-371.

Schreibman, L., & Carr, E. G. (1978). Elimination of echolalic responding to questions through the training of a generalized verbal response. Journal of Applied Behavior Analysis, 11(4), 453-463.

Sternberg, L., McNerney, C. D., & Pegnatore, L. (1985). Developing co-active imitative behaviors with profoundly mentally handicapped students. Education and Training of the Mentally Retarded, 20(4), 260-267.

Striefel, S., & Owens, C. R. (1980). Transfer of stimulus control procedures: Applications to language acquisition training with the developmentally handicapped. Behavior Research of Severe Developmental Disabilities, 1(4), 307-331.

VanBiervliet, A. (1977). Establishing words and objects as functionally equivalent through manual sign training. American Journal of Mental Deficiency, 82(2), 178-186.

Whitman, T. L., Zakaras, M., & Chardos, S. (1971). Effects of reinforcement and guidance procedures on instruction-following behavior of severely retarded children. Journal of Applied Behavior Analysis, 4(4), 283-290.

Wolery, M., & Gast, D. L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

# Most-to-Least Prompting

## Chapter 5

Melinda Jones Ault, Mark Wolery, Patricia Munson Doyle, and David L. Gast

The most-to-least procedure or system of decreasing assistance involves systematically fading prompts from those which provide the most assistance necessary to emit a correct response to those which provide decreasing amounts of assistance. A hierarchy of prompts is used in the procedure. Initially, the most intrusive prompt is provided simultaneously with the novel stimulus until the student attains a specified criterion level. At this point, the next less intrusive prompt is provided. The students continue through the prompt levels until they respond to the novel stimulus without assistance. This procedure has been reviewed and procedural requirements have been described in Wolery and Gast (1984), Billingsley and Romer (1983), and Schoen (1986).

The most-to-least trial sequence is shown in Figure 1 and consists of the experimenter presenting the novel stimulus paired with a specified prompt level. This is followed by the student's opportunity to respond and the delivery of consequences for correct and incorrect responding. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using the most-to-least prompting procedure are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.




Figure 5.1 Flow chart depicting the most-to-least prompting strategy.

Table 1

Results from Investigations Using the Most-to-Least Prompting Strategy

| Citation | Population Number/ Gender | Age/ Yrs | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Colozzi & Pollow (1984) | 3M 2F | 7-12 | MoMR SMR | PS | Walking to schoolroom | 4 Subjects+ 1 Subject+/= | N P/U T | N/D | +W,Y | MB |
| Cuvo et al. (1981) | 4M 1F | 19-21 | MoMR MiMR | PS | Sorting garments | + | P/U N | N/D | +MD | MB |
| Cuvo et al. (1978) | 3M 3F | 13-15 | MoMR | PS | Cleaning restroom | + | P/U | S+ | +W | MB |
| Duker & Michielson (1983) | 1M 2F | 8.8-16.2 | MoMR SMR | IN | Manual signing | + | S | P+ S+ | N/D | MB |
| Duker & Horsink (1984) Exper.I | 2F | 22; 23 | SD | IN | Manual signing | + | S | S+ | +/-N/D | MB |
| Exper.II | 2M | 8; 13.3 | Aut SD | IN | Manual signing | + | S | S+/- | +/-N | MB |
| Dunst et al. (1985) | 6M | infants | PMR MR | SS | Fixated head turning | + | N/D | N/D | N/D | VTD |
| Einerman et al. (1982) | 1M | 5 | Aut | SS | Manual signing | + | S T | N/D | N/D | MB CC |
| Kayser et al. (1986) | 5M 3F | 6.11-11.5 | MoMR SMR PMR MiMR AuT | SS | Baking snack | +/- V2>V1 | N,P/U= 5 Subjects, V2<V1 N,P/U= 3 Subjects, V2=V1 | S,P,T 4 Subjects, V2>V1 1 Subject, V1>V2 3 Subjects, V1=V2 | N/D | MB |
| Variable 1 - Backward chaining, Multiple trials; Variable 2 - Total task, Single trial | | | | | | | | | | |
| Luiselli et al. (1978) | 1M | 10 | MoMR | PS | Answering questions | +/A | N/D | S+/- P+/- | +N | MB |
| Richmond & Lovaller (1983) | 2F | 15; 22 | PMR | SS | Express. id. of letters/ animals | V1>V2 | SV1<V2 TV1<V2 | T+/- | +/-D | AT |
| Variable 1-Dual trainer; Variable 2 - Single trainer | | | | | | | | | | |
| Wheeler et al. (1980) | 6F 1M | 13.3-17.3 | MoMR SMR | PS | Grocery shopping | + | N | S,P+ | N/D | TT |

Table 2

Methods from Investigations Using the Most-to-Least Prompting Strategy

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Criterion for Moving to Next Prompt Level | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|
| Colozzi & Pollow (1984) | 5 | MoMR SMR | Walking to schoolroom | DS | 1. VI, FP 5/6 of way to room<br>2. VI, FP 4/6<br>3. VI, FP 3/6<br>4. VI, FP 2/6<br>5. VI, FP 1/6<br>6. I | 1 correct, move to next level | praise | FP, VI |
| Cuvo et al. (1981) | 5 | MiMR MoMR | Sorting garments | Ch | 1. VI, MO<br>2. VI, PMO<br>3. VI<br>4. I | 90% correct on 1 trial, move to next level | praise FR3 | VI then VI, GG if needed |
| Cuvo et al. (1978) | 6 | MoMR | Cleaning restroom | Ch | 1. VI, MO<br>2. VI, GG<br>3. VI<br>4. I | 1 correct, move to next level | praise, edibles VR | no re-inforce-ment |

CODES

See Appendix A

See Appendix A

Ch = chained
DS = discrete

I = independent
IVI = indirect verbal instruction
VI = verbal instruction
VP = visual prompt
G = gesture
PMO = partial model
MO = model
GG = graduated guidance
PPro = physical prompt
PP = partial physical
FP = full phys. manipulation
SD = discrim. stimulus

FR = fixed ratio reinforcement

VI = verbal
GG = graduated guidance
VR = verb reprimand
MO = model
VP = visual prompt
FP = full physical
OC = overcorr.
CE = cont exercise
SD = disc stimulus
N/D = not defined

Table 2 continued.



| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Criterion for Moving to Next Prompt Level | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|
| Duker & Michielsen (1983) | 3 | MoMR SMR | Manual signing | DS | 1. VI, VP, MO<br>2. VI, VP<br>3. VI | 9 correct, move to next level | praise, edibles, or drink | VR, FP |
| Duker & Morsink (1984) | | | | | | | | |
| Exper. I | 2 | DD | Manual signing | DS | 1. SD, MO, VP<br>2. SD, VP<br>3. SD | 3 correct, move to next level | Drink or manipulate object for 10 sec. | VR then FP, MO, or VP |
| Exper. II | 2 | Aut DD | Manual signing | DS | 1. SD, MO<br>2. SD | Same as above | Same as above | VR then FP, MO, or VP |
| Dunst et al. (1985) | 6 | PMR MR | Fixated head turning | DS | 1. FP<br>2. FP<br>3. I | 5 min. at prompt level, move to next level | Illumination of lights | none |
| Hineman et al. (1982) | 1 | Aut | Manual signing | DS | 1. SD, VI, MO<br>2. SD, VI<br>3. SD | 80% correct for 60 trials, move to next level | social praise, edibles | OC then CR, OC on 2nd behavior |
| Kayser et al. (1986) | 8 | MiMR-PMR Aut | Making snack | Ch | 1. FP<br>2. PP<br>3. PPro<br>4. G<br>5. I | 3 correct, move to next level | edibles | N/D |
| Luiselli et al. (1978) | 1 | MoMR | Answering questions | DS | 1. Full MO<br>2. MO first 1/2 of response<br>3. MO initial sound<br>4. I | 10 correct, move to next level | descriptive praise FR1, token FR3 | N/D |
| Richmond & Lewallen (1983) | 2 | PMR | Expres. id. of letters/ animals | DS | MO, faded over 4 levels. Levels N/D | 70% correct, move to next level | praise, edibles CRF | VR, repeat SD and prompt |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Criterion for Moving to Next Prompt Level | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|
| Wheeler et al. (1990) | 7 | MoMR SMR | Grocery shopping | DS | 1. FP<br>2. MO<br>3. VI<br>4. IVI<br>5. G<br>6. VP | N/D | N/D | N/D |

## Behavior/Population

The most-to-least procedure has been used to teach daily living skills (Colozzi & Pollow, 1984; Cuvo, Jacobi, & Sipko, 1981; Kayser, Billingsley, & Neel, 1986; Wheeler, Ford, Nietupski, Loomis, & Brown, 1980), expressive language skills (Duker & Michielson, 1983; Duker & Morsink, 1984; Hinerman, Jenson, Walker, & Peterson, 1982; Luiselli, Colozzi, Donellon, Helfen, & Pemberton, 1978), cognitive skills (Richmond & Lewallen, 1983), fixated head turning (Dunst, Cushing, & Vance, 1985), and janitorial skills (Cuvo, Leaf, & Borakove, 1978) to learners with moderate, severe, and profound handicaps. Of these studies, seven used discrete tasks (Colozzi & Pollow, 1984; Duker & Michielson, 1983; Duker & Morsink, 1984; Dunst et al., 1985; Hinerman et al., 1982; Luiselli et al., 1978; Richmond & Lewallen, 1983) and four employed chained tasks (Cuvo et al., 1981; Cuvo et al., 1978; Kayser et al., 1986).

## Uses of the Procedure

Most of the studies reviewed used the most-to-least procedure alone in teaching skills; however, some used it in conjunction with another strategy. In the Cuvo et al. (1981) and Cuvo et al. (1978) studies, the most-to-least procedure was used in combination with the system of least prompts. The most-to-least hierarchy was used for tasks that had been identified as difficult or for steps in the chain which had a high probability of error reponses. In Duker and Michielson (1983) and Duker and Morsink (1984), the system of least prompts was used to teach manual signing; the discriminative stimulus, however, was changed over trials in a most-to-least sequence.

## Prompt Hierarchy

The prompt hierarchies used in these studies differ in the number of prompt levels employed in each hierarchy and in how the prompts were faded.

The hierarchies included an independent level of performance and the number of prompt levels ranged from three (Dunst et al., 1985; Hinerman et al., 1982) to six (Colozzi & Pollow, 1984; Wheeler et al., 1980). Some most-to-least studies employed a full physical prompt at the initial level of instruction and faded the amount of physical guidance given at each prompt level (Dunst et al., 1985; Kayser et al., 1986). Kayser et al. (1986), for example, taught eight students with moderate to profound handicaps to make a snack using the prompt levels of full physical assistance, partial physical assistance, physical prompt, gestural cue, and independent performance. Other studies initially provided a model and systematically faded it (Cuvo et al., 1981; Luiselli et al., 1978). In the Luiselli et al. (1978) study, answering questions was taught in the most-to-least sequence of the experimenter modeling the entire answer, modeling the first half of the answer, modeling the initial sound of the answer, and finally providing no model. Richmond and Lewallen (1983) stated that they faded a verbal prompt over four levels, however the exact prompt hierarchy was not specified.

Colozzi and Pollow (1984) faded both verbal prompts and teacher presence in teaching students with severe handicaps to walk from the entrance of their school to the classroom. Initial prompts consisted of the teacher stating the full verbal direction, (i.e. "Walk to the classroom with hands down") and assisting the student five-sixth's of the way to the classroom. Over prompt levels, the teacher's verbal direction was faded as well as the distance from which the teacher assisted the student.

The remainder of the prompt hierarchies used in the literature consisted of providing more than one prompt at the initial level, and then at each subsequent prompt level removing one of the prompts until the student

responded independently (Cuvo et al., 1978; Duker & Michielson, 1983; Duker & Morsink, 1984; Hinerman et al., 1982). For example, Hinerman et al. (1982) used the prompt levels of (a) task direction, verbal prompt, and sign model (b) task direction and verbal prompt; and (c) task direction alone to teach expressive manual signing to a student with autism.

Movement Through Prompt Levels

In order for students to move to the next level of prompting in the most-to-least hierarchy they were required to attain a specified criterion at the preceding prompt level. In the studies reviewed, students did not move to the next level of assistance until they attained a specified percentage of correct responses at a prompt level (Cuvo et al., 1981; Hinerman et al., 1982; Richmond & Lewallen, 1983), a specified number of consecutive correct responses (Colozzi & Pollow, 1984; Cuvo et al., 1985; Duker & Michielson, 1983; Duker & Morsink, 1984; Kayser et al., 1986; Luiselli et al., 1978), or received a level of prompting for a specified number of minutes (Dunst et al., 1985). In the Dunst study, infants with profound retardation and multiple handicaps were taught fixated head turning by the illumination of lights contingent upon a head turn. One of the students received prompts which were arranged in decreasing levels of assistance and included physically turning the child's head to midline, prompting the child to lift his head off the crib and initiate the turn, and providing contingent lights only. Progression from one prompt level to the next occurred when the experimenter provided each prompt for 5 minutes.

In addition to progressing to the next level of assistance following correct responses, students were required to return to a preceding prompt level following incorrect responses. If students made a specified number of

incorrect responses (Colozzi & Pollow, 1984; Cuvo et al., 1978; Duker & Michielson, 1983; Duker & Morsink, 1984; Kayser et al., 1986; Luiselli et al., 1978) or did not attain a specified percentage of correct responses (Cuvo et al, 1981; Richmond & Lewallen, 1983), they were provided with the preceding prompt level. Although Wheeler et al. (1980) stated the use of "six kinds of cues and correction procedures, arranged from most to the least amount of assistance/intervention" (p. 109), the procedures were not defined and the criterion for moving from one prompt level to the next was not given.

## Consequences

### Correct Responses

Consequences for correct responses were provided regardless of the prompt level being used. These consequences included praise alone (Colozzi & Pollow, 1984; Cuvo et al., 1981), praise plus edibles (Cuvo et al., 1978; Duker & Michielson, 1983; Duker & Morsink, 1984; Hinerman et al., 1982), edibles alone (Kayser et al., 1986), praise plus tokens (Luiselli et al., 1978), and illumination of lights (Dunst et al., 1985). Presumably, these consequences were identified reinforcers for each student, although this was rarely documented.

### Error Responses

Six of the studies specified consequences for incorrect responses. Cuvo et al. (1981) provided a verbal correction followed by verbal correction plus physical guidance if needed for an incorrect response. Hinerman et al. (1982) physically guided the student to form the correct manual sign 10 times after an error. Contingent exercise was added to this procedure when training was in progress on the second behavior. Duker and Michielson (1983), Duker and Morsink (1984), and Richmond and Lewallen (1983) provided a verbal reprimand

plus additional prompts required to elicit a correct response. Colozzi and Pollow (1984) provided physical guidance and verbal directions following an incorrect response.

## Results

### Effectiveness

All of the studies reviewed reported that the most-to-least procedure was effective in teaching the targeted behavior. Both Cuvo et al. (1981) and Cuvo et al. (1978) stated that the students had rapid acquisition of sorting garments and steps in cleaning a restroom, respectively. In two studies, Luiselli et al. (1986) and Colozzi and Pollow (1984), a slight modification of one of the behaviors being taught and modification of the training steps respectively were required before the student reached criterion. Luiselli et al. (1986) shortened the required verbal response for one of the questions being taught. Following this modification, the student responded correctly. Colozzi and Pollow (1984) added additional training steps in order to raise one student's responding to criterion levels.

### Efficiency

Efficiency measures were reported for nine of the eleven studies. Cuvo et al. (1981) reported the percentage of prompt level use and training time required to obtain criterion. Cuvo et al. (1978) reported the number of times prompt levels were used, and Hinerman et al. (1982) reported the efficiency measures of number of trials and days to criterion. The number of sessions to criterion measure was reported in Duker and Michielson (1983) and Duker and Morsink (1984). Colozzi and Pollow (1984) reported the number of days, average number of trials to criterion, and the amount of training per prompt level. In Dunst et al. (1985), one infant was provided with decreasing prompts and his performance was compared with infants who did not receive the

prompts. The authors state that the infant who received prompts learned faster than those who did not receive prompts.

Kayser et al. (1986) compared a total task with a backward chaining method in teaching students with mild, moderate, and severe mental retardation and autism to make a snack. Both of the methods were taught using a most-to-least prompting procedure. Total task training and backward chaining were compared on number of changes in levels of assistance and instructional session time. Richmond and Lewallen (1983) compared a single trainer with a dual trainer using the most-to-least procedure and evaluated them on the number of training sessions, percentage of correct responses, mean rate of correct responding, and trials to criterion.

## Summary

Based on the literature reviewed, the following statements can be made:

* The most-to-least procedure was used with students who have mild, moderate, severe, and profound mental retardation and autism.
* The procedure was used with students ranging in age from infants to adults, but most often with elementary- or secondary-aged students.
* Both chained and discrete tasks have been taught with this procedure.
* The most-to-least sequence has been used to manipulate the $S^D$ while system of least prompts was used for training.
* The most-to-least procedure has been used in conjunction with system of least prompts to teach more difficult steps or tasks likely to have high error rates.
* The number of prompt levels used ranged from three to six. The majority of studies employed either three or four levels of prompts.
* Most studies moved through prompt hierarchies by fading a combination of prompts (e.g., fade both physical and model prompts).
* Students were required to reach a specific criterion at each prompt level before proceeding to the next level.
* Most studies reported some efficiency measure.

## References


Billingsley, F. F., & Romer, L. T. (1983). Response prompting and the transfer of stimulus control: Methods, research, and a conceptual framework. Journal of the Association for the Severely Handicapped, 8(2), 3-12.

Colozzi, G. A., & Pollow, R. S. (1984). Teaching independent walking to mentally retarded children in a public school. Education and Training of the Mentally Retarded, 19(2), 97-101.

Cuvo, A. J., Jacobi, L., & Sipko, R. (1981). Teaching laundry skills to mentally retarded students. Education and Training of the Mentally Retarded, 16(1), 54-64.

Cuvo, A. J., Leaf, R. B., & Borakove, L. S. (1978). Teaching janitorial skills to the mentally retarded: Acquistion, generalization, and maintenance. Journal of Applied Behavior Analysis, 11(3), 345-355.

Duker, P. C., & Michielson, H. M. (1983). Cross-setting generalization of manual signs to verbal instructions with severely retarded children. Applied Research in Mental Retardation, 4(1), 29-40.

Duker, P. C., & Morsink, H. (1984). Acquistion and cross-setting generalization of manual signs with severely retarded individuals. Journal of Applied Behavior Analysis, 17(1), 93-103.

Dunst, C. J., Cushing, P. J., & Vance, S. D. (1985). Response-contingent learning in profoundly handicapped infants: A social systems perspective. Analysis and Intervention in Developmental Disabilities, 5(1/2), 33-47.

Hinerman, P. S., Jenson, W. R., Walker, G. R., & Peterson, P. B., (1982). Positive practice overcorrection combined with additional procedures to teach signed words to an autistic child. Journal of Autism and Developmental Disorders, 12(3), 253-263.

Kayser, J. E., Billingsley, F. F., & Neel, R. S. (1986). A comparison of in-context and traditional instructional approaches: Total task, single trial versus backward chaining, multiple trials. Journal of the Association for Persons with Severe Handicaps, 11(1), 28-38.

Luiselli, J. K., Colozzi, G., Donellon, S., Helfen, C. S., & Pemberton, B. W. (1978). Training and generalization of a greeting exchange with a mentally retarded, language-deficient child. Education and Treatment of Children, 1(4), 23-29.

Richmond, G., & Lewallen, J. (1983). Facilitating transfer of stimulus control when teaching verbal labels. Education and Training of the Mentally Retarded, 18(2), 111-116.

Schoen, S. F. (1986). Assistance procedures to facilitate the transfer of stimulus control: Review and analysis. Education and Training of the Mentally Retarded, 21(1), 62-74.

Wheeler, J., Ford, A., Nietupski, J., Loomis, R., & Brown, L. (1980). Teaching moderately and severely handicapped adolescents to shop in supermarkets using pocket calculators. Education and Training of the Mentally Retarded, 15(2), 105-112.

Wolery, M., & Gast, D. L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

# System of Least Prompts

## Chapter 6

Patricia Munson Doyle, Mark Wolery, Melinda Jones Ault, and David L. Gast

The focus of this chapter is on studies using an instructional strategy of less to more intrusive extra-stimulus prompts (Schreibman, 1974) in facilitate acquisition of new skills. The term system of least prompts (SLP) was used to refer to a hierarchy of cues beginning at the least intrusive level (providing the student with as little assistance as possible) and proceeding to the most intrusive level (delivering increasingly more assistance) (Billingsley & Romer, 1983; Schoen, 1986; Wolery & Gast 1984). In this hierarchy, the least amount of assistance should be defined as a prompt most resembling the natural discriminative stimulus while the most assistance cue should be the most artificial with least resemblance to the $S^D$ (Sulzer-Azaroff & Mayer, 1977).

In the literature reviewed, SLP was described as a strategy for the transfereing or shifting of stimulus control from the prompt to the discriminative stimulus (Billingsley & Romer, 1983; Rosenbaum & Breiling, 1976; Wolery & Gast, 1984) and as an error correction procedure used to gain instructional control by fading prompts (Cuvo & Davis, 1983). As a result, numerous terms were used to describe the procedure. A few of those terms include system of least prompts (e.g., Sedlak, Doyle, & Schloss, 1982; Storey, Bates, & Hanson, 1984; Wolery & Gast, 1984), increasing assistance (e.g., Billingsley & Romer, 1983; Schoen, 1986), instructional interaction model (Alberto & Schofield, 1979), instructional cue hierarchy (e.g., Hamre-Nietupski, Nietupski, Sandvig, Sandvig, & Ayres, 1984; Hill, Wehman, & Horst, 1982; Horner & Keilitz, 1975; Schleien & Larson, 1986; Stainback,

Stainback, Wehman, & Spangiers, 1983), less to more assistance or least-to-most intrusive (e.g., Cuvo, Leaf & Borakove, 1978; Giangreco, 1983), the least assistance technique (O'Brien & Azrin, 1972), least-to-most prompt correction for errors (Gaule, Nietupski, & Certo, 1985), correction procedure for wrong answers (Hurlbut, Iwata, & Green, 1982), and levels of assistance feedback (e.g., Vogelsberg & Rusch, 1979). A complete list of the terms used to describe the procedure are shown in Table 1.

Wolery and Gast (1984) suggest four basic guidelines for implementing SLP. First, the natural discriminative stimulus should be presented at each prompt level. Second, the trainer delivers increasingly more information contingent upon student error or no response. Third, a constant response interval (often 5-10 sec) (Billingsley & Romer, 1983) is inserted between the prompt levels which allows the student time to emit an independent response (Lent & Mclean, 1976). Fourth, Wolery and Gast suggest that all correct responses be positively reinforced regardless of the student's response to the least intrusive prompt (e.g., trainer delivers reinforcement for correct responses at all prompt levels). Consequently, a correct response at the least intrusive level would be rewarded followed by an intertrial interval and presentation of the next trial with the opportunity to perform independently. An incorrect response would be consequated by proceeding to the next more intrusive prompt level. This sequence continues until the student emits a correct response. The reinforcement of all correct responses may facilitate the student's acquisition of the skill being taught; however, only those responses occurring in the presence of the natural discriminative stimulus alone count toward criterion.

Table 1

Names Provided in the Literature for the System of Least Prompts

| Name | Number of Articles Using this Name | Example Citation |
|---|---|---|
| No Name Provided | 43 | Baserdt & Bricker (1978) |
| Augmented Verbal Instruction | 1 | Rynders et al. (1979) |
| Correction Procedure | 1 | Nietupski et al. (1983) |
| Correction procedure for wrong answers | 1 | Buriut et al. (1982) |
| Defined Modeling Procedure | 1 | Bellamy & Buttars (1975) |
| Four Levels of Increasing Assistance | 1 | Smith & Belcher (1985) |
| Four Levels of Instruction | 1 | Friedenberg & Martin (1977) |
| Four Levels of Prompts | 1 | Koop et al. (1980) |
| Graded Sequence of Assistance | 1 | Tucker & Berry (1980) |
| Graduated Guidance | 1 | Lobato & Tiaker (1985) |
| Graduated Increasing Intervention Hierarchy | 1 | Duffy & Nietupski (1985) |
| Graduated Prompt Sequence | 1 | Cronin & Cuvo (1979) |
| Graduated Prompting | 1 | Correa et al. (1984) |
| Graduated Three Prompt Procedure | 1 | Thompson & Braam (1982) |
| Hierarchy of Teacher Questions | 1 | Alper (1985) |
| Increasing Assistance | 2 | Billingsley & Romer (1983) |
| Instructional Interaction Model | 1 | Alberto & Shofield (1979) |
| Instructional Cue Hierarchy | 6 | Hamre-Nietupski et al. (1984) |
| Least Assistance Technique | 2 | O'Brien (1978) |
| Least Prompting Instruction | 1 | Pancsofar & Bates (1985) |
| Least-to-Most Intrusive Prompt Hierarchy | 1 | Giangreco (1983) |
| Least-to-Most Prompt Correction for Errors | 1 | Grzie et al. (1985) |
| Least-to-Most Restrictive Sequence | 1 | Walls et al. (1981) |
| Less to More Assistance | 2 | Cuvo et al. (1981) |
| Less to More Intrusive Prompt Sequence | 1 | Wilson et al. (1984) |
| Levels of Assistance Training Strategy | 1 | Noonan (1984) |
| Prompt Hierarchy | 2 | Browder et al. (1984) |
| Sequenced Error Correction Procedure | 1 | Williams & Cuvo (1986) |
| Sequential Instructional Program | 1 | Kissel et al. (1980) |
| System of Least Prompts | 3 | Wolery & Gast (1984) |
| Systematic Error Correction Procedure | 1 | Schleien et al. (1984) |
| Systematic Prompt Hierarchy | 1 | Nietupski & Svoboda (1982) |
| Systematic Prompting | 1 | Breen et al. (1985) |
| Three-Step Cue Hierarchy: Least to Most | 1 | Schleien et al. (1981) |
| Vogelsberg's Levels of Assistance | 3 | Coon et al. (1981) |
| Wait and See, Least Degree of Assistance | 1 | Wambold & Salisbury (1978) |

All response prompting procedures are designed to increase the probability of correct responses, however, a disadvantage of each procedure is the possibility that students will become overdependent on the selected prompts. In SLP, this may result in the students delaying a response and thus receiving prompts (Schoen, 1986; Falvey, Brown, Lyon, Baumgart, & Schroeder, 1980), learning not to respond (e.g., the student becomes passive, allows the trainer to provide a greater and greater amounts of assistance until a correct response occurs, resulting in more reinforcement for errors than correct responses (Glendenning, Adams, & Sternberg, 1983), or learning to make errors prior to reinforcement (Wolery & Gast, 1984). If these situations occur, modifications should be made to the procedure or another instructional strategy should be used.

Although SLP may initially result in a low ratio of correct responses to errors (Billingsley & Romer, 1983), it allows the student time to respond to the discriminative stimulus occurring in the natural environment and one which non-handicapped persons typically use when performing a particular behavior (Falvey et al., 1980). In addition, the student is allowed to select the level of assistance necessary for a correct response (Wolery & Gast 1984). This process of student prompt selection termed "self fading" by Lent (1974), may result in less training time spent in fading the prompts, facilitating transfer of stimulus control. However, the initial error rate may be higher than with other response prompting strategies such as the most-to-least approach.

A trial sequence for the SLP is shown in Figure 1. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using SLP are shown in Table 2; codes for information presented in Table 2 are found in Appendix A. The behaviors, type and number of prompts, the specified response interval, and consequences for student responses are shown in Table 3.




Figure 6.1 Flow chart depicting the system of least prompts strategy.

Table 2

Results from Investigations Using the System of Least Prompts Strategy

| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Aeschleman & Schladenauffen (1984) | 3M 1F | 17-18 | SMR | CS | Comm. living: grocery shopping | + | S, N | S = + | M = + | MP |
| Alper (1985) | 1M 2F | 17-20 | MiMR SMR | CS | Vocat.: library | + | T | S = +m | N/D | MB |
| Variable 1 - Teacher regulated; Variable 2 - Self regulated | | | | | | | | | | |
| Azrin et al. (1976) | 3M 4F | 'average' 31 | DD | IN | Self care: Dress, undress | + | S, N | N/D | N/D | PP |
| Bancroft & Bricker (1978) | 1M | 2.5 | DD | SS | Self Care: self-feeding | + | P/U | N/D | M= + | MP |
| Bates & Bensaglia (1982) | 1M | 19 | PMR | IN | Lang. Express: label, game | + | N/D | N/D | N/D | MB |
| Bellamy & Buttars (1975) | 5 MD | 13.3-20.6 | MoMR ED | PS | Comm. living; rote count, count money | + | M, T | T = +/- | A = + | A-B |
| Breen et al. (1985) | 4M 4M | 18-21 17-18 | MM, Aut M | CS | Social: positive interaction | + | S | S.P= +m | N/D | MB |

Table 2 continued.

| Citation | Population Number / Gender | Age Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Browder et al. (1984) | 8 M/D | 24-49 | MiMR MoMR SMR | IH | Comm. living: laundry, phone, cooking | + | A | N/D | N/D | MP |
| Coon et al. (1981) | 1F | 20 | SMR | SS | Comm. living: bus riding | +V1<br>+V2 | N/D | S=V1 | N/D | MB |
| Variable 1 - Classroom training; Variable 2 - Natural | | | | | | | | | | |
| Correa et al. (1984) | 3M | 2.3-4.3 | SMR PMR VI | PS | Motor: reach, grasp, skills | + | T | T = + | N/D | MB VTD |
| Cronin & Cuvo (1979) | 4M 1F | 17.2-20.6 | MoMR | PS | Comm. living: sewing skills | + | P/U | N/D | V = + | MB |
| Cuvo et al. (1983) | 4M 3F | 18-22 | MiMR SMR | IH | Motor: jump, run | +/- | T | N/D | N/D | MB |
| Cuvo et al. (1981) | 4M 1F | 19-21 | MiMR MoMR | PS | Comm. living: washer, dryer | +V1<br>+V2 | S,M, P/U | N/D | V= + | MB |
| Variable 1 - Prompt sequence, task 2; Variable 2 - Prompt sequence III, task 3 | | | | | | | | | | |
| Cuvo et al. (1978) | 3M 3F | 13-15 | MoMR | PS | Vocat.: clean rest rooms | + | S, P/U | S= + | V= + | MB |

**Table 2 continued.**

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Duffy & Nietupski (1985) | 1F | 20 | PMR | IN | Leisure; video game | + | N/D | N/D | M= + | MP |
| Duker & Michielsen (1983) | 1M 2F | 8.8-16.2 | MoMR SMR | IN | Language; manual sign | + | S | T,S,P= + | N/D | MB |
| Duker & Noonan (1985) | 1M 2F | 11.7-14.3 | MoMR SMR DD | IN | Lang.; manual sign sands | + | P/U | T,S,P= + | N/D | MB |
| Duker & Horsink (1984) | | | | | | | | | | |
| Exper. I | 2F | 22;23 | DD | IN | Lang; manual signs | + E1 + E2 | S | S = +/- | M = +/- | MB |
| Exper. II | 2M | 8;13.3 | DD AUT | IN | | | | | | |
| Freagon & Rotatori (1982) | 6M 4F | 10-17 | SMR PMR | IN | Self Care; teeth, dress., hands | + | N/D | M,S= + | M,M= + | GR |

Variable 1 - Artificial environment/training; Variable 2 - Natural environment/generalization

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Friedenberg & Martin (1977) | 2M | 21;30 | SMR | IN | Vocat.; stapling | + V1 + V2 | M = V2<V1 Z = V2<V1 | N/D | N/D | A-B-A-C-A |

Variable 1 - Hand stapling; Variable 2 - Machine stapling

Table 2 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Gaule et al. (1985) | 3M | 17-20 | MoMR | PS | Grocrey: list, locate, purchase | + | N/D | N/D | V = +/- | MP |
| Glangreco (1983) | 1M | 20 | SMR | PS CS | Leisure: photo skills | + | S | S = + | V,M= + | MP |
| Greer et al. (1985) Exper. II | 3M | 22-26 | SMR PMR | IN | Social; positive play | + | S | N/D | M = + | MB |
| Halasz-Does & Cuvo (1986) | 1M 4F | 19-33 | MiMR | IN | Leisure: macrame knots | + V1 V2 | N/D | S,T= + | N/D | MB |

Variable 1 - Easy steps sequence; Variable 2 - Difficult steps sequence

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Hamre-Nietupski et al. (1984) | 2M | 17;19 | MR | IN | Leisure: tape player | + | T | N/A | M = + A = +m | MP |
| Haring (1985) | 3M 1F | 4.2-7.10 | MoMR SMR | SS | Social: positive toy play | + | S | T = +/-m | N/D | MP |
| Hill et al. (1982) | 3M | 14-21 | SMR | CS | Leisure: pinball play | + | N/D | S = +m | A = + | MB |
| Hopper & Wambold (1978) | 3M 1F | 4-13 | DD | PS | Social: positive toy play | +/- | N/D | N/D | N/D | PP |

Table 2 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Horner & Keilitz (1975) | 6M 2F | 9-17 | MiMR MoMR | IN | Self care; tooth brushing | +/- V 1, V 2 | S, P/U | N/D | N/D | MB |
| Variable 1 - Token + social; Variable 2 - Social replication group | | | | | | | | | | |
| Horner & McDonald (1982) | 4 M/D | 16-18 | MoMR SMR | PS | Vocat.; crimp, cut, electrical capacitators | + V1,V2 | E = V2<V1 S = V1 = V2 T = A | T V2 > V1 | N/D | MB |
| Variable 1 - Single; Variable 2 - Case | | | | | | | | | | |
| Horner et al. (1981) | 1m 2F | 24-52 | SMR | CS | Vocat.; components circuit board | + V1 > V2 | E= V2 >V1 | N/D | N/D | MB WTD |
| Variable 1 - CRF; Variable 2 - Extinction | | | | | | | | | | |
| Hunter & Bellamy (1976) | 3F | 19-26 | DD | CS | Vocat.; cable harness | + | S, M | N/D | N/D | N/D |
| Rupp & Mervis (1981) | 6 M/D | 8-18 | SMR | IN | Lang; manual signs | + V1,V2,V3 | N/D | T = V3>V1 V3>V2 | N/D | RM |
| Variable 1 - one good exemplar; Variable 2 - good/poor exemplars; Variable 3 - 3 good exemplars | | | | | | | | | | |
| Rupp et al. (1986) | N/D | 5-19 | SMR | PS | Lang. Recept./ express; i.d. pictures | +/- | N/D | T = V1>V2 | N/D | GR |
| Variable 1 - Receptive training; Variable 2 - Expressive training | | | | | | | | | | |

| Citation | Population Number / Gender | Age/ Yrs. | Diag-nosis | Setting | Behavior | Effective-ness | Efficiency | Generali-zation | Mainten-ance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Hurlburt et al. (1982) | 3M | 14-18 | MR | PS | Lang.: manual signs | + V1, V2 | T = V2 < V1 | T = V2 > V1 | D = V2 > V1 A = V2 > V1 | AT |
| Variable 1 - Bliss comm.; Variable 2 - Iconic comm. | | | | | | | | | | |
| Janssen & Guess (1978) | 4 M/D | 13-17 | PHR | IN | Lang.; Recept. I.D. | + V2 > V1 | N, A = V2 < V1 | N/D | N/D | VTD |
| Variable 1 - Label task direction; Variable 2 - label/function task direction | | | | | | | | | | |
| Kissell et al. (1980) | 1F | 25 | PHR | PS CS | Self care: feeding skills | + | N/D | S = +m | V, N = + | MB |
| Kohl (1981) | 7M 1F | 5.4-17.2 | SMR | PS SS | Lang.: manual sign | + V1 - V6 | N = V1 = V2 V3 < V4 V5 < V6 | N/D | N/D | GR |
| Variable 1 - iconic stimuli; Variable 2 - abstract; Variable 3 - touch; Variable 4 - non touch; Variable 5 - symetrical; Variable 6 - assymetrical | | | | | | | | | | |
| Kohl et al. (1978) | 2M 1F | 7-8 | MoMR | PS | Lang.; manual sign | + V1,V2 | N = V1 < V2 | S, P, T = +/- V1, V2 | D = + V1, V2 | A-B |
| Variable 1 - Group training; Variable 2 - Individual training | | | | | | | | | | |
| Koller & Mulhern (1977) | 6 M/D | Adole-scents | DD | CS | Acad.: math problems | + V1 > V2 | N = V1 < V2 | N/D | A = V1 > V2 | PP |
| Variable 1 - Calculator sequence; Variable 2 - Computation sequence | | | | | | | | | | |

Table 2 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diag-nosis | Setting | Behavior | Effective-ness | Efficiency | Generali-zation | Mainten-ance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Konstantareas (1984) | 12M 2 F | 4-11 | MD | PS | Lang; prep., pronoun sentences | + / - V2 > V1 | T | N/D | D = V2 > V1 | ANOVA |
| Variable 1 - Word/prompt sequence; Variable 2 - sign/word prompt sequence | | | | | | | | | | |
| Koop et al. (1980) | 8M 1F | 18-64 | SMR | IN | Vocat.: bike, brake, reel, assembly | + / - | N, T, E = V2 < V1 | N/D | N/D | AT |
| Variable 1 - minimum social reinforcement; Variable 2 - Socials plus edibles | | | | | | | | | | |
| Lagomarcino et al. (1984) | 3M 2F | 14-19 | SMR PMR | IN | Leisure: dance skills | + / - | N/D | S, P = + / - | N/D | MB |
| Livi & Ford (1985) | 2M 1F | 9-11 | MoMR SMR | PS | Comm. living; toast, snacks, lunch | + | N/D | S = +m | N/D | PP |
| Lobato & Flaker (1985) | 1M | 13 | SMR | CS | Comm. living; bed, tooth brushing | + / - | S | N/D | N/D | MB VTD |
| Marchant & Wehman (1979) | 4 N/D | 8-10 | DD | PS | Leisure: Lotto game | + | N/D | S, P = - A | N/D | MP |

Table 2 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Marchetti et al. (1984) | 27 N/D | 17-59 | MiMR MoMR SMR | IN | Comm. living; bus riding | + V1,V2,V3 V3>V2,V1 | N/D | S = V1,V2,V3 | N/D | GR |
| Variable 1 - Classroom setting; Variable 2 - Community setting; Variable 3 - Facility/grounds setting | | | | | | | | | | |
| Martin et al. 1984 Exper. II | 1M 1F | 30 | MiMR | CS | Vocat.; supervisor training | + | N/D | N/D | M,A= + | MB |
| Matson et al. (1980) | 75 N/D | $\bar{X}$= 33.9 | MoMR SMR PMR | IN | Comm living; shower, wardrobe, nightstand maintenance | + V1>V2,V3 | N/D | N/D | M = + | GR |
| Variable 1 - Independent SLP; Variable 2 - Standard SLP; Variable 3 - No training | | | | | | | | | | |
| McDonnell et al. (1984) | 3M 1F | 16 - 19 | MoMR SMR | PS CS | Comm living; grocery purchase | + V1,V2 | N/D | S = + ■ V1, V2 | M = + V1, V2 | MB |
| Variable 1 - Slide; Variable 2 - Flashcard | | | | | | | | | | |
| Mithaug (1978) | 1M | 16 | SMR | PS | Language; objects, prepositions | + V1, V2, V3 | N/D | T = V3 > V1, V2 | N/D | MB |
| Variable 1 - Object training; Variable 2 - Preposition training; Variable 3 - Object/preposition training | | | | | | | | | | |

Table 2 continued.

| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Nietupski & Svoboda (1982) | 3M 3F | 22-64 | SMR PMR | IN | Leisure; Lotto game | + | M, T | S, P = + | V = + | M/D |
| Nietupski et al. (1983) | 4M | 19-21 | MoMR SMR | PS | Comm. living; grocery shopping | + | S, T, P/U | S = + | M = + / - | MP |
| Noonan (1984) | 3M 4F | 2-12 | DD | PS | Motor: 1. postural 2. ATNR 3. patterns | +/-V1 -V2 -V3 | M/D | M/D | M/D | MB |
| O'Brien (1978) | | | | | | | | | | |
| Variable 1 - | 2M 5F | 26-59 | SMR | IN | Language, concepts | + V1 | M, T | M/D | M/D | A - B |
| Variable 2 - | 3M 2F | 5-54 | MoMR | IN | | + V2 | | | | |
| Variable 1 - Colors; Variable 2 - Numbers, letters | | | | | | | | | | |
| O'Brien & Azrin (1972) | | | | | | | | | | |
| Exper. I | 11 | $\bar{X}$= 31 | $\bar{X}$= SMR | IN | Self care: proper mealtime behavior | + V1>V2 | E,P/U V1<V2 | Exp. 2 S= + m | D= + m M= + | GR |
| Variable 1 - Training; Variable 2 - Control | | | | | | | | | | |
| Pancsofar & Bates (1985) | 1M 3M | 9-18 | SMR | PS | Self care: soap dispensor | + | M/D | S, T = +/- m | M/D | MB |

Table 2 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Rae & Rolf (1985) | 4M 6F | 22-42 | PMR | CS | Comm. Living; fire drill | + | N | A, T = + | V = + | A-B |
| Richman et al. (1984) | 5F | 28-44 | MIMR MoMR SMR | IN | Self Menstrual care | + | S, N | N/D | N = + / - | MB |
| Rosenbaum & Breiling (1976) | 1F | 12 | SMR AUT | PS | Acad.; reading comprehension | + | S, N | T = + | N/D | MB VTD |
| Rynders et al. (1979) | 3S 2M:1F | $\bar{X}$=3 | DD N | PS | Pre-academic and self care skills | + / - V 2 > V1 | N/D | N/D | N/D | GR |

Variable 1 - Augmented instruction; Variable 2 - Repeat verbal instructions

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Schleien et al. (1981) | 1F | 28 | PMR | CS | Comm. Living; cooking skills | + | S | S, T = + | N/D | MB |
| Schleien et al. (1984) | 1M | 16 | SMR | SS | Leisure; bowl, snack | + | N/D | S, T = + | V = + | MB |
| Schleien & Larson (1986) | 2M | 27;29 | SMR | CS | Leisure; games at rec. center | + | S | S=+ A,T=+ | M= + | MB |
| Schleien et al. (1981) | 2M 1F | 23-63 | SMR PMR | CS | Leisure; dart game | + | N/D | S = + | M = + | MB CC |

Table 2 continued.

| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Sedlak et al. (1982) | 1 M 2 F | 18-19 | SMR PMR | IN | Leisure; video game | + | S | S, T = + m | M = + m | MB |
| Sheets et al. (1985) | 3 M 1 F | 7.8 - 12 | MMR SeMR | IN | Comm. living; time, appointments | + | N/D | S = + | Post Probe + | MP |
| Smith & Belcher (1985) | 2 M 3 F | 22 - 40 | AUT | IN | Comm. living; domestic skills | + | N/D | N/D | N/D | A - B |
| Sowers et al. (1979) | 1 M | 20 | DD | CS | Comm. living bus ride | + | S | N/D | + | N/D |
| Spears et al. (1981) | 1 M | 12 | MR | IN | Comm. living; indep. travel | + | S, P/ U | N/D | N/D | MB VTD |
| Spooner & Hendrickson (1976) | 4 M 3 F | 16 - 22 | SMR PMR | CS | Vocat.; assembly skills | + | S | S = + m | N/D | N/D |
| Stainback et al. (1983) | 1 M 2 F | 23 - 41 | PMR | IN | Motor; three exercises | + | S | S, T = + | A = + | MB |

Table 2 continued.



| Citation | Population Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Storey et al. (1984) | 2 M 4 F | 25 - 74 | MIMR MoMR SMR | CS | Comm Living: coffee purchase | +/- | S | S = + | M = + | MP |
| Thompson & Brams (1982) | 3 M | 12 - 24 | MIMR MoMR | PS | Comm. living: laundry skills | + | M/D | S = +/-m | M = +/- | MP |
| Tucker & Berry (1980) | 5 M 1 F | 15.6 - 22.3 | MoMR SMR PMR HH | IN | Self care: hearing aid | + | M/D | S = +/-m | V = + | MD |
| van den Pol et al. (1981) | 3 M | 17 - 22 | MoMR | PS | Comm living: restaurant skills | + | M/D | S = + | Y = + | MB |
| Vogelsberg et al. (1981) | 2 M 1 F | 17 - 21 | SMR | CS | Comm. Living: street crossing | +/A | M/D | S = + | M = + | MB |
| Wacker et al. (1980) | 2 M 2 F | 6 - 9 | MoMR | PS | Vocat.: assembly skills | + | S | S = + | V = + | MB |
| Walker & Vogelsberg (1985) | 1 F | 22 | PMR | CS | Motor: cruise table | +/- | M/D | M/D | M/D | MB |

Table 2 continued.

| Citation | Population: Number / Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Wells et al. (1981) | 7 M<br>8 F | 19 - 49 | MIMR<br>MoMR | CS | Vocat.; tool usage | + =<br>V1 V2 | M =<br>V1 < V2<br>F =<br>V1 < V2<br>P/U | N/D | N/D | GR |
| | Variable 1 - operations pretraining; Variable 2 - no pretraining | | | | | | | | | |
| Wambold & Bailey (1979) | 4 M<br>2 F | 6.2 -<br>13. 6 | SMR<br>PMR | CS | Social; positive toy play | +/- | N/D | S, T =<br>A + | N/D | PP |
| Wambold & Salisbury (1978) | N/D | 4 -<br>16 | DD | SS | Self care; toilet skills | + | N/D | S, P =<br>+ | Y =<br>+ | N/D |
| Wehman et al. (1979) | 3 M | 18 -<br>22 | DD<br>MIMR | CS | Vocat.; job training | + | P/U | N/D | N/D | N/D |
| Wehman et al. (1978) | F 1 N/D<br>F 2 N/D | 16-39<br>19-16 | PMR<br>SMR | SS | Leisure; fitness, games | +<br>+/- | N/D<br>N/D | N/D<br>N/D | N/D<br>N/D | MD<br>MD |
| Wehman et al. (1980) | 1 F | 29 | MR | IN | Leisure; photo skills | + | N/D | S =<br>+ | N/D | TT |
| Williams & Cuvo (1986) | 3 M<br>3 F | 19 -<br>33 | MIMR<br>SMR | CS | Comm. living; apartment maintenance | +<br>V1<br>V2 | M, T<br>V2 < V1 | P, S =<br>+ | M =<br>+ | MP |
| Wilson et al. (1984) | 2 M<br>2 F | 16 -<br>19 | PMR | IN | Comm. living; family dining | +/- | N/D | N/D | M =<br>+ | MP |

Table 3



Methods from Investigations Using the System of Least Prompts Strategy

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Aeschleman & Schladenhauffen (1984) | 4 | SMR | Comm. living; grocery shop | Ch | 1. I/VI (SD)<br>2. SD, MO<br>3. SD, VI<br>4. PP | N/D | X | social praise | present next prompt level |
| Alper (1985) | 3 | MIMR SMR | Vocat; library work | Ch | 1. I/VI (SD)<br>2. SD/general<br>3. SD/inference<br>4. SD/explanation<br>5. SD/identification | 10 sec | X | social praise | present next prompt level |
| Azrin et al. (1976) | 7 | DD | Self care; dress, undress | Ch | 1. I/VI (SD)<br>2. SD, G<br>3. SD, PP<br>4. SD, GG | A | N/D | social praise, stroking | present next prompt level |
| Bancroft & Bricker (1978) | 1 | DD | Self care; self-feeding | DS | 1. I/VI (SD)<br>2. VI, G<br>3. PP/prompt<br>4. FP/mandate | 10 sec. | X | edible | present next prompt level |
| CODES | See Appendix A | See Appendix A | Ch = chained DS = discrete | IVI = indirect verbal instruction<br>VI = verbal instruction<br>SD = discriminative stimulus<br>MO = model<br>G = gesture<br>PP = partial physical manipulation<br>FP = full physical manipulation<br>EC = error correction<br>I = independent<br>GG = graduated guidance | arabic numeral (sec)<br>A = anecdotal<br>N/D = not defined | X = occurred<br>A = anecdotal<br>N/D = not defined<br>R+ = correct response | FR = fixed ratio reinforcement<br>VR = variable ratio reinforcement<br>CRF = continuous reinforcement<br>N/D = not defined | VR = verbal reprimand<br>PP = full physical<br>VI = verbal instruction<br>MO = model<br>NR = no response | |

Table 3 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Bates & Renzaglia (1982) | 1 | PMR | Lang. express; label, game | DS | 1. I/VI (SD)<br>2. VI/directions<br>3. VI, NO<br>4. VI, VI/direct, NO | 5 sec | X | social praise, pennies at end of game | present next prompt level |
| Bellamy & Buttars (1985) | 5 | MoMR ED | Comm Living; rote count, count money | DS | 1. I/VI (SD)<br>2. NO<br>3. FP/priming | N/D | N/D | social praise, compliments, points | present next prompt level |
| Breen et al. (1985) | 8 | MR AUT N | Social; positive interac-tion | DS | 1. I/VI (SD)<br>2. IVI<br>3. VI<br>4. G<br>5. PP<br>6. FP | 3 sec | X | social praise | present next prompt level |
| Browder et al. (1984) | 8 | MiMR MoMR SMR | Comm. living; laundry, phone, cooking | Ch | 1. I/VI (SD)<br>2. VI<br>3. G,<br>4. NO | 5 sec | Differential reinforcement on equivalent R+ or R+ occuring at less intrusive levels | social praise | present next prompt level |
| Coon et al. (1981) | 1 | SMR | Comm. living; bus riding | Ch | VI<br>1. I/VI (SD)<br>2. VI<br>3. NO<br>4. remedial<br><br>V2<br>1. I/VI (SD)<br>2. SD, No<br>3. SD, FP<br>4. SD, FP | N/D | N/D | praise | present next prompt level |
| Variable 1- classroom training; Variable 2- natural | | | | | | | | | |
| Correa et al. (1984) | 3 | SMR PMR VI | Motor; reach, grasp skill | DS | 1. I, object/ auditory<br>2. VI, auditory<br>3. PP, auditory<br>4. FP, auditory | 10 sec | N/D | praise | present next prompt level |

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Cronin & Cuvo (1979) | 5 | MoMR | Comm. living; sewing skills | Ch | 1. I/No help<br>2. VI<br>3. VI, MD<br>4. VI, PP<br>5. VI, visual/ finished product | 5 sec | N/D | FR 4 praise, star | present next prompt level |
| Cuvo et al. (1983) | 7 | MoMR SMR | Motor; jump, run | Ch | 1. I/No help<br>2. VI<br>3. VI, MD<br>4. VI, PP | N/D | N/D | N/D | VR, present next prompt level |
| Cuvo et al. (1981) | 5 | MiMR MoMR | Comm. living; washer, dryer | Ch | VI<br>1. I/No help<br>2. VI<br>3. VI,MD<br>4. VI, PP<br>V2<br>1. I/confirmation<br>2. IVI<br>3. VI<br>4. VI,MD<br>5. VI,PP | 5 sec | N/D | Descriptive praise | present next prompt level |
| Variable 1- prompt sequence II; Variable 2 -prompt sequence III | | | | | | | | | |
| Cuvo et al. (1978) | 6 | MoMR | Vocat.; clean rest rooms | Ch | 1. I/No help<br>2. VI<br>3. VI, MD<br>4. VI, PP | 5 sec | N/D | VR, praise, M & M | present next prompt level |
| Duffy & Nietupski (1985) | 1 | PMR | Leisure: video game | Ch | 1. I/VI(SD)<br>2. I/VI<br>3. VI, G<br>4. PP | N/D | N/D | opportu-nity to continue game | present next prompt level |

Table 3 continued.

| Citation | Population Number/Diagnosis | Behavior Name | Behavior Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|
| Duker & Michielsen (1983) | 3 MoMR SMR | Language; manual sign | DS | V1<br>1. Most-least(SD)<br>2. 1/3 PP<br>3. 2/3 PP<br>4. PP<br>V2<br>1. Most-to-least (SD)<br>2. 1/3 MO<br>3. 2/3 MO<br>4. MO<br>V3<br>1. Most-to-least SD<br>2. 1/3 G<br>3. 2/3 G<br>4. G | 5 sec | X | praise, edibles, drink | NR - present next prompt level<br>Error- VR, FP |
| Variable 1- sequence 1; | | | | Variable 2 -Sequence 2; | | Variable 3 - sequence 3 | | |
| Duker & Noonan (1985) | 3 MoMR SMR DD | Lang; manual sign sands | DS | 1. I/VI(SD)<br>2. VI, G<br>3. VI, MO<br>4. VI, PP | 5 sec | X | praise, received handed object | NR-next prompt; error- physical interruption |
| Duker & Morsink (1984) Exp. I | 2 DD | Lang.; manual signs | DS | V1<br>1. Most-least(SD)<br>2. 1/3 PP<br>3. 2/3 PP<br>4. PP<br>V2<br>1. most-to-least SD<br>2. 1/3 MO<br>3. 2/3 MO<br>4. MO<br>V3<br>1. most-to-least SD<br>2. 1/3 G<br>3. 2/3 G<br>4. G | 5 sec | X | received handed object for 10 sec or drink | NR-next prompt<br>error- VR, FP, MO,VI |
| Variable 1- sequence1; Variable 2-sequence 2; Variable 3-sequence 3 | | | | | | | | |

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Error |
|---|---|---|---|---|---|---|---|---|---|
| Freagon & Rotatori (1982) | 10 | SMR PMR | Self care; teeth, deodorant, hands | Ch | 1. I/No help<br>2. VI<br>3. MO<br>4. FP | N/D | X | social praise | present next prompt level |
| Variable 1 - artificial environment/training; Variable 2 - natural/generalizaton | | | | | | | | | |
| Friedenberg Martin (1977) | 2 | SMR | Vocat.; stapling | Ch | 1. I/VI (SD)<br>2. verbal explanation of errors/SD<br>3. SD, VI<br>4. SD, MO<br>5. prime (FP) | N/D | | no reinforcers delivered during training trials | present next prompt level |
| Gaule et al. (1985) | 3 | MoMR | Grocery list; locate, purchase | Ch | 1. I/MO (SD)<br>2. VI<br>3. VI, MO<br>4. VI, FP | N/D | N/D | social, verbal praise | present next prompt level |
| Giangreco (1983) | 1 | SMR | Leisure; photo skills | Ch | 1. I/VI (SD)<br>2. VI<br>3. G<br>4. MO<br>5. FP | 5 sec | N/D | social praise | interrupt error, VI and present next prompt level |
| Greer et al. (1986) Exp. II | 3 | SMR PMR | Social; positive play | DS | 1. MO, VI (SD)<br>2. FP<br>3. FP | 10 sec | X | social praise; edibles | present next prompt level |

Table 3 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Balaam-Dees & Cuvo (1986) | 5 | MiMR | Leisure; macrame knot | Ch | VI<br>1. I/No help<br>2. Visual, finished product<br>3. Visual, picture of how to tie<br>4. Visual, card/ picture<br>5. VI, NO<br>6. VI, PP<br>V2<br>1. I/No help<br>2. VI, NO<br>3. VI, PP | N/D | N/D | positive feedback at no help level | present next prompt level |
| Variable 1- Easy steps sequence; Variable 2 - Difficult steps sequence | | | | | | | | | |
| Bamre-Mietupski et al. (1984) | 2 | MR | Leisure tape player | Ch | 1. I/VI (SD)<br>2. G<br>3. PP<br>4. PP | N/D | N/D | physical praise, music | present next prompt level |
| Haring (1985) | 4 | MoMR SMR | Social; positive toy play | DS | 1. I/VI (SD)<br>2. VR, VI, NO<br>3. VR, VI, PP | 10 sec | X at all levels except PP | praise | present next prompt level |
| Hill et al. (1982) | 3 | SMR | Leisure; pinball play | Ch | 1. I<br>2. VI<br>3. NO<br>4. G<br>5. PP | 10 sec | X | social praise | present next prompt level |
| Hopper & Wambold (1978) | 4 | MD | Social; positive toy play | DS | 1. I<br>2. NO<br>3. PP<br>4. consequence for error | N/D | N/D | play with toy | present next level, lose toy at 4. |
| Horner & Keilitz (1975) | 8 | MiMR MoMR | Self care; tooth-brushing | Ch | 1. I/No help<br>2. VI<br>3. VI, NO<br>4. VI, PP | 5 sec | X | tokens and/or praise | present next level, PP at 4th level followed by return to I/ No help |

Table 9 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Horner & McDonald (1982) | 4 | MoMR SMR | Vocat.; crimp, cut electrical capacitators | Ch | 1. I/No help<br>2. VI<br>3. MO<br>4. PP | 5 sec | N/D | praise | present next prompt level |
| Horner et al. (1981) | 3 | SMR | Vocat.; components circuit bd | Ch | 1. I/No help<br>2. VI<br>3. MO<br>4. PP | 5 sec | N/D | praise | present next prompt level |
| Hunter & Bellamy (1976) | 3 | DD | Vocat.; cable harness | Ch | 1. I/No help<br>2. VI, IVI<br>3. MO<br>4. PP | N/D | N/D | social praise, money at task completion | present next prompt level |
| Hupp & Mervis (1981) | 6 | SMR | Lang.; manual signs | DS | 1. I/VI(SD)<br>2. repeat VI(SD)<br>3. SD, VI<br>4. SD, MO<br>5. SD, PP<br>6. SD, FP | N/D | N/D | imitation of correct response, social, physical, praise | present next prompt level |
| Hupp et al. (1986) | N/D | SMR | Lang. recept./ express.; id. pictures | DS | V1<br>1. I/VI(SD)<br>2. SD, G<br>3. SD,MO<br>4. PP<br>V2<br>1. I/VI(SD)<br>2. repeat<br>3. VI<br>4. SD, MO<br>5. SD, PP<br>6. SD, FP | N/D | X after second SD | praise, hold photo | present next prompt level |
| Variable 1- receptive training; Variable 2-expressive training | | | | | | | | | |
| Huriburt et al. (1982) | 3 | MR | Lang.; manual sign | DS | 1. I/VI(SD)<br>2. SD, G, MO<br>3. SD, G, MO, VI<br>4. SD, G, MO, VI<br>FP | N/D | X | social praise alone at prompt levels | present next prompt level |
| Janssen & Guess (1978) | 4 | PMR | Lang; recept. id | DS | 1. I/VI(SD)<br>2. MO<br>3. FP | N/D | X I and MO only | social praise | present next prompt level |

Table 3 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Kissel et al. (1980) | 1 | PMR | Self-care; feeding skills | Ch | 1. I/No help<br>2. VI<br>3. VI, G, PP<br>4. VI, PP | 3 sec | X | social praise | 5 sec ignore, present next prompt level |
| Kohl (1981) | 8 | SMR | Lang.; manual sign | DS | 1. I/VI(SD)<br>2. SD, MO<br>3. SD, PP<br>4. SD, PP | 5 sec | X | edibles, and/or social praise | present next prompt level |
| Kohl et al. (1978) | 3 | MoMR | Lang.; manual sign | DS | 1. I/VI(SD)<br>2. MO<br>3. PP | Trainer varied response interval using PTD | reinforce unprompted correct only | social praise | present next prompt level |
| Koller & Mulhern (1977) | 6 | DD | Academic; math problems | DS | VI<br>1. I/VI(SD)<br>2. SD,G<br>3. PP<br>V2<br>1.I/VI(SD)<br>2. SD, MO<br>3. SD, MO, PP | N/D | N/D | N/D | present next prompt level |
| Konstantareas (1984) | 14 | DD | Lang.; preposition pronoun sentences | DS | VI<br>1. I/VI(SD)<br>2. VI(partial)<br>3. VI(full)<br>V2<br>1. I/VI(SD)<br>2. VI(partial), MO(sign)<br>3. VI(full), MO (sign), MO(word) | N/D | N/D | N/D | present next prompt level |
| Koop et al. (1980) | 9 | SMR | Vocat.; bike, brake reel assembly | Ch | 1. I<br>2. VI<br>3. VI, G<br>4. VI, PP | 10 sec | N/D | N/D | present next prompt level |

Variable 1- caculator sequence; Variable 2- computation sequence

Variable 1-word/prompt sequence; Variable 2- sign/ word/prompt sequence

Table 9 continued.



| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Lagomarcino et al. (1984) | 5 | SMR PMR | Leisure; dance skills | Ch | 1. L/music<br>2. VI<br>3. MD<br>4. FP | N/D | N/D | inter-mittent social praise | present next prompt level |
| Livi & Ford (1985) | 3 | MoMR SMR | Comm. living; toast, snack, lunch | Ch | 1. L/VI<br>2. MD<br>3. FP | N/D | N/D | N/D | present next prompt level |
| Lobato & Flaker (1985) | 1 | SMR | Comm. living; bed, tooth brushing | Ch | 1. L/No help<br>2. VI<br>3. G<br>4. FP | 2 sec | A | social, verbal, physical, praise | present next prompt level |
| Marchant & Wehman (1979) | 4 | DD | Leisure; Lotto game | Ch | 1. I<br>2. VI<br>3. MD<br>4. FP | N/D | N/D | N/D | N/D |
| Marchetti et al. (1984) | 27 | MiMR MoMR SMR | Comm. living; bus riding | Ch | 1. L/VI(SD)<br>2. VI<br>3. G<br>4. FP | N/D | X following a prompted sequence but not at each prompt level | social, physical praise | present next prompt level |
| Martin et al. (1984) Exp. 2 | 2 | MiMR | Vocat.; supervisor training | Ch | 1. L/VI(SD)<br>2. IVI<br>3. VI<br>4. repeat 3<br>5. VI, MD, role playing | N/D | N/D | social praise | present next prompt level |
| Matson et al. (1980) | 75 | MoMR SMR PMR | Comm. living shower, wardrobe, nightstand maintenance | Ch | 1. L/VI(SD)<br>2. VI(SD), MD<br>3. VI(SD), FP | N/D | A reinforcer delivered 'when applicable' | social praise, tangible | present next prompt level |
| Variable 1- Incependent SLP; Variable 2- Standard SLP; Variable 3- No training | | | | | | | | | |
| McDonnell et al. (1984) | 4 | MoMR SMR | Comm. living; grocery purchase | Ch | 1. I<br>2. VI<br>3. MD<br>4. FP | 10 sec | X | social praise | present next prompt level |

Table 3 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Nithaug (1978) | 1 | SMR | Lang.; objects, preposition | DS | 1. I/VI(SD)<br>2. MO<br>3. PP | N/D | N/D | social praise | VR, present next prompt level |
| Nietupski & Svoboda (1982) | 6 | SMR<br>PMR | Leisure; lotto game | Ch | 1. I<br>2. IVI<br>3. VI<br>4. MO<br>5. PP | N/D | N/D | social, physical praise, edibles | present next prompt level |
| Nietupski et al. (1983) | 4 | MoMR<br>SMR | Comm. living; grocery shopping | Ch | 1. I/VI, MO(SD)<br>2. VI<br>3. MO<br>4. PP | N/D | X | social praise | present next prompt level |
| Noonan (1984) | 7 | DD | Motor;<br>1. postural<br>2. ATNR<br>3. patterns | DS | 1. I/No help<br>2. VI and/or G<br>3. PP<br>4. PP | 5 sec | X | social praise | present next prompt level |
| O'Brien (1978)<br>Var. 1<br>Var. 2 | 7<br>5 | SMR<br>MoMR | Language; concepts | DS | 1. I/VI, MO(SD)<br>2. VI<br>3. VI, MO<br>4. VI, PP | N/D | X | diet soda | present next prompt level |
| Variable 1-colors; Variable 2- numbers,letters | | | | | | | | | |
| O'Brien & Azrin (1972)<br>Exp. 1 | 11 | SMR | Self-care; proper mealtime behavior | DS | 1. VI(SD)<br>2. VI(SD), MO<br>3. VI(SD), PP | N/D | If correct, go to no assistance level | meal | present next prompt level if error on assisted trial; present last previous prompt if error on unassist. trial |
| Pancsofar & Bates (1985) | 4 | SMR | Self-care; soap dispenser | DS | 1. I/No help<br>2. VI<br>3. VI, G<br>4. VI, PP | 5 sec | X reinforce when soap obtained | social praise, liquid or edible | present next prompt level |

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Rae & Roll (1985) | 10 | PMR | Comm. living; fire drill | DS | 1. L/VI(SD)<br>2. VI, G<br>3. PP<br>4. PP | 30 sec | N/D | social praise | present next prompt level |
| Richman et al. (1984) | 5 | MiMR<br>MoMR<br>SMR | Self-care; menstrual care | Ch | 1. L/VI(SD)<br>2. VI<br>3. MO<br>4. PP<br>Note: #3 & #4 never needed | 5 sec | N/D | social praise | present next prompt level |
| Rosenbaum & Breiling (1976) | 1 | SMR<br>Aut | Academic; reading comprehen-sion | DS | 1. L/visual(SD)<br>2. EC, VI, visual<br>3. EC, VI, visual, MO<br>4. EC, VI, visual, PP<br>5. EC, VI, visual, PP(3x) | 10 sec | X | social praise, candy | removed card; 10 sec pause - then present next prompt level |
| Rynders et al. (1979) | 35 | DD<br>N | Preacadem; self-care; skills | DS | VI<br>1. L/VI(SD)<br>2. VI<br>3. VI, MO<br>4. VI, PP | 15 sec, 30 sec for puzzle task | N/D | N/D | present next prompt level |
| | | | Variable 1- augmented instruction | | | | | | |
| Schleien et al. (1981) | 1 | PMR | Comm. living; cooking skills | Ch | 1. L/VI(SD)<br>2. VI(SD), MO<br>3. VI(SD), PP | N/D<br>Note: Authors refer to Horner & Keilitz (1975); probable response interval 5 sec | X | social praise | present next prompt level |
| Schleien & Larson (1986) | 2 | SMR | Leisure; game, rec-reation center | Ch | 1. L/No help<br>2. VI<br>3. VI, MO<br>4. VI, PP | N/D | X | social praise | present next prompt level |

Table 3 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Schleien et al. (1981) | 3 | SMR PMR | Leisure; dart game | Ch | 1. I/No help<br>2. VI<br>3. VI, MO<br>4. VI, PP | N/D | X | social praise | present next prompt level |
| Sedlak et al. (1982) | 3 | SMR PMR | Leisure; video game | Ch | 1. I/No help, MO<br>2. VI<br>3. VI, MO<br>4. VI, MO, PP<br>5. repeat 4 | A | N/D | N/D | present next prompt level |
| Sheets et al. (1985) | 4 | MiMR MoMR | Comm. living; time, appoint-ments | DS | 1. I/MO<br>2. VI<br>3. MO<br>4. PP | N/D | N/D | social praise | present next prompt level |
| Smith & Belcher (1985) | 5 | Aut | Comm. living; domestic skills | Ch | 1. I/No help<br>2. VI<br>3. VI, MO, G<br>4. VI, PP | 5 sec | N/D | N/D | present next prompt level |
| Sowers et al. (1979) | 1 | DD | Comm. living; bus riding | Ch | 1. I/No help<br>2. VI<br>3. VR, VI<br>4. VI, PP | N/D | X after level 2 only | social praise | present next prompt level |
| Spears et al. (1981) | 1 | MR | Comm. living; independent travel | Ch | 1. I/No assist.<br>2. VI, MO, G<br>3. PP<br>4. PP | 3 sec | N/D | social praise | present next prompt level |
| Spooner & Hendrickson (1976) | 7 | SMR PMR | Vocat; assembly skills | Ch | 1. I/No help<br>2. VI<br>3. G<br>4. PP | N/D | N/D | social praise | present next prompt level if MR. PP if error |
| Stainback et al. (1983) | 3 | PMR | Motor; three exercises | Ch | 1. I/No help<br>2. VI, MO<br>3. G<br>4. PP | A | N/D | social praise | present next prompt level |
| Storey et al. (1984) | 6 | MiMR MoMR SMR | Comm. living; coffee purchase | Ch | 1. I/No help<br>2. VI<br>3. VI, G<br>4. VI, PP<br>5. VI, PP | 3 sec | N/D | social, physical praise, coffee | present next prompt level |

Table 3 continued.



| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Thompson & Brass (1982) | 3 | MiMR MoMR | Comm. living; laundry skills | Ch | 1. I/No help<br>2. VI<br>3. MD<br>4. GS | 5 sec | N/D | tokens | present next prompt level |
| Tucker & Berry (1980) | 6 | MoMR SMR PMR MR | Self-care; hearing aid | Ch | 1. I/No help<br>2. VI<br>3. VI, MD<br>4. VI, PP | 5 sec | X | social praise | present next prompt level. If error occurred at level 4. proceed to next step- Level 1 |
| van den Pol et al. (1981) | 3 | MoMR | Comm. living; restaurant skills | Ch | 1. I/No help<br>2. VI feedback remedial trial<br>3. MD, VI<br>4. MD, VI, repeat until correct | N/D | X | descriptive social praise | present next prompt level |
| Vogelsburg et al. (1981) | 3 | SMR | Comm. living; street crossing | Ch | 1. I/VI(SD)<br>2. VI<br>3. VI, MD<br>4. VI, PP<br>5. VI, PP | 5 sec | N/D | N/D | present next prompt level |
| Wacker et al. (1980) | 4 | MoMR | Vocat.; assembly skills | Ch | 1. I/MD, No help<br>2. VI<br>3. MD<br>4. PP | A | X | social praise | present next prompt level |
| Walker & Vogelsberg (1985) | 1 | PMR | Motor; cruise at table | Ch | 1. I/MD, No help<br>2. VI<br>3. VI, G<br>4. VI, PP<br>5. VI, PP | 3 sec | N/D | praise | Phase A: present next prompt level both incorrect and no response. Phase B: present PP for incorrect |

Table 3 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Prompt Hierarchy Sequence | Response Interval (sec) | Prompted Corrects Reinforced | Type of Reinforcer | Errors |
|---|---|---|---|---|---|---|---|---|---|
| Walls et al. (1981) | 15 | MiMR MoMR | Vocat.; tool usage | Ch | 1. I/"overall cue"<br>2. VI<br>3. VI, G<br>4. VI, MD | 30 sec | X | praise | present next prompt level |
| Wambold & Bailey (1979) | 6 | SMR PMR | Social; positive toy play | DS | 1. I/No help<br>2. MD<br>3. MD<br>4. PP | N/D | N/D | N/D | present next prompt level and VR for incorrect |
| Wambold & Salisbury (1978) | N/D | DD | Self-care; Toileting skills | DS | 1. I/No help<br>2. VI<br>3. VI, PP, G, MD<br>4. VI, PP | A | X | social, physical praise | present next prompt level |
| Wehman et al. (1979) | 3 | DD MiMR | Vocat.; job training | DS | 1. I/No help<br>2. VI<br>3. VI, G<br>4. VI, PP | N/D | N/D | wages | present next prompt level |
| Wehman et al. (1978)<br>Exp.1<br>Exp. 2 | N/D<br>N/D | PMR SMR | Leisure; fitness, games | Ch | 1. I/No help<br>2. VI<br>3. VI, MD<br>4. VI, PP | 10 sec | X | social praise | present next prompt level |
| Wehman et al. (1980) | 1 | MR | Leisure; photo skills | Ch | 1. I/No help<br>2. VI<br>3. VI, MD<br>4. VI, PP | 15 sec | X | social praise | present next prompt level |
| Williams & Cuvo (1986) | 6 | MiMR SMR | Comm. living; apartment maintenance | Ch | 1. I/No help<br>2. VI<br>3. MD<br>4. VI, MD<br>5. PP | N/D | N/D | social praise | present next prompt level |
| Wilson et al. (1984) | 4 | PMR | Comm. living; family dining | Ch | 1. I/VI(SD)<br>2. VI<br>3. VI, MD<br>4. VI, PP<br>Note: omitted MD in training | 3 sec | X<br>differential reinforcement for requiring less assist. | edible, social, descriptive praise | present next prompt level |

## Description of Procedure

### Population

SLP was implemented with a diverse population. The chronological ages ranged from preschool to adult and the handicapping conditions ranged from borderline to profound mental retardation. Although Wolery and Gast (1984) suggest that this procedure might be most effective with those students who are imitative, most of the studies reviewed do not delineate prerequisite skills for use of SLP.

A variety of the studies used SLP with preschoolers, 2.0-4.0 years of age (e.g., Banerdt & Bricker, 1978; Correa, Poulson, & Salzberg, 1984; Haring, 1985; Noonan, 1984). Elementary aged students and adolescents also were included in the SLP studies; they ranged in age from 5.0 years to 17.0 years (e.g., Duker & Michielson, 1984; Freagon & Rototari, 1982; Horner & Keilitz, 1975; Hupp & Mervis, 1981; Rosenbaum & Breiling, 1976; Smeets, Lancioni, & VanLieshout, 1985; Wacker, Carroll, & Moe, 1980; Wambold & Bailey, 1979). Adults, or those students 18 years or older, were used in 66% of the SLP studies (e.g., Browder, Hines, McCarthy, & Fees, 1984; Cuvo, Ellis, Wisotzek, Davis, Schilling, & Bechtal, 1983; Greer, Becker, Saxe, & Mirabella, 1985; Horner, Wuerch, & Boomer, 1981; Richman, Reiss, Bauman, & Bailey, 1984).

The handicapping conditions of the students included diagnoses of mild or borderline (e.g., Martin, Cornick, Hughes, Mullen, & Ducharme, 1984; Wehman, Hill, & Koehler, 1979), moderate (e.g., Cronin & Cuvo, 1979; Kohl, Wilcox, & Karlan, 1978), and severe and profound mental retardation (e.g., Bates & Renzaglia, 1982; Friedenberg & Martin, 1977; Janssen & Guess, 1978; Mithaug, 1978).

### Behaviors

The behaviors selected for training varied across studies. Although SLP is a versatile procedure used to teach a variety of discrete and chained tasks (Wolery & Gast, 1984), approximately 67% of the studies reported teaching

chained behaviors. The types of chained behaviors varied across domains including leisure skills (e.g., Breen, Haring, Pitts-Conway, & Gaylord-Ross, 1985; Duffy & Nietupski, 1985; Marchant & Wehman, 1979), community skills (e.g., Aeschleman & Schladenhauffen, 1984; Coon, Vogelsberg, & Williams, 1981; Sowers, Rusch, & Hudson, 1979), self care skills (e.g., Azrin, Schaeffer, & Wesolowski, 1976; Freagon & Rotatori, 1982; Kissel, Johnson, & Whitman, 1980), daily living skills (e.g., Cronin & Cuvo, 1979; Thompson, Braam, & Fuqua, 1982; Williams & Cuvo, 1986), and vocational skills (e.g., Alper, 1985; Spooner & Hendrickson, 1976; Walls, Sienicki, & Crist, 1981). This diversity is also true of discrete skills. These include expressive language skills (e.g., Duker & Moonan, 1985; Kohl, 1981; Konstantares, 1984) and receptive language and academic behaviors (e.g., Koller & Mulhern, 1977; Mithaug, 1978; Rynders, Behlen, & Horrobin, 1979).

## Prompt Hierarchy

### Number of Prompt Levels

The number of levels found in the studies ranged from three to six. For purposes of this review, the first level in the hierarchy was defined as the presentation of the discriminative stimulus alone, and was referred to as the natural cue (Wolery & Gast, 1984), no help level (Cronin & Cuvo, 1979), the no assistance level (Spears, Rusch, York, & Lilly, 1981), and the instruction only level (O'Brien & Azrin, 1972). The term independent has been used in Table 3 to designate Level 1 when not otherwise labeled by the author.

The majority of studies (60%) defined four levels of prompts for teaching a variety of skills such as cleaning restrooms (Cuvo et al., 1978), manual sign production (Duker & Michielson, 1983), toothbrushing (Horner & Keilitz, 1975), grocery purchasing (McDonnell, Horner, & Williams, 1984), and soap dispensor use (Pancsofar & Bates, 1985). Of the remaining studies, 12% specify three prompt levels, for example, domestic skills (Livi & Ford, 1985), appropriate mealtime behavior (O'Brien & Azrin, 1972), and cooking skills

(Schleien, Ash, Kierman, & Wehman, 1981). In 16% of the studies, a five prompt hierarchy was used, for example, leisure game playing (Nietupski & Svoboda, 1982), independent movement (Walker & Vogelsberg, 1985), and apartment maintenance (Williams & Cuvo, 1986). Halasz-Dees and Cuvo (1986) provided 6 levels of prompts in teaching a leisure skill activity.

As seen in Table 3, there is no correlation between the choice in number of prompt levels and behaviors taught. However, studies teaching discrete tasks tended to use fewer levels. For example, 75% of the studies using a 3 prompt level hierarchy, trained a discrete task rather than a chained task.

Prompt Types

Cuvo and Davis (1983) classify and provide definitions for the types of instructional prompts found in the SLP hierarchy: 1) verbal instructions, 2) visual cues, 3) modeling, and 4) physical prompts. This division of prompts has also been described as the "tell, show, and touch or physical guidance" procedure by Sulzer-Azaroff and Mayer (1977).

Verbal instructions, as described by Cuvo and Davis, occur in question form as an indirect verbal cue (e.g. "What's next?" Cuvo et al., 1981; Nietupski & Svoboda, 1982) or as a direct verbal description of the specific behavior to be performed by the student (e.g. "Go make coffee." Breen et al., 1985).

As seen in Table 3, a verbal instruction is typically used at the independent level as the discriminative stimulus. This verbal $S^D$ may be simultaneously presented with each succeedingly more intrusive prompt (e.g., in 16% of the studies). However, if the initial $S^D$ is simply the opportunity to respond to another natural cue, the first prompt level will generally include a verbal description or suggestion of the correct behavior (cf. Correa et al., 1984; Horner & Keilitz, 1975). A majority (65%) of the studies used verbal instructions to provide additional information in the SLP hierarchy.

Cuvo and Davis (1983) suggest that the use of verbal prompts in a majority of the studies may be due to the assumed lack of intrusiveness, the relative ease with which it can be delivered and faded by the trainer, and its occurrence in the natural environment.

Cuvo and Davis called the second type of instructional prompt a visual cue. These prompts may form a completed or partial visual representation of a target response, for example, Cronin and Cuvo (1979) marked the stitch length in the hem of a garment with tailor chalk, and Halasz-Dees and Cuvo (1986) provided a finished macrame knot. Another effective visual prompt is a gesture, such as pointing to an object in a manual sign production study (Duker & Moonan 1985) or pointing to a task step in a leisure skills activity (Hamre-Nietupski et al., 1984). As seen in Table 3, 24% of the prompt sequences use a gesture as a prompt in the SLP hierarchy. When a visual prompt is used it generally occurs at the second prompt level.

The third type of instructional prompt is modeling or direct demonstration of the correct response by the trainer. Examples of modeling in the SLP studies included demonstration of a correct step in a domestic skill (Smith & Belcher 1985) and leisure skill (Wehman, Renzaglia, Berry, Schutz, & Karan 1978). A large percentage of the studies (e.g., 70%) reported the use of a model cue in the prompt hierarchy and 12% report the use of two or more models in the sequence.

The final type of instructional prompt is a physical prompt. This prompt is generally assumed to be the most intrusive level and to provide the greatest amount of information to the student. The physical prompt was presented in a variety of forms in the literature, e.g., hand over hand guidance in reaching and grasping (Correa et al., 1984) and handshape of correct math computations (Koller & Mulhern 1977). In 19% of the studies, partial physical guidance was a specified prompt level, e.g., an orienting prompt (Rae & Roll 1985), touch prompt (Wambold & Salisbury 1978), or as

one-third, two-thirds, three-thirds physical guidance (Duker & Michelson 1983). Physical prompts were used in 84% of the studies as the most intrusive prompt in the hierarchy.

As shown in Table 3, the majority (66%) of the studies used the verbal instruction/model/physical guidance sequence in training. However, there are many variations in this sequence, e.g., indirect verbal followed by direct verbal cues and partial physical guidance followed by full or graduated guidance. The addition of prompts to the verbal, model, physical prompt sequence may result in increasing training time but it also may increase the probability of correct prompted responses and reinforcement for the student. Breen et al. (1985) used six levels including an indirect verbal cue at the independent level, an additional indirect cue at the second level, followed by a direct verbal cue, gesture, partial physical guidance, and full physical guidance. In training basic photography skills, Giangreco (1983) used five prompt levels: verbal task instruction, verbal prompt, gesture, model, and physical guidance. No direct correlation was found between the sequence or types of prompts and the target behaviors.

Prompt Interval

Wolery and Gast (1984) suggest that the third critical feature of SLP should be the inclusion of a constant response interval following each prompt level in the hierarchy. Based on information provided by the authors, the time interval was not specified in 53% of the studies (e.g., Freagon & Rotatori, 1982; Hupp & Mervis, 1981; Lagomarcino et al., 1984). Included in this percentage are those studies which stated a response interval occurred but did not report the specific time, e.g., "few seconds" (Azrin et al., 1976), "waits" (Stainback et al., 1983), "all prompt levels followed by the opportunity to respond independently" (Wacker et al., 1980 p. 288). In addition, a few authors referenced previous works which have specified the interval but did not define it in their studies, for example, Coon et al.

(1981) referenced Vogelsberg (1979) and Schleien et al. (1981); Schleien, Certo, and Muccino (1984) and Schleien and Larson (1986) referenced Horner and Keilitz (1975).

Of the studies reporting a specific interval, a large percentage (48%) define 5-sec as the response interval including Horner and Keilitz (1975) and Vogelsberg (1979). A 10-sec interval was specified in 24% of the studies (e.g., Alper, 1985; Correa et al., 1984; Rosenbaum & Breiling, 1976) and 14% stated that 3-sec interval was used (e.g., Breen et al., 1985; Spears et al., 1981; Wilson et al., 1984). The remaining studies reported a varied number of seconds ranging from 2 to 30-sec. This information is included in Table 3.

## Consequences

### Correct Responses

Based upon review and instructional model descriptions articles specific to SLP (e.g., Alberto & Schofield, 1979; Billingsley & Romer, 1983; Falvey et al., 1980; Schoen, 1986; Wolery & Gast, 1984; York, Williams, & Brown, 1976), positive reinforcement should follow correct responses at each prompt level. However, this information is reported in only 48% of the studies reviewed. Specific statements varied from study to study indicating that this had occurred (e.g., "after each correct response, regardless of the level of assistance" Freagon & Rotatori, 1982, p. 74). Browder et al. (1984) reinforced "equivalent correct responses" and those which occurred following delivery of less intrusive prompts. Haring (1985) and Janssen and Guess (1978) reinforced correct responding throughout the hierarchy except at the final physical guidance level. Marchetti, Cecil, Graves, and Marchetti (1984) and Matson, Marchetti, and Adkins (1980) reinforced correct responses at the independent level only, or following a prompted sequences of responses.

Movement from one prompt level to another following correct responding usually resulted in a return to the independent level on the next trial (e.g., Noonan, 1984; O'Brien & Azrin, 1972; Van den Pol, Iwata, Page, Neef, &

Whitley, 1981). This decision was also based on trainer discretion, population, and behavior trained (e.g., O'Brien, 1978, reinforced at all prompt levels but followed with next trial presentation at the preceding less intrusive level).

Incorrect Responses

In SLP the consequences for errors or no responses at any level in the hierarchy resulted in proceeding to the next most intrusive prompt level. This occurred in 93% of the studies reviewed. Variations included differentiating between errors and no responses; for example, Duker and Michielson (1983) presented the next most intrusive prompt contingent upon no responding and verbal reprimand ("no") paired with full physical guidance for errors; Spooner and Hendrickson (1976) presented the next prompt for no responding and hand over hand guidance for errors. In addition, some trainers paired additional correction procedures with presentation of the next prompt; for example, Giangreco (1983) interrupted errors, pointed out the original $S^D$ and immediately presented the next most intrusive prompt; Kissel et al. (1980) presented a 5-sec period of extinction followed by the next prompt level. Very few of the studies described procedures used as consequences for errors at the final prompt level. Horner and Keilitz (1975) and Tucker and Berry (1980) state that resistance to physical guidance at the last level in the hierarchy resulted in the next trial being presented at the "no help" level. As seen in Table 3, 45% of the authors either describe their use of SLP as an error correction procedure or this can be infered from their differential consequation of no responding and errors (e.g. Duffy et al., 1985; Friendenberg & Martin, 1977; Hamre-Nietupski et al., 1984; Nietupski et al., 1983).

## Results

### Effectiveness

All of the studies selected as SLP reported effectiveness data. In 85% of the studies the behaviors were taught to criterion. The remaining studies either (a) demonstrated improvement over baseline rates (e.g., Correa et al., 1984, improved the reach and grasp performance of 3 severe and profound preschoolers over initial levels), (b) reached criterion for some students but not all (e.g., Horner & Keilitz, 1975, taught toothbrushing to six students but one left the study and the final student did not meet criterion), or (c) the authors did not train to criterion (e.g., Hupp et al., 1986, conducted 15 days of training in receptive identification of pictures and expressive sign production).

Although the majority of studies reported data demonstrating the effectiveness of SLP as an instructional strategy, 26% of the studies manipulated an instructional variable resulting in some comparative data. These variables included environmental manipulation (e.g., training in the artificial versus natural environments, Freagon & Rotatori, 1982; group versus individual training, Kohl et al., 1978), material manipulation (e.g., hand compared to machine stapling, Friedenberg & Martin, 1977), and stimulus variation manipulation (e.g. presentation of label $S^D$ only versus label and function $S^D$, Janssen & Guess, 1978). In all of the parametric studies SLP was the only strategy used.

### Efficiency

Efficiency data such as total training time, number of sessions, number of trials to criterion, errors and/or number of prompts needed at each level were reported in 53% of the studies. The most frequently reported efficiency data were total training time or number of sessions to criterion (e.g., Bellamy & Buttars, 1975; Cuvo et al., 1978; Giangreco, 1983). The number of prompts delivered at each level was reported in anecdotal form, e.g., the

number of prompts decreased over tasks (Cronin & Cuvo, 1979) and in more specific form, e.g., total number of prompts for two experiments delivered at each level (Cuvo et al., 1983). Rosenbaum and Breiling (1976) also reported that less training time was needed as students met criterion on reading comprehension skills.

## Summary

Based upon the literature reviewed, the following statements can be made:

* There was no consensus among authors as to the term used to label this instructional strategy.

* The population trained in SLP studies demonstrated a wide range of variance in both chronological age and handicapping conditions, with no correlation between population selected and effectiveness of the procedure.

* The strategy was used to teach a wide range of behaviors both chained and discrete, from all curricular domains. There was no correlation between the behavior selected for training and the effectiveness of SLP in establishing acquisition of that behavior.

* Wolery and Gast's (1984) first guideline, presenting the independent $S^D$ at each prompt level throughout the hierarchy, occurred in very few of the studies (i.e, 14%) as defined in the method sections of the investigations.

* The number of prompt levels and types of prompts found in SLP varies dependent upon student abilities and characteristics of the natural cue (Wolery & Gast, 1984). Following Wolery and Gasts second guideline, all trainers selected prompts which provided students with increasingly more information contingent upon errors or no responses. The greatest percentage of trainers selected four levels but this varied across domains and populations resulting in no correlation between the number of levels and the effectiveness and efficiency of the procedure. A similar statement can be made regarding the types of prompts selected by the trainers. Although verbal instruction, model, and physical guidance prompts were used with the greatest frequency, a large number of variations in the presentation and configuration of these prompts exists, and those variations may be population, task, and trainer specific.

* The constant response interval, Wolery and Gast's (1984) third guideline (allowing the student a specific amount of time to respond independently), was defined in some studies and implied in others. The specific time was again dependent upon trainer discretion, resulting in a range of interval times of 2-sec to 30-sec. A large percentage of studies did not define this interval.

* The fourth guideline suggested by Wolery and Gast (1984) was the delivery of reinforcement for correct responding at each prompt level; about one-half of the studies included this information.

* Based upon effectiveness data reported in Table 2, SLP was an effective instructional strategy for teaching a wide range of behaviors to students with a variety of handicaps. The lack of specificity regarding the response intervals, reinforcement procedures, consequences for errors, or movement between the prompt intervals, may make replication of studies impossible. However, there was no correlation between lack of this information and the effectiveness of the SLP strategy in training new behaviors.

* Efficiency data were reported inconsistently across studies. Data on errors, responses by prompt level, and responses by prompt type are variables that should be addressed in future research.

## References

Aeschleman, S. R., & Schladenhauffen, J. (1984). Acquisition, generalization, and maintenance of grocery shopping skills by severely mentally retarded adolescents. Applied Research in Mental Retardation, 5, 245-258.

Alberto, P., & Schofield, P. (1979). An instructional interactional pattern for the severely handicapped. Teaching Exceptional Children, 12(1), 16-19.

Alper, S. (1985). The use of teachers questioning to increase independent problem solving in mentally retarded adolescents. Education and Training of the Mentally Retarded, 20, 83-88.

Azrin, N. H., Schaeffer, R. M., & Wesolowski, M. D. (1976). A rapid method of teaching mentally retarded persons to dress by a reinforcement-guidance method. Mental Retardation, 14(6), 29-33.

Banerdt, B., & Bricker, D. (1978). A training program for selected feeding skills for the motorically impaired. AAESPH Review, 3, 222-229.

Bates, P., & Renzaglia, A. (1982). Language instruction with a profoundly retarded adolescent: The use of a table game in the acquisition of verbal labeling skills. Education and the Treatment of Children, 5, 13-22.

Bellamy, T., & Buttars, K. L. (1975). Teaching trainable level retarded students to count money: Toward personal independence through academic instruction. Education and the Training of the Mentally Retarded, 10, 18-26.

Bellamy, G. T., Horner, R. H., & Inman, D. P. (1979). Vocational habilitation of severely retarded adults: A direct service technology. Baltimore, MD: Paul Brookes.

Billingsley, F. F., & Romer, L. T. (1983). Response prompting and the transfer of stimulus control: Methods, research, and a conceptual framework. Journal of the Association for the Severely Handicapped, 8, 3-12.

Breen, C., Haring, T., Pitts-Conway, V., & Gaylord-Ross, R. (1985). The training and generalization of social interaction during breaktime at two job sites in the natural environment. The Journal of the Association for Persons with Severe Handicaps, 10, 41-50.

Browder, D. M., Hines, C., McCarthy, T. J., & Fees, J. (1984). A treatment package for increasing sight word recognition for use in daily living skills. Education and Training of the Mentally Retarded, 19, 191-200.

Brown, L., Bellamy, T., & Sontag, L. (Eds.) (1971). The development and implementation of a public school prevocational training program for trainable retarded and severely emotionally disturbed children: Progress report part I. Unpublished manuscript, Madison Public Schools, Madison, Wisconsin.

Coon, M. E., Vogelsberg, R. T., & Williams, W. (1981). Effects of classroom public transportation instruction on generalization to the natural environment. Journal of the Association of the Severely Handicapped, 6(2), 46-53.

Correa, V. I., Poulson, C. L., & Salzberg, C. L. (1984). Training and generalization of reach-grasp behavior in blind, retarded young children. Journal of Applied Behavior Analysis, 17, 57-69.

Cronin, K. A., & Cuvo, A. J. (1979). Teaching mending skills to mentally retarded adolescents. Journal of Applied Behavior Analysis, 12, 401-406.

Cuvo, A. J., & Davis, P. K. (1983). Behavior therapy and community living skills. In M. Hersen, R. M. Eisler, and P. M. Miller (Eds.), Progress in Behavior Modification, (pp. 125-172). New York: Academic Press.

Cuvo, A. J., Ellis, P. J., Wisotzek, I. E., Davis, P. J., Schilling, D., & Bechtal, D. R. (1983). Teaching athletic skills to students who are mentally retarded. Journal of the Association for Persons with Severe Handicaps, 8, 72-81.

Cuvo, A. J., Jacobi, L., & Sipko, R. (1981). Teaching laundry skills to mentally retarded students. Education and Training of the Mentally Retarded, 16, 54-64.

Cuvo, A. J., Leaf, R. B., & Borakove, L. S. (1978). Teaching janitorial skills to the mentally retarded: Acquisition, generalization, and maintenance. Journal of Applied Behavior Analysis, 11, 345-355.

Duffy, A. T., & Nietupski, J. (1985). Acquisition and maintenance of video game initiation, sustaining and termination skills. Education and Training of the Mentally Retarded, 20, 157-162.

Duker, P. C., & Michielson, H. M. (1983). Cross-setting generalization of manual signs to verbal instructions with severely retarded children. Applied Research in Mental Retardation, 4, 29-40.

Duker, P. C., & Moonan, X. M. (1985). A program to increase manual signs with severely/profoundly mentally retarded students in natural environments. Applied Research in Mental Retardation, 6, 147-158.

Duker, P. C., & Morsink, H. (1984). Acquisition and cross-setting generalization of manual signs with severely retarded individuals. Journal of Applied Behavior Analysis, 17, 93-103.

Falvey, M., Brown, L. Lyon, S., Baumgart, D., & Schroeder, J. (1980). Strategies for using cues and correction procedures. In W. Sailor, B. Wilcox & L. Brown (Eds), Methods of instruction for severely handicapped students (pp. 109-134). Baltimore: Paul H. Brookes.

Freagon, S., & Rotatori, A. F. (1982). Comparing natural, and artificial environments in training self-care skills to group home residents. Journal of the Association for the Severely Handicapped, 7, 73-86.

Friedenberg, W. P., & Martin, A. S. (1977). Prevocational training of the severely retarded using task analysis. Mental Retardation, 15(2), 16-20.

Gaule, K., Nietupski, J. & Certo, N. (1985). Teaching supermarket shopping skills using an adaptive shopping list. Education and Training of the Mentally Retarded, 20, 53-59.

Giangreco, M. F. (1983). Teaching basic photography skills to a severely handicapped young adult using simulated materials. Journal of the Association for the Severely Handicapped, 8(3), 43-49.

Glendenning, N. J., Adams, G. L., & Sternberg, L. (1983). Comparison of prompt sequences. American Journal of Mental Deficiency, 88, 321-325.

Greer, R. D., Becker, B. J., Saxe, C. D., & Mirabella, R. F. (1985). Conditioning histories and setting stimuli controlling engagement in stereotypy or toy play. Analysis and Intervention in Developmental Disabilities, 5, 269-284.

Halasz-Dees, M., & Cuvo, A. J. (1986). Teaching a functional leisure skill clusters to rehabilitation clients: The art of macrame. Applied Research in Mental Retardation, 7, 71-93.

Hamre-Nietupski, S., Nietupski, J., Sandvig, R., Sandvig, M. B., & Ayres, B. (1984). Leisure skills instsruction in a community residential setting with young adults who are deaf/blind severely handicapped. Journal of the Association for Persons with Severe Handicaps, 9, 49-54.

Haring, T. G. (1985). Teaching between-class generalization of toy play behavior to handicapped children. Journal of Applied Behavior Analysis, 18, 127-139.

Hill, J. W., Wehman, P., & Horst, G. (1982). Toward generalization of appropriate leisure and social behavior in severely handicapped youth: Pinball machine use. The Journal of the Association for the Severely Handicapped, 6 (4), 38-44.

Hopper, C., & Wambold, C. (1978). Improving the independent play of severely mentally retarded children. Education and Training of the Mentally Retarded, 13, 42-46.

Horner, R. W. , & Keilitz, I. (1975). Training mentally retarded adolescents to brush their teeth. Journal of Applied Behavior Analysis, 8, 301-309.

Horner, R. H., & McDonald, R. S. (1982). Comparison of single instance and general case instruction in teaching a generalized vocational skill. Journal of the Association for the Severely Handicapped, 7, 7-20.

Horner, R. H., Wuerch, B. B., & Boomer, J. D. (1981). Performance of three severely mentally retarded adults on vocational response chains during extinction. American Journal of Mental Deficiency, 86, 97-103.

Hunter, J. D., & Bellamy, G. T. (1976). Cable harness constructionn for severely retarded adults: A demonstration of training technique. AAESPH Review, 1(7), 2-13.

Hupp, S. C., & Mervis, C. B. (1981). Development of generalzied concepts by severely handicapped students. Journal of the Association for the Severely Handicapped, 6(1), 14-21.

Hupp, S. C., Mervis, C. B., Able, H., & Conroy-Gunter, M. (1986). Effects of receptive and expressive training of category labels on generalized learning by severely mentally retarded children. American Journal of Mental Deficiency, 90, 558-565.

Hurlburt, B. I., Iwata, B. A., & Green, J. D. (1982). Nonvocal language acquisition in adolescents with severe physical disabilties: Blissymbol versus iconic stimulus formats. Journal of Applied Behavior Analysis, 15, 241-258.

Janssen, C., & Guess, D. (1978). Use of function as a consequence in training receptive labeling to severely and profoundly retarded individuals. AAESPH Review, 3, 246-258.

Kissel, R. C., Johnson, M. R., & Whitman, T. L. (1980). Training a retarded client's mother and teacher through sequenced instructions to establish self feeding. Journal of the Association for the Severely Handicapped, 5, 382-394.

Kohl, F. L. (1981). Effects of motoric requirements on the acquisition of manual sign responses by severely handicapped students. American Journal of Mental Deficiency, 85, 396-403.

Kohl, F. L., Wilcox, B. L., & Karlan, G. R. (1978). Effects of training conditions on the generalization of manual signs with moderately handicapped students. Education and Training of the Mentally Retarded, 13, 327-334.

Koller, E. Z., & Mulheen, T. J. (1977). Use of a pocket calculator to train arithmetic skills with trainable adolescents. Education and Training of the Mentally Retarded, 12, 332-335.

Konstantareas, M. M. (1984). Sign language as a communication prosthesis with language-impaired children. Journal of Autism and Developmental Disorders, 14, 9-25.

Koop, S., Martin, G., Yu, D., & Suthons, E. (1980). Comparison of two reinforcement strategies in vocational-skill training of mentally retarded persons. American Journal of Mental Deficiency, 84, 616-626.

Lagomarcino, A., Reid, D. H., Ivanic, M. T., & Faw, G. D. (1984). Leisure-dance instruction for severely and profoundly retarded persons: Teaching an intermendiate community-living skill. Journal of Applied Behavior Analysis, 17, 71-84.

Lent, J. R. (1974). How to do MORE: A manual of basic teaching strategy. Bellevue, WA: Edmark Associates.

Lent, J. R., & McLean, B. M. (1976). The trainable retarded: The technology of teaching (pp. 197-230). In N.G. Haring and R. L. Schiefelbusch, (Eds.), Teaching Special Children. New York: McGraw-Hill.

Livi, J., & Ford, A. (1985). Skill transfer from a domestic training site to the actual homes of three moderately handicapped students. Education and Training of the Mentally Retarded, 20, 69-82.

Lobato, D., & Tlaker, A. (1985). Sibling intervention with a retarded child. Education and Treatment of Children, 8, 221-228.

Marchant, J., & Wehman, P. (1979). Teaching table games to severely retarded children. Mental Retardation, 17, 150-152.

Marchetti, A. G., Cecil, C. E., Graves, J., & Marchetti, D. C. (1984). Public transportation instruction: Comparison of classroom instruction, community instruction, and facility-grounds instruction. Mental Retardation, 22, 128-136.

Martin, G., Cornick, G., Hughes, J., Mullen, H., & Ducharme, D. (1984). Training developmentally handicapped persons as supervisors in sheltered workshops. Applied Research in Mental Retardation, 5, 199-218.

Matson, J. L., Marchetti, A., & Adkins, J. A. (1980). Comparison of operant- and independence-training procedures for mentally retarded adults. American Journal of Mental Deficiency, 84, 487-494.

McDonnell, J. J., Horner, R. H., & Williams, J. A. (1984). Comparison of three strategies for teaching generalized grocery purchasing to high school students with severe handicaps. Journal of the Association for Persons with Severe Handicaps, 9, 123-133.

Mithaug, D. E. (1978). Case study in training generalized instruction-following response to preposition-noun combinations in a severely retarded young adult. AAESPH Review, 3, 230-245.

Nietupski, J., & Svoboda, R. (1982). Teaching a cooperative leisure skill to severely handicapped adults. Education and Training of the Mentally Retarded, 17, 38-43.

Nietupski, J., Welch, J., & Wacker, D. (1983). Acquisition maintenance, and transfer of grocery item purchasing skills by moderately and severely handicapped students. Education and Training of the Mentally Retarded, 18, 279-286.

Noonan, M. J. (1984). Teaching postural reactions to students with severe cerebral palsy: An evaluation of theory and technique. The Journal of the Association for Persons with Severe Handicaps 9, 111-122.

O'Brien, F. (1978). An error-free, quick, and enjoyed strategy for teaching multiple discriminations to severely delayed students. Mental Retardation, 16, 291-294.

O'Brien, F. & Azrin, N. H., (1972). Developing proper mealtime behaviors of the institutionalized retarded. Journal of Applied Behavior Analysis, 5, 389-399.

Pancsofar, E. L., & Bates, P. (1985). The impact of the acquisition of successive training exemplars on generalization. The Journal of the Association for Persons With Severe Handicaps, 10, 95-104.

Rae, R., & Roll, D. (1985). Fire safety training with adults who are profoundly mentally retarded. Mental Retardation, 23, 26-30.

Richman, G. S., Reiss, M. L., Bauman, K. E., & Bailey, J. S. (1984). Teaching menstrual care to mentally retarded women: Acquisition, generalization and maintenance. Journal of Applied Behavior Analysis 17, 441-451.

Rosenbaum, M. S., & Breiling, J. (1976). The development and functional control of reading-comprehension behavior. Journal of Applied Behavior Analysis, 9, 323-333.

Rynders, J. E., Behlem, K. L., & Horrobin, J. M. (1979). Performance characteristics of preschool Down's Syndrome childrer receiving augmented or repetitive verbal instruction. American Journal of Mental Deficiency, 84, 67-73.

Schleien, S. J., Ash. T., Kiernan, J., & Wehman, P. (1981). Developing independent cooking skills in a profoundly retarded woman. Journal of the Association for the Severely Handicapped, 6(2), 23-29.

Schleien, S. J., Certo, N. J., & Muccino, A. (1984). Acquisition of leisure skills by a severely handicapped adolescent: A data based instructional program. Education and Training of the Mentally Retarded, 19, 297-305.

Schleien, S. J., & Larson, A. (1986). Adult leisure education for the independent use of a community recreation center. Journal of the Association for Severely Handicapped, 11, 39-44.

Schleien, S. J., Wehman, P. & Kierman, J. (1981). Teaching leisure skills to severely handicapped adults: An age-appropriate darts game. Journal of Applied Behavior Analysis, 14, 513-519.

Schoen, S. F. (1986). Assistance procedures to facilitate the transfer of stimulus control: Review an analysis. Education and Training of the Mentally Retarded, 21, 62-74.

Schriebman, L. (1975). Effects of within-stimulus and extra-stimulus prompting on discrimination learning in autistic children. Journal of Applied Behavior Analysis, 8, 91-112.

Sedlak, R. A., Doyle, M., & Schloss, P. (1982). Video games: A training and generalization demonstration with severely retarded adolescents. Education and Training of the Mentally Retarded, 17, 332-336.

Smeets, P. M., Lancioni, G. E., & Von Lieshout, R. W., (1985). Teaching mentally retarded children to use an experimental device for telling time and meeting appointments. Applied Research in Mental Retardation, 6, 51-70.

Smith, M. D., & Belcher, R. (1985). Teaching life skills to adults disabled by autism. Journal of Autism and Development Disorders, 15, 163-175.

Sowers, J., Rusch, F. R., & Hudson, C. (1979). Training a severely retarded young adult to ride the city bus to and from work. Journal of the Association for the Severly Handicapped, 4, 15-23.

Spears, D. L., Rusch, F. R., York, R., & Lilly, M. S. (1981). Training independent arrival behaviors to a severely mentally retarded child. Journal of the Association for the Severely Handicapped, 6(2) 40-45.

Spooner, F., & Hendrickson, B. (1976). Acquisition of complex assembly skills through the use of systematic training procedures: Involving profoundly retarded adults AAESPH Review, 1(7), 14-25.

Stainback, S., Stainback, W., Wehman, P., & Spangiers, L. (1983). Acquisition and generalization of physical fitness exercises in three profoundly retarded adults. Journal of the Association for the Severely Handicapped, 8(2), 47-55.

Storey, K., Bates, P., & Hanson, H. B. (1984). Acquisition and generalization of coffee purchase skills by adults with severe disabilities. Journal of the Association for Persons with Severe Handicaps, 9, 178-185.

Striefel, S., Bryan, K. S., & Aikins, D. H. (1974). Transfer of stimulus control motor to verbal stimuli. Journal of Applied Behavior Analysis, 7, 124-135.

Sulzer-Azaroff, B., & Mayer, G. P. (1977). Applying Behavior Analysis Procedures With Children and Youth. New York: Rinehart, Hold & Winston.

Thompson, T. J., Braam, S. J., & Fuqua, R. W. (1982). Training and generalization of laundry skills: A multiple probe evaluation with handicapped persons. Journal of Applied Behavior Analysis, 15, 177-182.

Tucker, D. J., & Berry, G. W. (1980). Teaching severely multihandicapped students to put on their own hearing aids. Journal of Applied Behavior Analysis, 13, 65-75.

van den Pol, R. A., Iwata, B. A., Ivancic, M. T., Page, T. J., Neef, N. A., & Whitley, F. P. (1981). Teaching the handicapped to eat in public places: Acquisition, generalization and maintenance of restaurant skills. Journal of Applied Behavior Analysis, 14, 61-69.

Vogelsberg, R. T., & Rusch, F. R. (1979). Training severely handicapped students to cross partially controlled intersections. AAESPH Review 4, 264-273.

Wacker, D. P., Carroll, J. L., & Moe, G. L. (1980). Acquisition, generalization, and maintenance of an assembly task by mentally retarded children. American Journal of Mental Deficiency, 85, 286-290.

Walker, R. I., & Vogelsberg, R. T. (1985). Increasing independent mobility skills for a woman who was severely handicapped and nonambulatory. Applied Research in Mental Retardation, 6, 173-183.

Walls, R. T., Sienicki, D. A., & Criet, K. (1981). Operations training in vocational skills. American Journal of Mental Deficiency, 85, 357-367.

Wambold, C., & Bailey, R. (1979). Improving the leisure time behaviors of severely/profoundly mentally retarded children through toy play. AAESPH Review, 4, 237-250.

Wambold, C., & Salisbury, C. H. (1978). The development and implementation of self-care programs with severely and profoundly handicapped children. AAESPH Review, 3, 178-184.

Wehman, P., Hill, J. W., & Koehler, F. (1979). Placement of developmentally disabled individuals into competitive employment: Three case studies, Education and Training of the Mentally Retarded, 14, 269-276.

Wehman, P., Renzaglia, A., Berry, G., Schutz, R., & Karan, O. (1978). Developing a leisure skill repertoire in severely and profoundly handicapped persons. AAESPH Review, 3, 162-172.

Wehman, P., Schleien, S., & Kiernan, J. (1980). Age appropriate recreation programs for severely handicapped youth and adults. Journal of the Association for the Severely Handicapped, 5, 395-407.

Williams, G. E., & Cuvo, A. J. (1986). Training apartment upkeep skills to rehabililtation clients: A comparison of task analytic strategies. Journal of Applied Behavior Analysis, 19, 39-51.

Wilson, P. G., Reid, D. H., Phillips, J. F., & Burgio, L. D. (1984). Normalization of institutional mealtimes for profoundly retarded persons: Effects and noneffects of teaching family-style dining. Journal of Applied Behavior Analysis, 17, 189-201.

Wolery, M., & Gast, D. L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

York, R., Williams, W., & Brown, P., (1976). Teacher modeling and student imitation: An instructional procedure and teacher competency. AAESPH Review, 1(8), 11-15.

# Constant Time Delay

## Chapter 7

Patricia Munson Doyle, Mark Wolery, Melinda Jones Ault, and David L. Gast

The constant time delay procedure attempts to transfer stimulus control from a prompt to the designated novel stimulus by systematically varying the interval between the novel discriminative stimulus and presentation of the predetermined controlling prompt. The initial trial or block of trials begins with the simultaneous presentation of the novel stimulus and the prompt (i.e., 0-sec delay). Following this simultaneous presentation, the interval increases to a fixed delay (e.g., 4-sec) and is unchanged for the remaining instructional trials. The constant time delay procedure is different from the progressive delay procedure in that the progressive procedure involves gradual increases in the delay interval.

Reviews of the constant time delay strategy, procedural descriptions, differences from other instructional strategies, and suggestions for future use can be found in Billingsley and Romer (1983), Schoen (1986), Snell and Gast (1981), Touchette (1971), and Wolery and Gast (1984). Constant time delay has been referred to in the literature as "time delay" (Browder, Morris, & Snell, 1981; Touchette, 1971), "modified delay cue procedure" (McIlvane, Withstandley, & Stoddard, 1984), "Touchette's 4-sec delay procedure" (Johnson, 1977), and most frequently as "constant time delay" (Kleinert & Gast, 1982; Snell & Gast, 1981). For purposes of consistency and description, this chapter uses "constant time delay" (CTD).

The CTD trial sequence is shown in Figure 1 and consists of the trainer presenting the stimulus, waiting the specified fixed delay interval, followed




Figure 7.1 Flow chart depicting the constant time delay strategy.

by presentation of the controlling prompt. The students are reinforced for correct responding prior to and following delivery of the prompt by the trainer. Consequences for errors are delivered contingent upon the student responding incorrectly prior to the trainer presentation of the prompt, and responding incorrectly or not responding after the delivery of the prompt. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using the CTD strategy are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.

Table 1

Results from Investigations Using the Constant Time Delay Strategy

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Browder et al. (1981) | 1M | 14 | SMR | IN | Manual sign | + | E | N/D | +/- V | MB |
| Johnston (1977) | 1M | 17 | MR | PS | Recep i.d. of symbols | + | S E | N/D | N/D | N/D |
| Kleinert & Gast (1982) | 1M | 31 | MR | CS | Manual sign | + | T N E | + T S | N/D | MP |
| McIlvane et al. (1984) | 4M | 7-27 | SMR PMR Aut | IN | Visual to visual match | + | S | N/D | N/D | N/D |

Table 2

Methods from Investigations Using the Constant Time Delay Strategy

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Controlling Prompt | Delay Interval/Fading Rules | | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|---|
| Browder et al. (1981) | 1 | SMR | Manual sign | DS | MO Handshape | 0 - 4 sec. 8 sec. | 4 correct partic. responses increase 4 sec. | food: diff. reinf. improved performance | VR Handshape |
| Johnson (1977) | 1 | MR | Recep. i.d of symbols | DS | MO | pretrain 0, 1,.. 4 sec. training 4 sec. | increase delay when correct antic. at 4 sec in pretrain. Train at 4 sec. delay | tokens/ praise | 30- sec. extinction |
| Kleinert & Gast (1982) | 1 | MR | Manual sign | DS | MO | 0-4 sec. | When 10 trials at 0-sec. increase to 4 sec. delay | Descriptive verbal praise | VR Remove materials 10 sec. time out |
| McIlvane et. al. (1984) | 4 | SMR PMR Aut | Visual to visual match | DS | Red Light Cue, Visual sample | 0-4 sec. | A 'Later trials' | Food | Lower Screen diff. reinf. |

CODES

See Appendix A

See Appendix A

Ch = chained

DS = discrete

MO = model

VI = verbal instruction

FP = full physical manipulation

N/D = not defined

A = anecdotal narrative

N/A = not applicable

CRF = continuous reinforcement

FR = fixed ratio reinforcement

VR = variable ratio reinforcement

N/D - not defined

N/D = not defined

VR = verbal reprimand

VI = verbal instruction

MO = model

FP = full physical manipulation

Behaviors/Population

Based upon the published literature, four studies were identified as using CTD, (Browder et al., 1981; Johnson, 1977; Kleinert & Gast, 1982; McIlvane et al., 1984). These four studies implemented CTD with students who were elementary age (McIlvane et al., 1984), adolescents, (Browder et al., 1981; Johnson, 1977), and adults (Kleinert & Gast, 1982; McIlvane et al., 1984). The students had multiple handicaps, and moderate or severe retardation. All subjects were males.

The studies which implemented CTD taught a variety of discrete language or language related academic skills. Johnson (1977) taught receptive language identification and simple flashcard addition problems in intermix (i.e., two or more behaviors taught simultaneously to criterion). Kleinert and Gast (1982) and Browder et al. (1981) taught expressive sign acquisition in isolation (i.e., one behavior taught to criterion prior to introduction of a second behavior); and McIlvane et al., (1984) taught a matching to sample task in intermix using a modified time delay procedure. No chained tasks were taught using the CTD strategy.

Controlling Prompt

Following the decision to use CTD, the teacher should select an appropriate controlling prompt. Prompt selection is dependent upon the students' skills and the behaviors to be taught. For example, if the behavior to be taught is an expressive response and the student is vocally imitative, the teacher would select an auditory cue (e.g., vocal model) as the controlling prompt; if the task to be acquired is receptive and the student was motorically imitative, the teacher would select a gestural model (e.g., a point or touch behavior).

Johnson (1977) taught receptive identification of animal pictures, geometric shapes, and simple addition problems. The controlling prompt was the experimenter pointing to the correct picture. Kleinert and Gast (1982) taught manual expressive labeling of photographs of actual people, places, or objects in the student's environment; a model of the correct manual sign was the controlling prompt. Browder et al. (1984) transferred control across two levels of controlling prompts in teaching expressive sign production. In the initial phase of this study, the controlling prompt was a physical handshape of the correct sign; in the second phase, a model of the correct sign was the controlling prompt. McIlvane et al. (1984) used a visual red light cue paired with a food item in order to teach a matching to sample task with one pair of subjects and used a model with two younger students.

Delay Interval

Initially in the CTD procedure, the controlling prompt is presented simultaneously with the discriminative stimulus (i.e., 0-sec delay). On subsequent trials, the interval between the stimulus and the prompt is increased by a constant amount of time (e.g., 4-sec). Snell and Gast (1981) refer to the CTD procedure as a modification of the Touchette (1971) delay strategy. Touchette (1974) first described the use of a constant interval between presentation of the discriminative stimulus and controlling prompt and employed an interval of 4 seconds. Johnson (1977), Browder et al. (1981), Kleinert and Gast (1982), and McIlvane et al. (1984) all used a 4-sec delay interval.

Movement Through Prompt Levels

The movement from the 0-sec delay to the final delay interval may occur after a trial or a block of trials. This is a decision that should occur

prior to using the procedure, and investigators differ in their decisions. Touchette (1971) increased the interval following completion of one trial while Kleinert and Gast (1982) increased the delay interval following a block of 10 trials. McIlvane et al. (1984) state that the initial delay was at 0-sec but on later trials the cue was delayed for approximately 4 sec after sample presentation. Johnson (1977), prior to training receptive identification behaviors, implemented a pretraining session to establish a waiting response. The student was differentially reinforced for waiting after an $S^D$ for the delivery of the controlling prompt during an impossible discrimination task. This was done by gradually increasing the delay interval by 1-sec increments. After the student learned to wait 4 sec, training began with a fixed delay of 4 seconds.

Browder et al. (1981) transferred control across two levels of controlling prompts. Criterion for movement was based on both a given number of trials and performance. In the initial phase at 0-sec delay, the controlling prompt, a handshape, was simultaneously presented with an imitative discriminative stimulus. Criterion for movement was 3 trials at 0-sec delay followed by Phase II, which paired a model controlling prompt with the same imitative stimulus and the handshape prompt occurring at a fixed interval of 4-seconds. The second prompt (handshape) was delivered contingent upon the student emitting no response after delivery of the less intrusive model prompt. Criterion for movement of the delay intervals of both the model and handshape prompts in later phases was 4 consecutive correct responses to the task stimulus, followed by the delay intervals increasing to 4 and 8 sec, respectively.

## Consequences

### Correct Responses

In the CTD procedure, the student may respond correctly at various points in the trial sequence. For example, a correct response could occur following presentation of the natural discriminative stimulus and prior to delivery of the controlling prompt. Johnson (1977), Snell and Gast (1981), Kleinert and Gast (1982), define and identify this response as a correct anticipation; Browder et al. (1981) label it as an unprompted correct response. An additional correct response may occur following delivery of the controlling prompt. Snell and Gast (1981), Kleinert and Gast (1982), and Johnson (1977) identify this response as a correct wait; Browder et al. (1981) call it a prompted response. Both of the above correct responses may result in delivery of reinforcement; tokens and praise (Johnson, 1977) or an edible reinforcement (McIlvane et al., 1984; Browder et al., 1981). Only those correct responses occurring prior to the trainers' prompt counted toward criterion. To encourage increases in correct unprompted correct responses and the transfer of stimulus control, Browder et al. (1981) manipulated the reinforcement contingencies in later phases of training as the signed training stimulus (e.g., food ) was delivered only after the student emitted a correct unprompted response.

### Error Responses

Snell and Gast (1981) and Kleinert and Gast (1982) describe three types of student errors that may occur in the CTD trial sequence: non wait errors (incorrect responses before presentation of the controlling prompt), wait errors (incorrect responses after presentation of the controlling prompt), or no responses. Johnson (1977) and Browder et al. (1981) identify and record

errors as simply incorrect. Investigators differ as to their use of consequences for errors emitted during training. Johnson (1977) placed incorrects on extinction (ignored the student for a duration of 30 sec). Kleinert and Gast (1982) delivered a mild verbal punisher, "No," removed the stimulus, ignored the student for a duration of 10-sec, and then proceeded to the next training trial. Browder et al. (1981) provided a handshape of the correct sign contingent upon incorrect student responses.

## Results

### Effectiveness

Based upon results reported in the four studies, CTD was effective in establishing the transfer of stimulus control to the discriminative stimulus. Johnson (1977) stated the students' correct anticipations ranged in training 57-86%, 16-94%, and 3-93% in training groups 1, 2, and 3, respectively. Browder et al. (1981) reported the student met criterion (i.e., 4 trials of correct responses) on all 5 signs selected for training. Kleinert and Gast (1982) reported that CTD was effective in teaching the six selected signs to the student at 100% criterion. McIlvane et al. (1984) stated that all 4 students met criterion of 100% correct responses.

### Efficiency

Efficiency data such as number of trials, number of sessions, total training time, and number/percent of errors to criterion is presented in various forms by the authors of the CTD studies. Kleinert and Gast (1982) reported data for each sign taught in addition to the total number of trials, training time, and number of errors to criterion. McIlvane et al. (1982) reported that both adults and one child student met the criterion in one session, while the second child met the criterion of 100% in 8 sessions. Browder et al. (1981) reported the percentage of errors performed during teaching, review, and baseline. In the Johnson (1977) study, the students'

wait response was acquired in one 10 minute pretraining session. Sessions and errors to criterion were reported.

## Summary

Based on the reviewed literature, the following statements can be made:

* The population used in CTD studies demonstrated a wide range of variance in both chronological age and handicapping conditions.

* All of the studies reported teaching discrete behaviors; no examples of CTD being used to teach chained tasks were found.

* The use of a variety of controlling prompts reflected the dependency of prompt selection on population, behaviors being trained, and teacher discretion.

* Initial acquisition of training items occurred in isolation and intermix sessions. However, in those studies using isolation, student responding in intermix was an integral part of the final performance criterion.

* All studies selected a delay interval of 4-sec; however, this could be described as an arbitrary decision based upon successful demonstration of its use in applied settings (e.g., Touchette, 1974 reported the original "four second delay").

* The criterion for movement from the 0-sec to the 4-sec delay interval was dependent upon number of trials presented and/or student performance.

* The majority of authors in the review articles and investigations provided positive reinforcement for correct responses prior to the occurrence of the controlling prompt (i.e., correct anticipations) and following delivery of the prompt (i.e., correct waits).

* Consequences for incorrect responses were delivered contingent upon student errors: prior to prompt delivery (i.e., non-wait error), following presentation of the prompt (i.e., wait error), or failure to emit any response (i.e., no response). The consequences for student errors varied across studies; however, a short period of extinction or limited timeout has been suggested as an effective consequence in the time delay procedure.

* All of the studies reported that CTD was effective in training the targeted behaviors.

* All of the studies reported efficiency data in the form of trials to criterion, sessions to criterion, total training time, and/or total number of errors.

## References

Billingsley, F. F., & Romer, L. T. (1983). Response prompting and the transfer of stimulus control: Methods, research, and a conceptual framework. Journal of the Association for the Severely Handicapped, 8(2), 3-12.

Browder, P. M., Morris, W. W., & Snell, M. E. (1981). Using time delay to teach manual signs to a severely retarded student. Education and Training of the Mentally Retarded, 16, 252-258.

Johnson, C. M. (1977). Errorless learning in a multihandicapped adolescent. Education and Treatment of Children, 1(1), 25-33.

Kleinert, H. L., & Gast, D. L. (1982). Teaching a multiply-handicapped adult manual signs using a constant time delay procedure. Journal of the Association for the Severely Handicapped, 6(4), 25-32.

McIlvane, W. J., Withstandley, J. K., & Stoddard, L. T. (1984). Positive and negative stimulus relations in severely retarded individuals' conditional discrimination. Analysis and Intervention in Developmental Disabilities, 4, 235-251.

Schoen, S. F. (1986). Assistance procedures to facilitate the transfer of stimulus control: Review and analysis. Education and Training of the Mentally Retarded, 21, 62-74.

Snell, M. E. & Gast, D. L. (1981). Applying time delay procedure to the instruction of the severely handicapped. Journal of the Association for the Severely Handicapped, 6(3), 3-14.

Touchette, P. (1971). Transfer of stimulus control: Measuring the moment of transfer. Journal of Experimental Analysis of Behavior, 15, 347-354.

Touchette, P. (1974). Errors and Learning. Paper presented at the Behavior Modification Technology Conference, Atlanta, GA.

Wolery, M., & Gast, D. L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

# Chapter 8

Melinda Jones Ault, Mark Wolery, Patricia Munson Doyle, and David L. Gast

The progressive time delay procedure (PTD) involves the transfer of stimulus control from a controlling prompt to a novel stimulus. It consists of gradually fading the controlling prompt by increasing the interval between the presentation of the stimulus and the delivery of the controlling response prompt (Snell & Gast, 1981; Touchette, 1971). Initially, the stimulus and the controlling prompt are presented simultaneously for a trial or block of trials. Based on participant responding or a fixed number of trials, the interval between presentation of the stimulus and the prompt is gradually increased in small increments (e.g. by 0.5 sec, 1-sec, or 2-sec increments). The behavior is considered mastered when the participant can consistently respond to the novel stimulus before the experimenter provides the prompt.

The PTD trial sequence is shown in Figure 1 and consists of the experimenter presenting the stimulus, waiting the specified delay interval and then providing the controlling prompt. Participants are reinforced for responding correctly before or after the experimenter provides the prompt. Consequences are delivered for responding incorrectly before the experimenter delivers the prompt, responding incorrectly after the experimenter delivers the prompt, or not responding following the prompt. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using the progressive time delay procedure are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.




Figure 8.1 Flow chart depicting the progressive time delay strategy.

Table 1

Results from Investigations Using the Progressive Time Delay Strategy

| Citation | Population Number/ Gender | Age/ Yrs | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Aeschleman & Schladenhauffen (1984) | 3M 1F | 17-18 | SMR | IN | Mnemonic training | + | N/D | N/D | N/D | MP |
| Barrera & Sulzer-Azaroff (1983) | 3F | 6-9 | Aut | IN | Expressn. id. of objects | V1+ V2+/- | T V1<V2 | N/D | N/D | AT |
| Variable 1 - Total communication training; Variable 2 - Oral alone training | | | | | | | | | | |
| Braam & Poling (1983) | Exp.II 1M | 17 | MoMR SLI | PS | Intraverbal behavior | + | E S | N/D | +/-D | MP |
| Browder et al. (1984) | 9M/D | 24-43 | MiMR MoMR SMR | IN | Word Reading | + | N/D | T+ | N/D | MP |
| Charlop et al. (1985) | 7M | 5.1-11.5 | Aut | PS | Verbal Hands | 6 Subj.+ 1 Subj.+/n | T | S+ P,S+/- T+/- | N/D | MB |
| Goetz et al. (1983) | 1M | 14 | MB VI | PS | Head turn to sound | + | T | N/D | N/D | A-B |
| Luciano (1986) | 2F | 15-16 | DD | H | Intraverbal behavior | + | E | T+ | +/-M | MP |
| McDonagh et al. (1984) Exp I | 1F | 28 | MoMR | IN | Match printed price to coins | + | E | T+ | N/D | PP |
| McIlvane et al. (1984) Exp II | 1M | 27 | SMR | IN | Match manual sign to food | N/D | N/D | N/D | N/D | N/D |
| Smeets & Striefel (1976) | 1F | 14 | MB VI HI | IN | Recept./Express. id. of pictures | + | N/D | TV1+ TV2+/- | N/D | MB |
| Variable 1 - expressive training; Variable 2 - receptive training | | | | | | | | | | |
| Smeets & Striefel (1980) | 2M 1F | 13-16 | PMR | CS | Instruction following | 2 Subj.+ 1 Subj.+/n | E | P+ P,S+/- | +/-M | MB |

Table 1 Continued.

| Citation | Population Number/ Gender | Age Yrs | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Snell (1982) | 4M | 17-21 | SMR | IN | Beduaking | 3+<br>1+/-a | E<br>S<br>M<br>T | S,T+/- | +/-M | MP |
| Striefel et al. (1974) | 2M<br>1F | 11-15 | PMR | IN | Instruction following | + | E | T- | N/D | MB |
| Touchette & Howard (1984) | 2M<br>1F | 6-13 | SMR | SS | Recept. visual discrimination | + | T<br>V2<V1;V3 | T+/- | N/D | AT |
| Variable 1 - CRF/CRF; Variable 2 - CRF/VR3; Variable 3 - FR3/CRF | | | | | | | | | | |
| Valla et al. (1982) | 12M<br>8F | 17-60 | SMR<br>MoMR<br>MiMR | CS | Assembly of apparatus | N/A | EV1<V2;V3<br>MV1<V2;V3 | N/D | N/D | Gr |
| Variable 1 - 1 sec. delay; Variable 2 - 3 sec. delay; Variable 3-5 sec. delay | | | | | | | | | | |
| Zane et al. (1984) | 2M<br>2F | 29-53 | SMR | CS | Recept.id. of symbols | 2 Subjects<br>V1>V2<br>1 Subject<br>V2>V1 | N<br>V1=V2 | N/D | 2 Subj.<br>V1>V2<br>1 Subj.<br>V2>V1 | AT<br>MB |
| Variable 1 - PTD; Variable 2 - Intervening response | | | | | | | | | | |

Table 2

Methods from Investigations Using the Progressive Time Delay Strategy

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Controlling Prompt | Delay Interval/ Fading Rules | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|
| Aeschleman & Schladenhauffen (1984) | 4 | SMR | Mnemonic Training | DS | MO | N/D, A | descriptive praise | N/D |
| Barrera & Sulzer-Azaroff (1983) | 3 | Aut | Express. id. of objects | DS | MO | N/D | social praise; edibles | 15-sec. in-seat time-out |
| Braam & Poling (1983) | 1 | MoMR SLI | Intraverbal Behavior | DS | Visual prompt | 1 sec. increase each 15 antic.; Maximum 2 sec. | antic.-desc. praise + token FR1 wait-desc. praise FR1; token FR3 | repeat trial |
| Browder et al. (1984) | 8 | MoMR | Word Reading | DS | MO | 2 sec. increase each session; Maximum 8 sec. | antic.-2 pennies waits-1 penny | VR VI |
| Charlop et al. (1985) | 7 | Aut | Verbal mands | DS | MO | 2 sec. increase each 3 antic/waits; Maximum 10 sec. | gave subject object requested | VR: removed stimulus |
| Goetz et al. (1983) | 1 | MR VI | Head turn to sound | DS | Illumination of light | 2 sec. increase each 90% corrects for 2/3 days | N/D | N/D |
| Luciano (1986) | 2 | DD | Intraverbal behavior | DS | Visual prompt | 1 sec. increase after 3 corrects at 0 sec. delay; other increase N/D | praise FR1; token VR3 | 5 sec. in-seat timeout |
| McDonagh et al. (1984) Exp. 1 | 1 | MoMR | Match printed price to cans | DS | Visual prompt | N/A, A | praise token CRF | No token |
| CODES | See Appendix A | | See Appendix A<br>Ch = chained<br>DS = discrete | | MO = model<br>VI = verbal instruction<br>PP = full physical | N/D = not defined<br>A = anecdotal narrative<br>N/A = not applicable | CRF = continuous reinforcement<br>FR = fixed ratio reinforcement<br>VR = variable ratio<br>N/D = not defined | N/D = not defined<br>VR = verbal reprimand<br>VI = verbal instruction<br>MO = model<br>PP = full physical |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Controlling Prompt | Delay Interval/ Fading Rules | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|
| McIlvane et al. (1984) | 1 | SMR | Match manual sign to food | DS | NO | N/D, A | praise token | N/D |
| Sheets & Striefel (1976) | 1 | MR VI HI | Recept./ Expres. id. of pictures | DS | NO | 1 sec. increase each correct | N/D | VR, NO, PP if needed |
| Sheets & Striefel (1980) | 3 | PMR | Instruction following | DS | Loud tone instruction | 1 sec. increase each correct; Maximum 10 sec. | verbal praise | VR, repeat instruction, PP |
| Snell (1982) | 4 | SMR | Bedmaking | Ch | VI, PP initially; then VI, NO | 2 sec. increase 1st; 1 sec. thereafter each 4 trials; Maximum 8 sec. | praise + penny FR | VR, PP, 10 sec. timeout |
| Striefel et al. (1974) | 3 | PMR | Instruction following | DS | NO | .5 sec. increase 1st; 1 sec. thereafter each correct | N/D | VR, repeat instruction, NO PP |
| Touchette & Howard (1984) | 3 | SMR | Recept. visual discrimination | DS | NO | .5 sec. increase each 4 corrects; Maximum 5 sec. or 8 sec. | V1 - antic./waits, token CRF V2 - antic.-token CRF, waits-token FR3 V3 - antic.-token FR3, waits-token CRF | VR, 10 sec. timeout |
| Wallis et al. (1982) | 20 | MiMR MoMR SMR | Assembly of apparatuses | Ch | NO | V1 - 1 sec. increase each correct V2 - 3 sec. increase each correct V3 - 5 sec. increase each correct | praise | NO |
| Zane et al. (1984) | 4 | SMR | Recept. id. of symbols | DS | NO | 1 sec. increase after wait/antic.; Maximum 4 sec. | praise | VR, 10 sec. in-seat timeout |

Names of Procedure

The PTD procedure has been referred to in the literature as the delayed cue procedure (Aeschleman & Schladenhauffen, 1984; McDonagh, McIlvane, & Stoddard, 1984), delayed prompting procedure (Braam & Poling, 1983; Touchette & Howard, 1984), prompt delay (Luciano, 1986), anticipation procedure (Barrera & Sulzer-Azaroff, 1983), delay procedure (Touchette, 1971; Walls, Haught & Dowler, 1982), stimulus delay (Zane, Handen, Mason, & Geffin, 1984), transfer of stimulus control procedure (Smeets & Striefel, 1976; Striefel, Bryan, & Aikins, 1974), and most frequently as time delay (Browder, Hines, McCarthy, & Fees, 1984; Charlop, Schreibman, & Thibodeau, 1985; Goetz, Gee & Sailor, 1983; Smeets & Striefel, 1980; Snell, 1982; Snell & Gast, 1981).

Behavior/Population

The PTD procedure has been used to teach language-related skills (Barrera & Sulzer-Azaroff, 1983; Braam & Poling, 1983; Charlop et al., 1985; Luciano, 1986; McIlvane, Bass, O'Brien, Gerovac, & Stoddard, 1984; Smeets & Striefel, 1976; Smeets & Striefel, 1980; Striefel et al., 1974), visual discriminations (Zane et al.,1984), chained tasks (Snell, 1982; Walls et al., 1982), responses to auditory cues (Goetz et al.,1983) and cognitive skills such as mnemonic training (Aeschleman & Schladnenhauffen, 1984), sight word reading (Browder et al., 1984), and matching prices to coins (McDonagh et al., 1984). The procedure has been used with students who have moderate, severe, and profound handicaps. Of these studies, only Snell (1982) and Walls et al. (1982) taught chained tasks using a delay procedure. Snell (1982) taught bedmaking skills to adolescents with severe retardation, and Walls et al. (1982) taught vocational assembly tasks to adults with handicaps. The remainder of these studies involved a discrete behavior as the focus of the investigation.

Intermix/Isolation Conditions

Isolation instruction refers to studies in which one behavior was taught to criterion before another behavior was introduced; intermix instruction refers to studies which taught two or more behaviors simultaneously to criterion. Nine studies initially taught behaviors in isolation (Aeschleman & Schladenhauffen, 1984; Braam & Poling, 1983; Luciano, 1986; McDonagh et al., 1984; Smeets & Striefel, 1976; Striefel et al., 1974; Touchette & Howard, 1984; Walls et al., 1982; Zane et al., 1984), and seven taught behaviors in an intermix sequence (Barrera & Sulzer-Azaroff, 1983; Browder et al., 1984; Charlop et al., 1985; Goetz et al., 1983; McIlvane et al., 1984; Snell, 1982; Walls et al., 1982).

Controlling Prompt

Prompts which have been used in PTD investigations to control the responses of subjects included modeling, presentation of a visual stimulus, presentation of an auditory stimulus, and physical prompting. Verbal or verbal and sign models of the correct response have been used as the controlling prompt to teach the expressive tasks of reading sight words (Browder et al., 1984), spontaneous verbal manding (Charlop et al., 1985), and picture labeling (Smeets & Striefel, 1976). Physical models such as pointing to the correct card or modeling a response were the controlling prompts in teaching receptive identification of pictures (Smeets & Striefel, 1976), visual discriminations (Touchette & Howard, 1984; Zane et al., 1984), instruction following (Striefel et al., 1974), and vocational assembly tasks (Walls et al., 1982).

The presentation of a sample visual stimulus has been used to teach intraverbal behavior (Braam & Poling, 1983; Luciano, 1986). For example in

the Luciano (1986) study, the experimenter presented the task direction (i.e. "Tell me names of foods") and then presented the controlling prompt of holding up a picture of a food. Goetz et al. (1983) also used a visual stimulus to control a head turning behavior. Following the presentation of an auditory cue (i.e. a sounding drum or maraca), the controlling prompt (i.e. a lighted object illuminated from the same side of the subject's body as the auditory cue) was presented.

The intensity of an auditory stimulus was used by Smeets and Striefel (1980) to control the instruction-following behavior of three profoundly retarded adolescents. Verbal instructions were targeted for training with subjects who would comply only when commands were presented in a loud voice tone. The instructions were first presented in a normal tone of voice followed by the same instruction in a loud voice which was the controlling prompt.

Only one of the PTD studies used a physical prompt as the controlling stimulus. Snell (1982) taught bedmaking using a combination of physical, verbal, and model prompts. During the first 4 trials, the trainer gave the task direction, a simultaneous model plus verbal prompt, and then immediately gave a physical plus verbal prompt for each step in the task analysis. On subsequent trials the physical and verbal prompt was faded on a time delay schedule and was used only as error correction after the eighth trial. The author states that the physical prompt was used initially "to guarantee attainment of the required quality" of each response (p. 146).

Delay Intervals

The controlling prompts in these studies were faded by using a variety of delay schedules. All of the studies began training by presenting the

controlling prompt simultaneously with the presentation of the novel stimulus (i.e., 0 sec delay). Following this initial presentation, Braam and Poling (1983), Luciano (1986), Smeets and Striefel (1976), Smeets and Striefel (1980), and Zane et al.(1984) increased the delay interval between the presentation of the stimulus and the controlling prompt in 1 sec increments. Browder et al. (1984) and Charlop et al. (1985) increased the presentation of the controlling prompt in 2 sec increments. The Touchette and Howard (1984) study was the only investigation which increased delay intervals in 0.5 sec increments. Three studies did not increase the delay in equal sec increments. Goetz et al. (1983) initially used a 0, 1, 3 sec delay progression and increased the delay by 1 sec thereafter. Snell (1982) increased the delay initially by 2 sec, and then in 1 sec increments for the remainder of the study. Striefel et al. (1974) first increased the delay interval by 0.5 sec followed by 1 sec increments. Walls et al. (1982) was the only study reviewed which compared delay intervals. Intervals which were increased in 1, 3, and 5 sec increments were compared. Results indicated that the 1 sec delay produced fewer errors, had the lowest training time, and had the earliest acquisition of the three intervals.

Some of the studies specified a limit on the delay interval at which point the delay did not increase but remained the same for the remainder of the study (Braam & Poling, 1983; Browder et al., 1984; Charlop et al., 1985; Luciano, 1986; Smeets & Striefel, 1980; Snell, 1982; Touchette & Howard, 1984; Zane et al., 1984). The interval at which point the delay was not increased ranged from 2 to 10 secs.

Movement Through Delay Intervals

The process of increasing the delay interval was contingent upon subjects' responding correctly to a set number of trials (e.g., Braam & Poling, 1983; Luciano, 1986; Touchette & Howard, 1984) or was increased by sessions or blocks of trials (Browder et al., 1984; Snell, 1982). In addition, the delay interval was also changed (i.e., decreased) contingent upon subjects reponding incorrectly. Following one or a specified number of incorrect responses, trials were repeated (Braam & Poling, 1983), the delay was decreased on the next trial (Smeets & Striefel, 1980; Striefel et al., 1974; Touchette & Howard, 1984; Walls et al. 1982), or the 0 sec delay was used on the trial following the error and the delay progression was then reinstated (Browder et al., 1984; Smeets & Striefel, 1976; Snell, 1982).

An example of a study in which the delay progression changed contingent on student responding is the Zane et al. (1984) investigation. In this study, adults with severe retardation were taught international or community symbols. The delay interval was increased by 1 sec each time a correct resonse occurred up to a maximum delay of 4 secs. Following an incorrect response, the next trial was conducted at the 0-sec delay.

Some studies in the literature used PTD but did not provide procedural specifications (Aeschleman & Schladenhauffen, 1984; Barrera & Sulzer-Azaroff, 1983; McDonagh et al., 1984; McIlvane et al. 1984). For example, Barrera and Sulzer-Azaroff (1983) taught expressive labeling of objects to autistic children using a procedure in which following a simultaneous presentation of the object and the controlling prompt, the prompt was faded by "systematically increasing the delay between the request for a response (locative question)

and the presentation of the vocal prompt" (p. 383). Other specific information on progression of delay intervals was not provided.

## Consequences

### Corrects Responses

Two types of correct responses can occur with PTD. A correct wait, (i.e. the subject responds correctly following the controlling prompt), or an anticipation, (i.e. the subject responds correctly before the presentation of the controlling prompt). Barrera and Sulzer-Azaroff (1983), Charlop et al. (1985), Luciano (1986), Smeets and Striefel (1976), Smeets and Striefel (1980), Snell (1982), Walls et al. (1982), and Zane et al. (1984) all provided the same consequence for a correct response regardless of whether it was an anticipation or wait. Some studies however, differentially reinforced anticipation and wait responses. Braam and Poling (1983) provided descriptive verbal praise and a token on a FR1 schedule for anticipations, but gave praise on a FR1 schedule and a token on a FR3 schedule for waits. In addition, Browder et al. (1984) gave the subject 2 tokens for an anticipation and only 1 token for a correct wait. Touchette and Howard (1984) taught 3 severely retarded children receptive identification of letters, words, and/or numbers. Three schedules of reinforcement of anticipations and waits were studied. In condition A, both waits (i.e., correct prompted) and anticipations (i.e., correct unprompted responses) received praise and a token on a CRF schedule of reinforcement. In condition B, anticipation responses were reinforced on a CRF schedule, while waits were reinforced on a FR3 schedule. Finally in condition C, anticipation responses received FR3 reinforcement, and waits were reinforced on a CRF schedule. Results indicated that for all subjects, fewer trials to criterion were required and the earliest transfer of stimulus

control occurred when condition B was in effect (differential reinforcement of waits and anticipations).

Error Responses

The studies which specified the consequences for incorrect responses use verbal reprimands, timeout, modeling the correct response, or physically guiding the subject through the correct response. Charlop et al. (1985) used a verbal reprimand alone following incorrect responses, while Walls et al. (1982) used a model only for incorrects. Barrera and Sulzer-Azaroff (1983) and Luciano (1986) both used a 15-sec and 5-sec timeout, respectively. The timeout procedure consisted of removing the stimulus and looking away from the subject for a specified interval. Zane et al. (1984) and Touchette and Howard (1984) used a combination of a verbal reprimand (i.e. "No") and a 10 sec timeout during training. Four of the studies used a combination of verbal reprimand plus the experimenter providing a model or putting the subject through the correct response (Browder et al., 1984; Smeets & Striefel, 1976: Smeets & Striefel, 1980; Striefel et al., 1974). When an incorrect response occurred, Snell (1982) used a verbal reprimand, "No that's not how you make the bed," followed by physical guidance of the correct response and a 10-sec timeout.

## Results

Effectiveness

All of the studies reviewed reported that the progressive time delay procedure was effective in teaching the targeted behavior. Three studies reported that an adaptation of the procedure or a change of behavior taught was necessary to raise responding to criterion levels. Charlop et al. (1985) changed the task of spontaneous manding for one subject. Instead of

presenting only one stimulus and having the subject mand, "I want ___," both of the stimuli were presented at the same time and the subject manded for his choice. When this adaptation was implemented, the subject met criterion in 28 trials. Smeets and Striefel (1980) adapted the delay procedure for one of their subjects who was learning instruction-following. For this subject, on one instruction, the delay interva. remained at 0-sec until 10 consecutive trials were correct. At this point, the time delay intervals were reinstated but a model was used simultaneously with the verbal instruction. The model was then discontimued and the original procedure was used. This modification was effective in raising the subject's responding to criterion levels. Snell (1982) adapted the behavior that was taught to one subject. Following no progress on the behavior of partially making a bed, the subject was successfully taught to strip the bed; a behavior which was learned quickly by the other subjects.

## Efficiency

Efficiency data which have been reported in the literature include number of errors, percentage of errors, number of trials to criteria, percentage of unprompted responses, number of sessions to criterion, minutes of instructional time, the point of transfer of stimulus control, response accuracy, and rate of acquitiion (Barrera & Sulzer-Azaroff, 1983; Braam & Poling, 1983; Charlop et al., 1985; Goetz et al., 1983; Luciano, 1986; McDonagh et al., 1984; Smeets & Striefel, 1980; Snell, 1982; Streifel et al.,1974; Touchette & Howard 1984; Walls et al., 1982; Zane et. al., 1984).

## Summary

Based on the literature reviewed, the following statements can be made:

* The PTD procedure has been used with autistic subjects and moderately, severely, and profoundly mentally retarded subjects.
* The majority of the PTD studies were conducted with secondary-age students or adults.
* The procedure has been used most frequently to teach discrete tasks.
* A model or a visual stimulus prompt were the most commonly used controlling prompts.
* Skills have been taught successfully in isolation and in intermix instructional conditions.
* Delay intervals are most commonly increased in 1 sec increments.
* Most studies provided the same consequence for correct anticipation orwait responses, but differential reinforcement of correct waits and anticipations may be more effective and possibly more efficient.
* Most studies increased the delay interval based on student responding.
* Verbal reprimand and the experimenter providing a model or putting the subject through a correct response were the most commonly used correction procedures.
* All studies reviewed reported the procedure as effective.
* Most PTD studies reported some efficiency data.

## References

Aeschleman, S. R., & Schladenhauffen, J. (1984). Acquistion, generalization, and maintenance of grocery shopping skills by severely mentally retarded adolescents. Applied Research in Mental Retardation, 5(2), 245-258.

Barrera, R., & Sulzer-Azaroff, B. (1983). An alternating treatment comparison of oral and total communication training programs with echolalic autistic children. Journal of Applied Behavior Analysis, 16, 379-394.

Braam, S. J., & Poling, A. (1983). Development of intraverbal behavior in mentally retarded individuals through transfer of stimulus control procedures: Classification of verbal responses. Applied Research in Mental Retardation, 4(4), 279-302.

Browder, D. M., Hines, C., McCarthy, L. J., & Fees, J. (1984). A treatment package for increasing sight word recognition for use in daily living skills. Education and Training of the Mentally Retarded, 19, 191-200.

Charlop, M. H., Schreibman, L., & Thibodeau, M. G. (1985). Increasing spontaneous verbal responding in autistic children using a time delay procedure. Journal of Applied Behavior Analysis, 18, 155-166.

Goetz, L., Gee, K., & Sailor, W. (1983). Crossmodal transfer of stimulus control: Preparing students with severe multiple disabilities for audiological assessment. Journal of the Association for Persons with Severe Handicaps, 8(4), 3-13.

Luciano, M. C. (1986). Acquistion, maintenance, and generalization of productive intraverbal behavior through transfer of stimulus control procedures. Applied Research in Mental Retardation, 7(1), 1-20.

McDonagh, E. C., McIlvane, W. J., & Stoddard, L. T. (1984). Teaching coin equivalences via matching to sample. Applied Research in Mental Retardation, 5(2), 177-197.

McIlvane, W. J., Bass, R. W., O'Brien, J. M., Gerovac, B. J., & Stoddard, L. T. (1984). Spoken and signed naming of foods after receptive exclusion training in severe retardation. Applied Research in Mental Retardation, 5(1), 1-27.

Smeets, P. M., & Striefel, S. (1976). Acquistion and cross modal generalization of receptive and expressive signing skills in a retarded deaf girl. Journal of Mental Deficiency Research, 20, 251-260.

Smeets, P. M., & Striefel, S. (1980). Transfer of instructional control from loud tone to normal tone in profoundly retarded adolescents. Behavior Research of Severe Developmental Disabilities, 1(2), 105-121.

Snell, M. S. (1982). Analysis of time delay procedures in teaching daily living skills to retarded adults. Analysis and Intervention in Developmental Disabilities, 2, 139-155.

Snell, M. S., & Gast, D. L. (1981). Applying time delay procedure to the instruction of the severely handicapped. Journal of the Association of the Severely Handicapped, 6(3), 3-14.

Striefel, S., Bryan, K. S., & Aikins, D. A. (1974). Transfer of stimulus control from motor to verbal stimuli. Journal of Applied Behavior Analysis, 7, 123-135.

Touchette, P. E. (1971). Transfer of stimulus control: Measuring the moment of transfer. Journal of the Experimental Analysis of Behavior, 15, 347-354.

Touchette, P. E., & Howard, J. S. (1984). Errorless learning: Reinforcement contingencies and stimulus control transfer in delayed prompting. Journal of Applied Behavior Analysis, 17, 175-188.

Walls, R. T., Haught, P., & Dowler, D. L. (1982). Moments of transfer of stimulus control in practical assembly tasks by mentally retarded adults. American Journal of Mental Deficiency, 87, 309-315.

Zane, T., Handen, B. L., Mason, S. A., & Geffin, C. (1984). Teaching symbol identication: A comparison between standard prompting and intervening response procedures. Analysis and Intervention in Developmental Disabilities, 4(4), 367-377.

# Naturalistic Teaching Strategies

## Chapter 9

Mark Wolery, Patricia Munson Doyle, Melinda Jones Ault, and David L. Gast

The naturalistic teaching strategies involve embedding instructional trials within the context of ongoing routines and activities, and include such procedures as incidental teaching, the mand-model procedure, and naturalistic time delay (Halle, Alpert, & Anderson, 1984). Investigations where the independent variable was environmental arrangement and/or enrichment (e.g., Spangler & Marshall, 1983), differential reinforcement in the natural environment (e.g., Miller & Sloane, 1976), modeling (e.g., Seitz & Marcus, 1979), peer-mediated interventions (e.g., Odom, Hoyson, Jamieson, & Strain, 1985), behavioral rehearsal, role playing, and/or socio-dramatic play (e.g., McGee, Krantz, & McClannahan, 1984; Strain, 1975) were not included in this review. Although these procedures could be labled naturalistic strategies, the focus of this review is on teacher directed instructional strategies designed to transfer stimulus control from controlling stimuli to novel stimuli. Likewise, investigations where the naturalistic teaching strategies were used only to establish generalized responding of targeted responses (e.g., Hart & Risley, 1968; Carr & Kologinsky, 1983) were not reviewed.

Three naturalistic teaching procedures were analyzed: incidental teaching, mand-model procedure, and naturalistic time delay; for additional reviews see (Halle, 1982; Halle, et al., 1984; Hart & Rogers-Warren, 1978; Warren & Rogers-Warren, 1980; Warren, Rogers-Warren, Baer, & Guess, 1980). With each procedure the environment is modified to prompt the use of the target behavior, training occurs within the natural context and involves a brief interaction between the teacher and student, and the responses result in natural consequences. The trial sequences for these

three procedures are shown in Figures 1, 2, and 3. With the incidental teaching strategy, a trial begins with a student's initiation of a request or interaction. The teacher determines whether to use that initiation as a teaching trial, and if so, focuses on the student and verifies the topic of the initiation. At this point, the teacher determines what response is desired from the student and what level of cue (attention only or attention plus a verbal cue) should be provided to obtain that response (Hart & Risley, 1975). If the student responds correctly, then access to the requested object, action, activity, etc. is provided. If the student does not respond correctly, assistance, usually in the form of a model, is provided. With the mand model strategy, a trial begins with the teacher initiating a mand (task direction) related to the student's focus of attention, and providing a short response interval. If students respond correctly, then they are reinforced; if they do not, then a model is provided. With the naturalistic time delay strategy, the environment is analyzed to identify routines that occur regularly (cf. Halle, Baer, & Spradlin, 1981). The routines are then assessed for steps where instruction can be provided, usually a step where teachers are currently providing assistance or not promoting independence. A trial begins when the student comes to the identified step, and the teacher delays the assistance for a specified number of seconds. If students respond correctly, they are reinforced and the routine continues. If students respond incorrectly or wait for assistance, a prompt, usually a model, is provided. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using these naturalistic teaching strategies are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.




Figure 9.1 Flow chart depicting the incidental teaching strategy.




Figure 9.2 Flow chart depicting the mand model teaching strategy.




Figure 9.3 Flow chart depicting the naturalistic time delay strategy.

Results of Investigations Using Naturalistic Teaching Strategies

| Citation | | Population Number/ Gender | Age/ Yrs | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Cavallaro & Poulson (1985) | | SH 1F | 3.6-6.6 | DD | CS | Any English word/sound (Express.) | + | S, Imitative Children > Non-imitative Children | N/D | +/-D | WTD/ MB |
| Fabry et al. (1984) | | SH 1F | 12.75-22.17 | MoMR SMR | IH | Sight word reading | 4 Subj +<br>1 Subj M/+<br>1 Subj - | T,S | P,S<br>4 Subj +<br>P 1 Subj +<br>P,S 1 Subj - | N/D | MB |
| Halle et al. (1979) | | SH 1F | 11.10-15.7 | SMR PMR | IH | Express. request for meal tray | 4 Subj +<br>2 Subj M/+ | N/D | P 4 Subj+<br>1 Subj-<br>P,T 3 Subj+<br>1 Subj- | 4 Subj +<br>2 Subj +/- | MB |
| Halle et al. (1981) | Exper I | SH 3F | 3-4.11 | DD | CS | Vocal initiations | + | N/D | N/D | N/D | MB |
| | Exper II | SH 1F | 5.11-9 | DD | CS | Vocal initiations | + | N/D | N/D | N/D | MB |
| Hart & Risley (1974) | | 7H 5F | $\bar{X}$= 4.5 | DD | CS | Express. nouns, noun-adjective, compound sentences | + | N/D | T+ | N/D | MB |
| Hart & Risley (1975) | | 6H 5F | $\bar{X}$= 5 | DD | CS | Express. compound sentences | + | N/D | P,T+ | N/D | MB/ WTD |
| McGee et al. (1983) | | 1H 1F | 12.7-15.10 | Aut | CS | Recept object id. | + | N/D | S+ | N/D | MB |
| Oliver & Halle (1982) | Exper 1 | 1H | 7 | MoMR | PS | Manual sign initiations | + | N/D | P+<br>T+/-<br>S+/- | 3M+/- | MB |

Table 1 Continued

| Citation | Population Number/ Gender | Age/ Yrs | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Peck (1985) | 6M 2F | 10-14 | Aut MoMR SMR PMR | PS | Social/ Communicative behavior | + | N/D | T 6 Subj+ T 2 Subj- | N/D | MB |
| Rogers-Warren & Warren (1980) | 2M 1F | 3.4-4.5 | SLI | CS | Number of verbalizations | + | N/D | T+ | 7M+ | MB |
| Schepis et al. (1982) | 6M 3F | 7-21 | Aut PMR | IH | Manual signing | + | N/D | T+/- | 17M+/- | MB |
| Warren et al. (1984) | 1M 2F | 2.11-3.7 | SLI | CS | Verbalizations, verbal initiations, responsiveness, 2-word utterances | + | N/D | T,S+ | + | MB |

Table 2

Methods Used in Investigation with Naturalistic Teaching Strategies

| Citation | Population Number/ Diagnosis | Behavior Name | Type | Strategy Used | Arrange Environment? | Teaching Interaction | Consequences: Correct Responses | Consequences: Error Responses |
|---|---|---|---|---|---|---|---|---|
| Cavallaro & Paulson (1985) | 4 DD | Any English word/sound (Express.) | DS | Incid. Tching | Yes | S. requests, T. waits 3 sec for target response. If no response, T. provides QP, VP, PM, or MO | Access to requested object | Withheld requested object |
| Fabry et al. (1984) | 6 MoMR SMR | Sight word reading | DS | MM | Yes | Token appears with sight word on it, T. says, "What word?" and/or points to word. If error, T. provides MO | Praise CRF | Provide MO and no Praise |
| Halle et al. (1979) | 6 SMR PMR | Express. request for meal tray | DS | NTD | Yes | First Method: S. approaches meal counter, T. waits 15 sec for request. | Access to meal tray | Access to meal tray at end of 15 sec. |
| | | | | | | Second Method: S. approaches meal counter, T. provides MO end of 15 sec delay | Access to meal tray | Access to meal tray 5 sec after MO |
| Halle et al. (1981) Exper I | 6 DD | Vocal initiations | DS/ Ch | NTD | Yes | T. approaches S. holding object (e.g., juice), or T. orients toward S. who needed assistance. T. waits 5 sec, if no verbal initiation occurs, T. gives MO. | T. gives object or assistance | N/D |
| Exper II | 6 DD | Vocal initiations | | | | Same as Exper. I | Same as Exper. I | |

CODES: See Appendix A

Ch = Chained
DS = Discrete

Incid. Tching = Incidental Teaching
MM = Hand Model Procedure
NTD = Naturalistic Time Delay
Integ. Strat.= Integrated Strategies

S. = Student, T. = Teacher
QP = Question prompt
VP = Direct verbal prompt
PM = Partial model
MO = Model
FP = Full physical prompt
N/A = Not applicable

CRF = Continuous
S = Student
T=Teacher

MO= Model
FP= Full physical
N/A = Not applicable
N/D = Not defined

Table 2 Continued.

| Citation | Population Number/ Diagnosis | | Behavior Name | Type | Strategy Used | Arrange Environment? | Teaching Interaction | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|---|---|
| Hart & Risley (1974) | 12 | DD | Express. nouns, noun-adjective, compound sentences | DS/ Ch | Incid. Tching | Yes | S. requests materials, T. waits 30 sec for target language response, and then implements prompt sequence: (1) GP, (2) VI, and (3) MD | access to requested materials | Next more intrusive prompt |
| Hart & Risley (1975) | 11 | DD | Express. compound sentences | Ch | Incid. Tching | Yes | Same as Hart & Risley (1974) | Access to materials | Next more intrusive prompt |
| McGee et al. (1983) | 2 | Aut | Recept object id. | DS | MM | No | T. asks S. if s/he was ready; if S. responds, "yes," then T. says, "Give me __." If S. not correct, T. points to correct object. | Descriptive praise | T. points to object |
| Oliver & Halle (1982) | Exper 1 1 | | MoNR | Manual sign initiations | DS | Integ. Strat. | Yes | T. waits 10 sec in routine; if no correct sign, T. gives PP, MD, or VI. | Request fulfilled | T. gives prompt & request fulfilled |
| Peck (1985) | 8 | Aut | MoNR SNR PNR | Social/ Communicative behavior | DS | Integ. Strat. | Yes | T. arranges environment for social/communicative behavior; if none, T. mands. | T. imitates, elaborates S. response; T. complies with request | N/A |
| Rogers-Warren & Warren (1980) | 3 | SLI | Number of verbalizations | DS/ Ch | MM | Yes | T. notes S. attention to materials and mands; if no response, T. gives VI and/ or MD | Access to materials and praise | Elaborate mand &/or model provided |
| Schepis et al. (1982) | 9 | Aut | PNR | Manual signing | DS | Integ. Strat. | Yes | Method 1: S. near materials; T. waits 5 sec; if no response T. gives GP and/or mand<br><br>Method 2: T. mands for sign; if no response, T. gives PP.<br><br>Method 3: T. mands for sign; if no response, T. gives PP; T. varys mand; if no response, T. gives PPP. | Access to materials, praise | T. gives PP & praise for compliance |
| Warren et al. (1984) | 3 | SLI | Verbalizations, verbal initiations, responsiveness | DS/ Ch | MM | No | T. approaches S., mands, and waits; if no response, T. provides MD. | Praise, continued attention | T. stops interaction |

Behavior/Population

The naturalistic teaching strategies were used primarily to teach expressive language skills, such as vocal initiations (e.g., Halle et al. 1981), noun-adjective combinations (Hart & Risley, 1974), compound sentences (Hart & Risley, 1975), manual signs (Oliver & Halle, 1982), and general expressive language skills (Cavallaro & Paulson, 1985; Warren, McQuarter, & Rogers-Warren, 1984). Receptive language skills were targeted in one study (McGee, Krantz, Mason, & McClannahan, 1983), and sight word reading was targeted in another (Fabry, Mayhew, & Hanson, 1984). In one investigation, various categories of social/communicative behaviors were taught (Peck, 1985). Chained responses were taught in five studies (Halle et al., 1981; Hart & Risley, 1974, 1975; Rogers-Warren & Warren, 1980; Warren et al., 1984), but discrete responses were targeted in all studies except the Hart and Risley (1975) investigation. In nearly all cases, the discrete responses were single word utterances or expressive signs; the chained responses consisted of phrases (e.g., Halle et al., 1979), sentences (Warren et al., 1984), or compound sentences (Hart & Risley, 1974, 1975).

The students involved in these investigations were preschoolers (Cavallaro & Paulson, 1985; Hart & Risley, 1974; 1975; 1980; Warren et al., 1984), elementary-aged (Oliver & Halle, 1982; Schepis et al, 1982), adolescents (Fabry et al., 1984; McGee et al., 1983; Peck, 1985), and young adults (Fabry et al., 1984; Schepis et al., 1982). The most attention has been given to preschoolers and adolescents or young adults in the naturalistic teaching literature; less attention has been given to elementary-aged students. Participating students included children with developmental delays from economically disadvantaged environments (Hart & Risley, 1975; 1974; 1980)

and children of normal intelligence (Hart & Risley, 1980). Students with language delays (Warren, et al., 1984), moderate mental retardation (Fabry et al., 1984), severe mental retardation (Halle, Marshall, & Spradlin, 1979), profound mental retardation (Halle et al., 1979), autism (Peck, 1985; Schepis et al., 1984), and a variety of developmental delays (Cavallaro & Paulson, 1985) participated in the investigations.

Type of Naturalistic Teaching Stragtegy

Twelve investigations were found that used the naturalistic teaching strategies. Three studies used incidental teaching (Cavallaro & Paulson, 1985; Hart & Risley, 1974, 1975), four used the mand model strategy (Fabry et al., 1984; McGee et al., 1983; Rogers-Warren & Warren, 1980; Warren et al., 1984), two used the naturalistic time delay strategy (Halle et al., 1979, Halle et al., 1981), and three used integrated strategies (combinations of two or more of these procedures) (Peck, 1985; Oliver & Halle, 1982; Schepis et al., 1982). Two of the investigations (Fabry et al., 1984; McGee et al., 1983) that used the mand model strategy called it a modified incidental teaching procedure. These studies are labeled as mand model investigations because their procedures match the operational definition of the mand model strategy more closely than the incidental teaching strategy.

Procedural Variations of the Naturalistic Teaching Procedures

Incidental teaching. The three incidental teaching studies all involve some manipulation of the environment to promote use of the targeted responses. Cavallaro and Paulson (1985) had teachers give smaller amounts of food at snacks to increase the likelihood that children would request more food. Certain materials were placed on a shelf that was within students' sight, but was out of their reach in both of the Hart and Risley (1974, 1975)

investigations. In these studies, the initial response interval after the student initiation was 3 sec (Cavallaro & Paulson, 1985) and 30 sec (Hart & Risley, 1974). If no response or an unsatisfactory response occurred within this interval, the teacher provided a series of increasingly intrusive prompts (Hart & Risley, 1974, 1975) or selected a prompt that had a high probability of being controlling (Cavallaro & Paulson, 1985). In all three studies, a full model of the target response was the most intrusive level. All incidental teaching studies involved preschool or early elementary-aged students and targeted language responses.

Mand model procedure. Two of the four mand model investigations made some manipulation of the environment. For example, Fabry et al. (1984) wrote the targeted sight words on some of the tokens students received for correct responses and appropriate social behavior throughout the school day; the mand model procedure was used during token exchange. Rogers-Warren and Warren (1980) provided materials and activities that would be of interest to the students. McGee et al. (1983) and Warren et al. (1984) apparently did not manipulate the environment. In the mand model procedures, the teacher initiated the instructional trial (interaction). Fabry et al. (1984) initiated a trial whenever the student attempted to exchange a token that had a target word written on it; McGee et al. (1983) initiated a trial by asking students whether they were ready to make a lunch, an affirmative response was required from the student prior to the presentation of the mand; Rogers-Warren and Warren (1980) and Warren et al. (1984) initiated trials when students focused their attention or were engaged in ongoing classroom activities. The controlling prompt in the mand model studies was a model (Fabry et al., 1984; Rogers-Warren & Warren, 1980; Warren et al., 1984) and a point to the correct

object from a display of four objects (McGee et al., 1983); however, direct verbal prompting was also used in the Rogers-Warren and Warren (1980) investigation.

Naturalistic time delay. Both naturalistic time delay studies (Halle et al., 1979, 1981) employed some arrangement of the environment; specifically, adult assistance that usually was provided for specific parts of routines was delayed. The delay intervals used included 15 sec (Halle et al., 1979) and 5 sec (Halle et al., 1981). This interval must be of sufficient duration to allow the delay to be discriminable by the students (Oliver & Halle, 1982). In the Halle et al. (1979) study, a model was provided at the end of the 15-sec delay only after the delay interval alone was not functional; in the Halle et al. (1981) study, a model was provided at the end of the response interval if students did not initiate an appropriate language response. The model was a controlling prompt for all students in both studies; however, one student in the Halle et al. (1979) study required use of the progressive time delay procedure.

Integrated naturalistic procedures. The integrated studies involved combinations of procedures, although analysis of the various components was not systematically investigated. The three integrated studies involved some arrangement of the environment. Oliver and Halle (1982) and Peck (1985) inserted delays in ongoing routines and activities, and Schepis et al. (1982) restricted access to materials to instances where students' apparently requested their use. In the Oliver and Halle (1982) study, a naturalistic time delay was inserted into specific routines, and if no response occurred at the end of the 10-sec delay, then the teacher provided either a model, direct verbal prompt ("you need to show me the sign for ___."), or a full physical

prompt (i.e., molding the students' hand to form the manual sign). The prompts were provided contingent upon absence of the correct manual sign at the end of the delay interval. Thus, the procedure was different from the incidental teaching studies in that the student was not required to initiate the training trial. In the Peck (1985) investigation, teachers arranged the environment to increase the probability of social/communicative behavior, and then imitated or elaborated the students' responses when they occurred. However, if a response was not forthcoming, a choice and indirect verbal cues were provided to increase the likelihood of communicative behaviors. Specific extra stimulus prompts were not systematically programmed and implemented. In the Schepis et al. (1982) investigation, three methods were used. If the student was near the restricted materials shelf, the teacher waited 5 sec and then provided a question prompt and/or a mand. The second method involved the teacher providing mands and then a full physical prompt if a manual sign did not follow the mand. The third method involved short instructional sessions where teachers provided a variety of mands and full physical prompts that required the students to use the targeted signs.

## Consequences

### Corrects Responses

Correct responses in the incidental teaching studies resulted in access to requested materials, objects, or assistance (Cavallaro & Paulson, 1985; Hart & Risley, 1974, 1975). In the mand model studies, correct responses resulted in praise (Fabry et al., 1984; McGee et al., 1983); continued access to materials and praise (Rogers-Warren & Warren, 1980); and praise, continued access to materials, and continued access to teacher attention (Warren et al., 1984). In the naturalistic time delay studies, correct responses resulted in

access to the requested objects and or assistance (Halle et al., 1979, 1981). In the integrated studies, correct responses resulted in teacher compliance with the requests (Oliver & Halle, 1982), compliance with requests plus imitation and/or elaboration of the students' behavior (Peck, 1985), and access to materials and praise (Schepis et al., 1982).

Error Responses

Error responses in the incidental teaching studies resulted in the presentation of more intrusive prompts (Cavallaro & Paulson, 1984; Hart & Risley, 1974, 1975) and if errors persisted, access to the requested object was withheld (Cavallaro & Paulson, 1985). Errors in the mand model procedure resulted in cessation of the interaction (Warren et al., 1984), presentation of a more elaborate mand and/or model (Rogers-Warren & Warren, 1980), presentation of a controlling gestural prompt (point) (McGee et al., 1983), and presentation of a model but no praise (Fabry et al., 1984). Errors with the naturalistic time delay strategy resulted in access to the materials at the end of the time delay interval (Halle et al., 1979), and access to the materials 5 sec after the model (Halle et al., 1981). In the integrated studies, errors resulted in a prompt and teacher compliance with the request (Oliver & Halle, 1982), no systematic teacher response (Peck, 1985), and a full physical prompt and praise for compliance with the prompt (Schepis et al., 1982).

## Results

Effectiveness

All of the studies reviewed reported that the naturalistic teaching strategies were effective in teaching the targeted behaviors. One study reported that one of six students did not learn with the mand model procedure

(Fabry et al., 1984). Further, they stated the mand model procedure was only partially effective with another student. Halle et al. (1979) found that the naturalistic time delay procedure was effective with three students, but certain modifications of the procedure were required for three students. For two of those three, the addition of a model after the delay interval (i.e., similar to the constant time delay procedure, see Chapter 7) was sufficient to produce learning. For the third student, a progressive delay procedure was used and was effective. Interestingly, the three students for whom the naturalistic time delay strategy was effective had observed other students being trained with the procedure. Although some investigations taught target skills to criterion (e.g., Fabry, et al., 1984), most studies (e.g., Hart & Risley, 1975; Peck, 1985; Warren et al., 1984) provided data indicating that performance under naturalistic teaching conditions was greater than that under baseline conditions.

Little maintenance data were reported, and when such data were collected, mixed results or partial maintenance occurred with incidental teaching (Cavallaro & Paulson, 1985), naturalistic time delay (Halle et al., 1979), and integrated strategies (Oliver & Halle, 1982; Schepis et al., 1982). When measured, the mand model procedure resulted in stable maintenance (Rogers-Warren & Warren, 1980; Warren, 1984).

More attention has been given to generalization of behaviors taught with naturalistic teaching procedures. Hart and Risley (1974, 1975) reported that new langauge behaviors (e.g., new nouns, new compound sentences) appeared that had not received training with incidental teaching. Further, as students learned to perform certain language behaviors with teachers, they also directed those responses to other children. Hart and Risley (1980) compared

students who had received a year of incidental teaching to two groups of children who had not experienced systematic use of the strategy. One of the comparison groups consisted of children from economically disadvantaged environments (similar to subjects who received incidental teaching) and the second group consisted of children who were not economically disadvantaged. The initial rates of talking and patterns of language use of the two economically disadvantaged groups was similar. Over the course of the school year, the amount of talking in the two comparison groups remained relatively constant, but increased for children who experienced incidental teaching. Further, the patterns of language use in terms of vocabulary and elaborate language forms for the economically disadvantaged children became similar to the patterns displayed by students who were not economically disadvantaged.

Halle et al. (1979) used naturalistic time delay and assessed generalization across persons and across persons and meal times. Four of the five students generalized across persons, and three of four generalized across persons and settings.

Generalization of language skills taught with the mand model procedure were assessed also. Fabry et al. (1982) found that four of six subjects generalized sight word reading from the classroom to another room with another adult. A fifth subject did not generalize, but after the sessions were conducted in the classroom, the student began to perform in the generalization setting. The sixth student did not acquire the responses, thus, generalization performance could not be assessed. McGee et al. (1983) taught students in the kitchen to receptively identify foods for making lunches; generalization of the receptive skills was assessed by the trainer in daily sessions in the dining room (i.e., another setting). Generalization occurred

for both students. Rogers-Warren and Warren (1980) found that the mand model procedure could effectively establish generalization of language trained in isolated settings to the classroom. Warren et al. (1984) also documented generalization of trained language behaviors across free play settings.

Schepis et al. (1982) used integrated naturalistic procedures to teach students to use manual signs and assessed generalization to vocalizations. Their results were consistent with earlier research on this issue; that is, generalization from signing to vocalizations occurred with some students but not with all. Oliver and Halle (1982) probed for generalization across four routines different from those used in training. Generalization consistently occurred in two of the four routines. No explanation was found for the failure to secure generalized responding in the remaining two routines. Generalization did occur across trainers. Peck (1985) also found mixed generalization results.

Efficiency

Almost no efficiency data were reported in the investigations using the naturalistic teaching procedures. Cavallaro and Paulson (1985) reported that children who were imitative learned more rapidly with the incidental teaching procedure than children who were not imitative. Fabry et al. (1984) reported the number of teaching interactions (trials) and sessions to criterion. For their six subjects these variables were correlated with IQ and Social Quotients; the higher students' intelligence and social quotients, the fewer the number of trials required.

Teacher Behavior

Seven of the studies trained and/or assessed teachers' implementation and/or their ratings of the social validity of the incidental teaching

procedure (Cavallaro & Paulson, 1985), naturalistic time delay (Halle, et al., 1979, 1981), mand model procedure (Rogers-Warren & Warren, 1980; Warren et al., 1984), and integrated naturalistic strategies (Peck, 1985; Schepis et al., 1982). Training usually consisted of brief oral descriptions of the procedures, models, role playing, and periodic feedback. The results of those measures suggest that (a) teachers can implement the procedures with short sessions of training, (b) teacher can implement the procedures with accuracy, and (c) teachers rate the naturalistic procedures positively. For a systematic approach to train perschool teachers to use incidental teaching, see Mudd and Wolery (in press).

## Summary

Based on the literature reviewed, the following statements can be made:

* The naturalistic teaching strategies were used effectively to teach expressive language behaviors to preschoolers and adolescentss; they were used less frequently to teach receptive language skills and elementary students.

* Students handicapping conditions included communication deficits, autism, and moderate, severe, and profound mental retardation.

* Discrete and chained responses were taught with the naturalistic procedures, but discrete responses were more frequently taught.

* Several variations of naturalistic teaching strategies exist including incidental teaching, naturalistic time delay, the mand model procedure, and integrated (combined) procedures.

* Environmental modifications (e.g., restricted material shelves, delay intervals inserted into naturally occurring routines) designed to prompt the occurrence of the targeted responses were used in all investigation except for two which employed the mand model procedure.

* Correct responses resutled in natural reinforcers such as access to requested objects and assistance, or completion of routines.

* Efficiency data is collected infrequently in studies using naturalistic teaching procedures.

* Generalization data were collected more frequently than maintenance data, and when collected both types of data suggested mixed results.

* Over half of the investigations include measures of teachers implementation and/or value judgments relative to the procedures. Teachers were able to implement the procedures given relatively short training sessions, models, and periodic feedback.

## References

Carr, E. G., & Kologinsky, E. (1983). Acquisition of sign language by autistic children II: Spontaneity and generalization effects. Journal of Applied Behavior Analysis, 16, 297-314.

Cavallaro, C. C., & Poulson, C. L. (1985). Teaching language to handicapped children in natrual settings. Education and Treatment of Children, 8, 1-24.

Fabry, B. D., Mayhew, G. L., & Hanson, A. (1984). Incidental teaching of mentally retarded students within a token system. American Journal of Mental Deficiency, 89, 29-36.

Halle, J. W. (1982). Teaching functional language to the handicapped: An integrative model of natural environment teaching techniques. Journal of the Association for the Severely Handicapped, 7 29-37.

Halle, J. W., Alpert, C. L., & Anderson, S. R. (1984). Natural environment language assessment and intervention with severely impaired preschoolers. Topics in Early Childhood Special Education, 4(2), 36-56.

Halle, J. W., Baer, D. M., & Spradlin, J. E. (1981). Teachers' generalized use of delay as a stimulus control procedure to increase language use in handicapped children. Journal of Applied Behavior Analysis, 14, 389-409.

Halle, J. W., Marshall, A. M., & Spradlin, J. E. (1979). Time delay: A technique to increase language use and facilitate generalization in retarded children. Journal of Applied Behavior Analysis, 12, 431-439.

Hart, B., & Risley, T. (1968). Establishing use of descriptive adjectives in the spontaneous speech of disadvantaged preschool children. Journal of Applied Behavior Analysis, 1, 109-120.

Hart, B., & Risley, T. (1974). Using preschool materials to modify the language of disadvantaged children. Journal of Applied Behavior Analysis, 7, 243-256.

Hart, B., & Risley, T. (1975). Incidental teaching of language in the preschool. Journal of Applied Behavior Analysis, 8, 411-420.

Hart, B., & Risley, T. (1980). In vivo language intervention: Unanticipated general effects. Journal of Applied Behavior Analysis, 13, 407-432.

Hart, B., & Rogers-Warren, A. (1978). A milieu approach to teaching language. In R.L. Schiefelbusch (Ed.). Language intervention strategies (pp. 193-235). Baltimore: University Park Press. (Note: now Pro-Ed, Austin Texas).

McGee, G. G., Krantz, P. J., Mason, D., & McClannahan, L. E. (1983). A modified incidental-teaching procedure for autistic youth: Acquisition and generalization of receptive object labels. Journal of Applied Behavior Analysis, 16, 329-338.

McGee, G. G., Krantz, P. J., & McClannahan, L. E. (1984). Conversational skills for autistic adolescents: Teaching assertiveness in naturalistic game settings. Journal of Autism and Developmental Disorders, 14, 319-330.

Miller, S. J., & Sloane, H. N. (1976). The generalization effects of parent training across stimulus settings. Journal of Applied Behavior Analysis, 10, 355-370.

Mudd, J. M., & Wolery, M. (in press). Training Head Start teachers to use incidental teaching. Journal of the Division for Early Childhood.

Odom, S. L., Hoyson, M., Jamieson, B., & Strain, P. S. (1985). Increasing handicapped preschoolers' peer social interactions: Cross-setting and component analysis. Journal of Applied Behavior Analysis, 18, 3-16.

Oliver, C. B., & Halle, J. W. (1982). Language training in the everyday environment: Teaching functional sign use to a retarded child. Journal of the Association for the Severely Handicapped, 7(3), 50-62.

Peck, C. A. (1985). Increasing opportunities for social control by children with autism and severe handicaps: Effects on student behavior and perceived classroom climate. Journal of the Association for Persons with Severe Handicaps, 10, 183-193.

Rogers-Warren, A., & Warren, S. F. (1980). Mands for verbalization: Facilitating the display of newly trained language in children. Behavior Modification, 4, 361-382.

Schepis, M. M., Reid, D. H., Fitzgerald, J. R., Faw, G. D., van den Pol, R. A., & Welty, P. A. (1982). A program for increasing manual signing by autistic and profoundly retarded youth within the daily environment. Journal of Applied Behavior Analysis, 15, 363-379.

Seitz, S., & Marcus, S. (1979). Mother-child interactions: A foundation for language development. Exceptional Children, 43, 445-449.

Spangler, P. F., & Marshall, A. M. (1983). The unit play manager as facilitator of purposeful activities among institutionalized profoundly and severely retarded boys. Journal of Applied Behavior Analysis, 16, 345-349.

Strain, P. S. (1975). Increasing social play of severely retarded preschoolers with socio-dramatic activities. Mental Retardation, 13(6), 7-9.

Warren, S. F., & Rogers-Warren, A. (1980). Current perspectives in language remediation. Education and Treatment of Children, 3, 133-152.

Warren, S. F., McQuarter, R. J., & Rogers-Warren, A. (1984). The effects of mands and models on the speech of unresponsive socially isolate children. Journal of Speech and Hearing Disorders 49, 43-52.

Warren, S. F., Rogers-Warren, A., Baer, D. M., & Guess, D. (1980). Assessment and facilitation of language generalization. In W. Sailor, B. Wilcox, & L. Brown (Eds.), Methods of instruction for severely handicapped students (pp. 227-258). Baltimore: Paul H. Brookes.

# Stimulus Manipulation

## Chapter 10

Melinda Jones Ault, Mark Wolery, Patricia Munson Doyle, and David L. Gast

Stimulus manipulation procedures involve the gradual change of instructional stimuli in a systematic sequence. A stimulus is initially presented in a form where the subject can respond correctly. This stimulus is then gradually changed until the subject responds correctly to the target stimulus. "The goal of stimulus manipulation procedures is to gradually shift stimulus control from stimuli to which children can initially respond correctly to naturally occurring stimuli without errors or with a minimum of errors" (Wolery & Gast, 1984, p. 66). Two kinds of stimulus manipulation procedures were reported in the literature: stimulus shaping and stimulus fading. With stimulus shaping, the relevant dimension of the stimulus is changed until the subject can respond correctly to the target stimulus. With stimulus fading, some other aspect (irrelevant dimension) of the stimulus (e.g. color, intensity, size) is added to the stimulus and gradually changed until the subject can make the correct discrimination (Etzel & LeBlanc, 1979; Wolery & Gast, 1984). Stimuli are changed in a systematic sequence of steps and subjects move through the sequence by reaching a criterion at each step.

The trial sequence for stimulus manipulation strategies is shown in Figure 1, and involves the presentation of the stimulus at a specific step in a sequence. The participant is given the opportunity to respond and consequences are provided for correct or incorrect responses. A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using stimulus manipulation procedures are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.




Figure 10.1 Flow chart depicting the stimulus manipulation strategy.

Table 1



Results from Investigations Using the Stimulus Manipulation Strategies

| Citation | Population Number/ Gender | Age/ Yrs | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Beckner & Blanton (1980) | | | | | | | | | | |
| Beh. I | 1SM 5F | 5.25 16.92 | DD SBD | SS | Visual discrimination (numerosity) | +/- | N/D | N/D | N/D | CX |
| Beh. II | 1SM 5F | 5.25 16.92 | DD SBD | SS | Visual discrimination (brightness) | +/- | S T | N/D | N/D | GR |
| Goetz et al. (1983) | 2M | 4; 5 | MR | PS | Responding to auditory cues | + | S | N/D | +/-N/D | |
| Irvin (1976) | 24N/D | 16-43 | SMR | IN | Visual discrimination | +/- | E T | N/D | N/D | CX |
| Lancioni (1983) | | | | | | | | | | |
| Beh. I | 2M 1F | 8.5-12.8 | SMR Aut | IN | Match to picture | + | S E | T+ | N/D | MP |
| Beh.II | 2M 1F | 8.5 12.8 | SMR Aut | IN | Match body position to picture | + | S E | T+ | N/D | MP |
| Lancioni et al. (1984) | | | | | | | | | | |
| Beh. I | 2F 1M | 14.1-16.8 | DD VI HI | IN | Match objects to miniatures | + | T E S | T+ | N/D | MP |
| Beh. II | 2F 1M | 14.1-16.8 | DD VI HI | IN | Match body position to doll's position | + | T E S | T+ | N/D | MP |

Table 1 Continued.

| Citation | Population Number/ Gender | Age/ Yrs | Diag-nosis | Setting | Behavior | Effective-ness | Efficiency | Generali:- zation | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| LaVigna (1977) | 2M 1F | 17-18 | AUT | IN | Recept/Express id. of words | + | T E | N/D | N/D | N/D |
| Mackay (1985) | 3M | Teenage | SMR | SS | Word construction | +/- | E | T+ | N/D | TT |
| McIlvane et al. (1984) | | | | | | | | | | |
| Beh. I | 2M | 25; 27 | S/PMR | SS | Match spoken word to food | + | T E | N/D | N/D | N/D |
| Beh. II | 2M | 7 | S/PMR Aut | SS | Match spoken word to food | + | T E | N/D | N/D | N/D |
| Smeets et al. (1985) Exper I | 6M 2F | 11.7-16.7 | MoMR | SS | Receptive id. of written words written words | V1=V2 | T V1=V2 E V1=V2 | N/D | N/D | MP AT |
| Variable 1 - stimulus shaping; Variable 2 - stimulus shaping and letter discrimination | | | | | | | | | | |
| Smeets et (1984) Exper I | 2M 3F | 12.9-13.3 | MiMR | SS | Discrimination of missing minuend problems | 4 Subj + 1 Subj +/m | T N E | T+ | +M | MP |
| Exper II | 4M | 8.4-15.4 | MiMR | SS | Discrimination of missing minuend problems | V1+ V2+/A | N E | T+ | +M | MP |
| Variable 1 - stimulus shaping; Variable 2- revised program | | | | | | | | | | |
| Stoddard & Gerovac (1981) | 16M 1F | 11-25 | MoMR SMR PMR | IN | Place token in slot | + | T E | T+/- | +/-M | N/D |

Table 2

Methods from Investigations Using the Stimulus Manipulation Strategies

| Citation | Population Number/Diagnosis | | Behavior Name | Procedure Shaping | Procedure Fading | How Stimuli Were Manipulated | Criterion for Manipulation of Stimuli | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|---|---|
| Deckner & Blanton (1980) | | | | | | | | | |
| Beh. I | 20 | DD SBD | Visual discrim. (numerosity) | DS | X | 10 dots vs. empty screen. added 1 dot at a time | 80% correct. move to next step | edibles. doorbell chimes | N/D |
| Beh. II | 20 | DD SBD | Visual discrim. (brightness) | DS | X | 10 dots vs. dark screen. added 8 levels of brightness | 80% correct. move to next step | edibles. doorbell chimes | N/D |
| Goetz et al. (1983) | 2 | MR | Responding to auditory cues | DS | X | Pair light and auditory: fade light intensity | 90% for 2/3 days. move to lower intensity | edible | FP |
| Irvin (1976) | 24 | SMR | Visual discrimination of nut | DS | X | Raised vs.. flat face of nut. decreased height of raised side | 20 correct. move to next step | social. verbal praise | VP VI FP or PP as needed |
| CODES | See Appendix A | | See Appendix A | Ch = chained DS = discrete | | S+ = correct stimulus S- = incorrect stimulus | CRF = continuous reinforcement VR = variable ratio | VR = verbal reprimand VI = verbal instruct. PP = partial physical FP = full physical N/D = not defined | |

Table 2 continued.

| Citation | Population Number/Diagnosis | Behavior Name | Type | Procedure Shaping | Procedure Fading | How Stimuli Were Manipulated | Criterion for Manipulation of Stimuli | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|---|
| Lancioni (1983) | | | | | | | | | |
| Beh. I | 3 SMR Aut | Match object to picture | DS | X | | Picture of object, gradually changed shape of picture | 3 corrects, move to next step | praise CRF, tangible faded on VR over trials | FP |
| Beh. II | 3 SMR Aut | Match body position to picture | DS | X | | Same as above | N/D | Same as above | N/D |
| Lancioni et al. (1984) | | | | | | | | | |
| Beh. I | 3 DD VI HI | Match objects to miniatures | DS | | X | Two full-size objects, size of one object gradually reduced | 4-5 correct, move to next step | social praise CRF, tangible faded over trials | N/D |
| Beh. II | 3 DD VI HI | Match body position to doll's position | DS | X | | Shape of doll gradually changed | 6 correct, move to next step | social praise CRF, tangible faded over trials | N/D |
| LaVigna (1977) | 3 Aut | Recept./ Expres. id. of words | DS | | X | S+ word presented, S- words gradually added and letters blackened | If 90% correct 1st time introduced, move to next level. Otherwise 90% correct for 3 sessions, move to next step | social praise, edibles | 10 sec. in-seat timeout |
| Mackay (1985) | 3 SMR | Word Construction | DS | X | | All letters of word initially presented, gradually removed one letter at a time. | 1 correct, move to next step | token, praise | no token |

Table 2 continued.



| Citation | Population Number/Diagnosis | | Behavior Name | Type | Procedu Shap- ing | Fad- ing | How Stimuli Were Manipulated | Criterion for Manipulation of Stimuli | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|---|---|
| McIlvane et al. (1984) | | | | | | | | | | |
| Beh. I | 2 | SMR PMR | Match spoken word to food | DS | X | | Food in 2 compartments: screen covered progressively more of compartment | Minimum 1 trial at each step | edible | trial ended |
| Beh. II | 2 | Aut | Match spoken word to food | DS | X | | Food in 2 boxes: box gradually covered with screen | 1 subject-10 trials each step, 1 subject-5 trials each step | edible | trial ended |
| Sheets et al. (1985) | | | | | | | | | | |
| Exper. I | 8 | MoMR | Receptive id. of written words | DS | X | | Exaggerated lines of letters, gradually decreased width of lines. | 10 correct, move to next step | praise, token | VR, repeat instruction |
| Variable 1 - Stim. shap.: Variable 2 - Stim. shap. and letter discrim. | | | | | | | | | | |
| Sheets et al. (1984) | | | | | | | | | | |
| Exper. I | 5 | MiMR | Discrim. of missing minuend problems | DS | X | | Visual prompt presented. lines of prompt gradually faded | 3 ditto sheets of correct target problems and 14/15 correct non-target problems. move to next step | praise. mark record form. sticker when met criterion on step | call attention to relevant dimensions |
| Exper. II | 4 | MiMR | Discrim. of missing minuend problems | DS | X | | Visual prompt presented. lines of prompt gradually faded | 90% correct target and non-target problems and no operation error for 2, 3 or 5 sheets | Same as above | Same as above |
| Variable 1 - Stim. shaping; Variable 2 Revised program | | | | | | | | | | |

Table 2 continued.

| Citation | Population Number/Diagnosis | | Behavior Name | Type | Procedu Shap- ing | Fad- ing | How Stimuli Were Manipulated | Criterion for Manipulation of Stimuli | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|---|---|---|
| Stoddard & Gerovac (1981) | 17 | MoMR SMR PMR | Place token in slot | DS | X | | String attached to token. gradually increased distance of token from slot. | Minimum 1 correct. move to next step | edible, ringing bell, flashing light | trial enced |

Behavior/Population

Stimulus manipulation procedures were used to teach visual discrimination tasks (Deckner & Blanton, 1980; Irvin, 1976; Smeets, Lancioni, Striefel, & Willemson, 1984), responses to auditory cues (Goetz, Gee, & Sailor, 1983), match-to-sample skills (Lancioni, 1983; Lancioni, Smeets, & Oliva, 1984; McIlvane, Withstandley, & Stoddard, 1984), fine motor skills (Stoddard & Gerovac, 1981), and cognitive skills such as receptive/expressive identification of words (LaVigna, 1977; Smeets, Hoogeveen, Striefel, & Lancioni, 1985), and word construction (Mackay, 1985). All of the behaviors taught in these studies were discrete tasks. The population involved in these studies included subjects with mild, moderate, severe, and profound mental retardation, autism, behavior disorders, and multiple handicaps. Ages ranged from preschoolers to adults across studies.

Names of Procedures

The majority of the studies changed stimuli based on the relevant dimension (stimulus shaping) and have been referred to in the literature as brightness-fading (Deckner & Blanton, 1980), easy-to-hard procedure (Irvin, 1976), anagram training (Mackay, 1985), prompt fading (Smeets et al., 1985), and stimulus shaping (Lancioni, 1983; Lancioni et al., 1984; McIlvane et al., 1984; Stoddard & Gerovac, 1981; Smeets et al., 1984). Only three reviewed studies manipulated an irrelevant dimension of the stimulus and can be identified as stimulus fading procedures. These procedures were referred to as fading (Goetz et al., 1983), stimulus fading (Lancioni et al., 1984), and errorless training (LaVigna, 1977).

Manipulation of Stimuli

In all of the studies reviewed, the instructional materials were manipulated (e.g. Deckner & Blanton, 1980; LaVigna, 1977; Smeets et al., 1985), or, in one instance, an added prompt was manipulated (Goetz et al., 1983). Stimuli were changed from discriminations the subject could initially make to the criterion target discrimination. Relevant dimensions which have been manipulated in the reviewed stimulus shaping investigations included the dimension of intensity (Deckner & Blanton, 1980), size (Irvin, 1976), shape (Lancioni, 1983; Lancioni et al., 1984; McIlvane et al., 1984; Smeets et al., 1985; Smeets et al., 1984), shape and position (Mackay, 1985), distance (Stoddard & Gerovac, 1981), and number (Deckner & Blanton, 1980). For example, Irvin (1976) taught 24 adults with severe retardation to discriminate between the raised and flat sides of an axle nut. The size of the raised side of the nut was initially increased to a height where the subjects could correctly discriminate between flat and raised. The height of the raised side was then systematically decreased until the subjects responded correctly to the target stimuli.

In the stimulus fading studies, the stimuli were manipulated on the irrelevant dimensions of intensity of the brightness of light (Goetz et al., 1983), size (Lancioni et al., 1984), and color (LaVigna, 1977). An example of fading on the dimension of size when the relevant dimension was shape, was presented in Lancioni et al. (1984). The experimenters taught 3 adolescents with multiple handicaps to match a full-size object to a miniature of the same object in a 3-choice format. Initially, a full-size object was presented and the subjects matched it with an identical full-size object. Across trials,

the sample object was gradually decreased until the subject could match the miniature to the full-size object.

Movement through Shaping/Fading Sequence

In all of the stimulus manipulation studies, a specific criterion was defined for moving from one shaping/fading step to another. In order for subjects to move to the next step in the sequence they were required to attain a specific percentage of correct responses (Deckner & Blanton, 1980; Goetz, et al., 1983; LaVigna, 1977) or a specified number of correct responses (e.g. Irvin, 1976; Lancioni, 1983; Stoddard & Gerovac, 1981).

In addition to progressing to the next step in a sequence following correct responses, five studies specified procedures for returning to a previous step following incorrect responses. Deckner and Blanton (1980), Mackay (1985), Stoddard and Gerovac (1981) and Smeets et al. (1985) all stated that subjects returned to the previous step in the sequence following a number of incorrect responses. In the McIlvane et al. (1984) study, subjects returned to a previous step following incorrect responses and at the beginning of each instructional session.

An example of movement through a sequence of steps is described by Smeets et al. (1985). Eight adolescents with moderate retardation were taught to receptively identify words. A stimulus shaping procedure was compared with a stimulus shaping procedure plus a letter discrimination procedure. In both procedures, the width of the distinctive feature of the first letter in the S+ word was thickened. Following 10 correct responses, subjects moved to the next step in the sequence which gradually decreased the width of the line. If 10 correct responses were not attained, the subject returned to the previous step. The stimulus shaping plus letter discrimination procedure consisted of

the procedure described above plus the subjects placed plastic letters over the letters of the S+ word after a correct response. Both procedures were found to be equally effective.

## Consequences

### Correct Responses

Consequences for correct responses occurred regardless of the step in the sequence being used. Consequences included praise (Irvin, 1976), praise plus tokens (Mackay, 1985; Smeets et al., 1985; Smeets et al., 1984), praise plus tangibles (Lancioni, 1983; Lancioni et al., 1984), edibles (Goetz et al., 1983; McIlvane et al., 1984), edibles plus praise (LaVigna, 1977), and edibles plus chimes or bells (Deckner & Blanton, 1980; Stoddard & Gerovac, 1981).

### Incorrect Responses

Nine studies specified consequences for incorrect responses. Some of the procedures required the subject to perform the correct response or provided more information to the subject following an error. Goetz et al. (1983), Irvin (1976), and Lancioni (1983) provided physical prompts following an incorrect response. Smeets et al. (1985) provided a verbal reprimand and repeated the $S^D$ while Smeets et al. (1984) interrupted the incorrect response and called the subject's attention to the relevant dimension. The remaining studies did not provide the correct response but instead provided a 10-sec. in-seat timeout (LaVigna, 1977), witheld a token (Mackay, 1975), witheld an edible (Stoddard & Gerovac, 1981), or ended the trial (McIlvane et al., 1984).

## Results

### Effectiveness

The majority of the stimulus manipulation procedures reported that stimulus shaping (Lancioni, 1983; Lancioni et al., 1984; McIlvane et al.,

1984; Stoddard & Gerovac, 1981; Smeets et al., 1985), and stimulus fading (Goetz et al., 1983; Lancioni et al., 1984, LaVigna, 1977) were effective procedures in teaching the target behaviors. The remainder of the stimulus shaping procedures were not totally effective in that some subjects met criterion where others did not (Deckner & Blanton, 1980); post-test data indicated responding rose above baseline but some errors occurred in the final test (Mackay, 1985); or an adaptation was required for 1 subject in order to meet criterion (Smeets et al., 1984). In the Irvin (1976) investigation, training was stopped after 700 trials. Seven of the 24 subjects did not meet criterion with this amount of training.

Efficiency

All of the studies reported at least one efficiency measure. The most frequently reported measures included errors to criterion (e.g. Lancioni, 1983; Lancioni et al., 1984; McIlvane et al., 1984) and trials to criterion (e.g. Deckner & Blanton, 1980; LaVigna, 1977; Smeets et al., 1985). Additional measures included sessions to criterion (Deckner & Blanton, 1980; Goetz et al., 1983), days to criterion (Lancioni, 1983), and training time (Smeets et al., 1984). Seven of the studies, including both stimulus shaping and fading, reported error measures which indicated a low number of errors (Lancioni, 1983; Lancioni et al., 1984; LaVigna, 1977; Mackay, 1985; McIlvane et al., 1984; Smeets et al., 1985; Smeets et al., 1984). Lancioni et al. (1984) stated that "error rates during training were quite low" (p. 119), and Mackay (1985) reported that "errors were rare on teaching program trials" (p. 380).

## Summary

Based on the literature reviewed, the following statements can be made:

* Stimulus manipulation procedures have been conducted with subjects who have mild to profound mental retardation, autism, or multiple handicaps; secondary-aged subjects were the most frequently used age-population in the studies.

* Instructional materials were the stimuli manipulated in all but one of the studies.

* More stimulus shaping studies existed in the literature than stimulus fading studies.

* All behaviors taught were discrete tasks.

* Relevant dimensions that were manipulated in stimulus shaping studies included intensity, size, shape, position, distance, and number.

* Irrelevant dimensions that were added and faded in stimulus fading studies included intensity, size, and color.

* All studies indicated a criterion level that must be attained by the subject before moving to the next step in the sequence.

* Five of eleven studies reported procedures for returning to previous steps in the sequence following errors.

* Most studies corrected subjects' errors by providing the subject with additional information or instructions, or guiding the subject to perform the correct behavior.

* The majority of stimulus manipulation procedures were effective in teaching the targeted behavior.

* The most commonly reported efficiency measures were errors and trials to criterion.

* Seven of eleven studies reported near errorless responding using both stimulus shaping and stimulus fading procedures.

## References

Deckner, C. W., & Blanton, R. L. (1980). Classification of abnormal children: Discrimination learning ability. Journal of Autism and Developmental Disorders, 10, 405-415.

Etzel, B. C., & LeBlanc, J. M. (1979). The simplest treatment alternative: The law of parsimony applied to choosing appropriate instructional control and errorless-learning procedures for the difficult-to-teach child. Journal of Autism and Developmental Disorders, 9, 361-382.

Goetz, L., Gee, K., & Sailor, W. (1983). Crossmodal transfer of stimulus control: Preparing students with severe multiple disabilities for audiological assessment. Journal of the Association for Persons with Severe Handicaps, 8(4), 3-13.

Irvin, L. K. (1976). General utility of easy-to-hard discrimination training procedures with the severely retarded. Education and Training of the Mentally Retarded, 11, 247-250.

Lancioni, G. E. (1983). Using pictorial representations as communication means with low-functioning children. Journal of Autism and Developmental Disorders, 13, 87-105.

Lancioni, G. E., Smeets, P. M., & Olivo, D. S. (1984). Teaching severely handicapped adolescents to follow instructions conveyed by means of three-dimensional stimulus configurations. Applied Research in Mental Retardation, 5, 107-123.

LaVigna, G. W. (1977). Communication training in mute autistic adolescents using the written word. Journal of Autism and Childhood Schizophrenia, 7, 135-149.

Mackay, H. A. (1985). Stimulus equivalence in rudimentary reading and spelling. Analysis and Intervention in Developmental Disabilities, 5, 373-387.

McIlvane, W. J., Withstandley, J. K., & Stoddard, L. T. (1984). Positive and negative stimulus relations in severely retarded individuals' conditional discrimination. Analysis and Intervention in Developmental Disabilities, 4, 235-251.

Smeets, P. M., Hoogeveen, F. R., Striefel, S. & Lancioni, G. E. (1985). Stimulus overselectivity in TMR children: Establishing functional control of simultaneous multiple stimuli. Analysis and Intervention in Developmental Disabilities, 5, 247-267.

Smeets, P. M., Lancioni, G. E., Striefel, S., & Willemson, R. J. (1984). Training EMR children to solve missing minuend problems errorlessly: Acquisition, generalization, and maintenance. Analysis and Intervention in Developmental Disabilities, 4, 379-402.

Stoddard, L. T., & Gerovac, B. J. (1981). A stimulus shaping method for teaching complex motor performance to severely and profoundly retarded individuals. Applied Research in Mental Retardation, 2, 281-295.

Wolery, M., & Gast, D. L. (1984). Effective and efficient procedures for the transfer of stimulus control. Topics in Early Childhood Special Education, 4(3), 52-77.

# Comparative Studies

## Chapter 11

Melinda Jones Ault, Mark Wolery, Patricia Munson Doyle, and David L. Gast

In this document, instructional strategies used to teach a variety of behaviors were analyzed and described. Studies comparing two or more instructional strategies in terms of their relative effectiveness and/or efficiency also appeared in the literature. Billingsley and Romer (1983) reviewed studies which compared the prompt fading procedures of decreasing assistance, graduated guidance, time delay, and increasing assistance. The authors identified only six studies. Schoen (1986) also reviewed comparison studies with the same procedures, and included the instructional procedures of stimulus fading and stimulus shaping. This section expands on the above reviews and includes studies which systematically compared one or more of the following instructional strategies: constant time delay, progressive time delay, most-to-least assistance, system of least prompts, antecedent prompt and fade, antecedent prompt and test, incidental teaching, stimulus fading, stimulus shaping, and error correction procedures.

### Types of Comparison

Of the 27 comparative studies reviewed, 15 compared two procedures (e.g. Ellis, Walls, & Zane, 1980; Godby, Gast, & Wolery, in press; Neef, Walters & Egel, 1984), seven compared three (e.g. McGee & McCoy, 1981; Richmond & Bell, 1983; Strand & Morris, 1986; Walls, Zane & Thvedt, 1980), and five studies compared four procedures (Dorry, 1976; Haught, Walls, & Crist, 1984; Walls, Dowler, Haught, & Zawlocki, 1984; Zane, Walls, & Thvedt, 1981; Zawlocki & Walls, 1983). Of these studies, two compared a single instructional strategy

with "integrations of assistance procedures" (Schoen, 1986, p. 68), or procedures which combine more than one instructional strategy (Irvin & Bellamy, 1977; Mosk & Bucher, 1984). Irvin and Bellamy (1977) for example, taught an assembly task to subjects with severe retardation using stimulus shaping, stimulus fading, and a combined shaping and fading procedure. Mosk and Bucher (1984) taught students with moderate and severe handicaps to put pegs in a pattern on a pegboard and hang up washcloths and toothbrushes. In both of the experiments in their study, the system of least prompts was compared with system of least prompts plus stimulus shaping. The majority of the studies in this review compared stimulus manipulation procedures with another instructional strategy (e.g. Dorry 1976; Schreibman, 1975; Wolfe & Cuvo, 1978), or compared error correction with another strategy (e.g. Ellis et al., 1980; McGee & McCoy 1981; Zane et al. 1981). A description of the subjects, settings, behaviors, results, and experimental designs that were involved in the investigations using stimulus manipulation procedures are shown in Table 1; codes for information presented in Table 1 are found in Appendix A. The behaviors and strategy specific information are shown in Table 2.

Table 1

Results from Investigations Comparing Two or More Strategies

| Citation | Population Number/ Gender | Age | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Ault (1985) | 2M 1F | 8.1-11.3 | MoMR | PS | Community sign reading | S1+ S2+ | T E M S S1=S2 | PS+ T+/- | +/-M | PT |
| Strategy 1 - PTD; Strategy 2 - CTD | | | | | | | | | | |
| Bennett et al. (1986) | 1M 2F | 14-17 | MoMR SMR HI VI | PS | Manual signing | S1+ S2+ | T E M S S1<S2 | N/D | N/D | PT |
| Strategy 1 - PTD; Strategy 2 - SLP | | | | | | | | | | |
| Cavallaro & Bambara (1982) | 1M | 5.2 | DD SLI | CS | Two-word requestion | S1>S2 | N/D | T- | N/D | AT |
| Strategy 1 - Incidental teaching; Strategy 2 - Question-label | | | | | | | | | | |
| Coapo (1981) | 5M 1F | 12-16 | SMR PMR | IN | Recept. color id. id. | S1>S2 | E S1<S2 | N/D | N/D | ABA |
| Strategy 1 - SLP; Strategy 2 - Most-least | | | | | | | | | | |
| Dorry (1976) | 32M 16F | 11.8-36.4 | MoMR SMR | IN | Word reading | S1>S3 S3>S4 S4>S1 | E | N/D | S1+/- S2+/- S3+/- S4+/- | Gr |
| Strategy 1 - Fade word in; Strategy 2 - Fade picture out; Strategy 3 - Double-fade; Strategy 4 - Standard | | | | | | | | | | |
| Ellis et al. (1980) | 12M 11F | 18-50 | MiMR HI | CS | Apparatus assembly | N/A | E,S1<S2 M,S1=S2 T,S2<S1 but S1 had a mandatory number of trials | N/D | +/-M S1=S2 | Gr |
| Strategy 1 - Preresponse; Strategy 2 - Error Correction | | | | | | | | | | |
| Glendenning et al. (1983) | 5M 7F | 16-20 | MoMR SMR | PS | Tying string on box | N/A | S2>S1 | N/D | N/D | Gr |
| Strategy 1 - SLP sequence; Strategy 2 - Most-least sequence; Strategy 3 - Most-least sequence | | | | | | | | | | |

Table 1 Continued.

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Godby et al. (in press) | 1M 2F | 8.3-16 | Aut SMR MR | PS | Recept. object id. | S1+ S2+ | S T E N S1<S2 | N/D | N/D | Gr |
| Strategy 1 - PTD; Strategy 2 - SLP | | | | | | | | | | |
| Haught et al. (1984) | 1SM 6F | 18-44 | MiMR MoMR | CS | Apparatus assembly | N/A | E S1,S3<S2,S4 N S1,S2<S3,S4 | N/D | N/D | Gr |
| Strategy 1 - Short task - preresp.; Strategy 2 - Short task - Error Corr.; Strategy 3 - Long task-Preresp.; Strategy 4 - Long task-Error Correction | | | | | | | | | | |
| Irvin & Bellamy (1977) | 5IN/D | $\bar{X}$= 23-25 | SMR | IN | Apparatus assembly | S3>S2>S1 | TE S3<S2<S1 | N/D | N/D | Gr |
| Strategy 1 - Stimulus shaping; Strategy 2 - Stimulus fading; Strategy 3 - Combined shaping/fading | | | | | | | | | | |
| McGee et al. (1985) | 3M | 6-11 | Aut | SS | Express. labeling of prepositions | +/- S1=S2 | N S1=S2 | P,S+/- S2>S1 T,S2>S1 | N/D | MB |
| Strategy 1 - Error Correction; Strategy 2 - Incidental teaching | | | | | | | | | | |
| McGee & McCoy (1981) | 4M | 18.5-22.5 | MoMR | CS | Word reading | S2,S3>S1 | E S2<S3<S1 T S1<S3<S2 | N/D | +/-D S2.S3>S1 | MB |
| Strategy 1 - Error Correction; Strategy 2 - Stim. fading; Strategy 3 - PTD | | | | | | | | | | |
| Mank & Bucher (1984) | Exper 1 4M 2F | 1.8-6.1 | MoMR SMR | SS | Placing pegs in pegbd. | S2+ S1+/- | E S2<S1 P/U S2<S1 T S2<S1 | P+/- S+/- | N/D | AT |
| | Exper 2 4M 2F | 2.5-9.9 | MoMR SMR | SS | Hang items on peg | S2>S1 | ES2<S1 P/U S2<S1 | P+/- S+ | N/D | AT |
| Strategy 1 - SLP; Strategy 2 - Stim. shaping and SLP | | | | | | | | | | |

| Citation | Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Behavior | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Neef et al. (1984) | 3M 1F | 4-6 | Aut DD | PS | Yes/No response | S1- S2+ | N/D | T+/m | N/D | MB |
| Strategy 1 - Error Correction; Strategy 2 - Incidental teaching | | | | | | | | | | |
| Precious (1985) | 4M | 7.2-8.10 | LD | PS | Sight word reading | S1+ S2+ | T,E,N S1=S2 | SP+ T+ | N/D | PT |
| Strategy 1 - PTD; Strategy 2 - CTD | | | | | | | | | | |
| Richmond & Bell (1983) | 10M 5F | 16-55 | PMR | IN | Discrim. of circles | +/- | E S1<S2<S3 | N/D | N/D | N/D |
| Strategy 1 - Stim. shaping; Strategy 2 - Prompt-fade; Strategy 3 - Error correction | | | | | | | | | | |
| Rynders et al. (1979) | 20 2M:1F | 3 | SD | N/D | Items on assessment | +/- S2>S1 | P/U,E S1=S2 | N/D | N/D | Gr |
| Strategy 1 - SLP; Strategy 2 - Error correction | | | | | | | | | | |
| Schreibman (1975) | 4M 2F | 8.6-14.0 | Aut | IN | Visual/ Auditory discrimin. | S1- S2+/- | E S2<S1 | N/D | N/D | N/D |
| Strategy 1 - Most-least; Strategy 2 - Stim. shaping | | | | | | | | | | |
| Strand & Morris (1986) | 12M 9F | 7.1-14.8 | SMR | SS | Visual discrimin. | S1+ S2+ S3+/- | E,T S1;S2<S3 S1=S2 | N/D | N/D | Gr |
| Strategy 1 - Most-least; Strategy 2 - Stim. fading; Strategy 3 - Error correction | | | | | | | | | | |
| Thomas (1986) | 1M 2F | 7-9 | LD | PS | Sight word reading | S1+ S2+ | S,E,N S1=S2 | T+ | N/D | PT |
| Strategy 1 - PTD; Strategy 2 - CTD | | | | | | | | | | |
| Valle et al. (1981) | 9M 5F | 16-50 | MiMR MoMR | CS | Fold shirts; Set table; Use tape player | N/A | E,N S1=S2=S3 | N/D | N/D | Gr |
| Strategy 1 - SLP sequence; Strategy 2 - Most-least sequence; Strategy 3 - Most-least sequence | | | | | | | | | | |

Table 1 Continued.

| Citation | Population Number/ Gender | Age/ Yrs. | Diag-nosis | Setting | Behavior | Effective-ness | Efficiency | Generali-zation | Mainten-ance | Design |
|---|---|---|---|---|---|---|---|---|---|---|
| Walls et al. (1984) | 12M 7F | 19-56 | MiMR M | CS | Apparatus assembly | N/A | E S2:S3:S4:<S1 P/U S3:S4<S1:S2 M S1:S2<S3:S4 | N/D | N/D | Gr |

Strategy 1 - Whole task-Error Corr.; Strategy 2 - Whole task-PTD; Strategy 3 - Forward chain-Error Corr.; Strategy 4 - Forward chain-PTD

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Walls et al. (1980) | 6M 6F | 23-29 | MoMR SMR | CS | Apparatus assembly | S1+/- S2+ S3+ | M S1=S2=S3 E Bkwd<Total Prereap<EC | N/D | N/D | MB |

Strategy 1 - Personal method; Strategy 2 - Whole task-Error Corr.; Strategy 3 - Backward chain-Prereponse

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Walsh & Lamberts (1979) | 15M 15F | $\bar{X}$= 12.4 | MoMR | PS | Sight word reading | S2>S1 | N/D | T S2>S1 | N/D | RM Gr |

Strategy 1 - Stim. fading; Strategy 2 - Stim. shaping

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Wolfe & Cuvo (1978) | 1PM 5F | $\bar{X}$= 21.10 | SMR | IN | Recept. letter id. | S2>S1 | T S2<S1 | N/D | +/-W | Gr |

Strategy 1 - Most-least; Strategy 2 - Stim. shaping

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Zane et al. (1981) | 9M 3F | 19-45 | MoMR SMR | CS | Apparatus assembly | +/- | M S3<S1:S2:S4 E S1<S2:S3:S4 P/U S3:S4<S1:S2 | N/D | N/D | RM |

Strategy 1 - Backward chain-Prereponse; Strategy 2 - Backward chain-Error Corr.; Strategy 3 - Total task-Prereponse; Strategy 4 - Total task-Error Corr.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Zawlocki et al. (1983) | 6M 6F | 18-41 | MiMR MoMR | CS | Visual discrim. | N/A S1,S2, S3>S4 | E S1=S2=S3 S1,S2,S3<S4 | N/D | N/D | Gr |

Strategy 1 - Stim. shaping on S+; Strategy 2 - Stim. shaping on S-; Stratgey 3 - Stim. shaping on S+ and S-; Strategy 4 - Error correction

Table 2



Methods from Investigations Comparing Two or More Strategies

| Citation | Population Number/Diag. | Behavior Name | Behavior Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|
| Ault (1985) | | | | | | |
| Strategy 1 PTD | 3 | MoMR | Community sign reading | DS | MO prompt: 1 sec. delay increase each session; Maximum 8 sec. delay | descriptive verbal praise, token | VR, 10 sec. inseat timeout |
| Strategy 2 CTD | | | | | MO prompt: 5 sec. delay increase each session: Maximum 5 sec. delay. | descriptive verbal praise, token | VR, 10 sec. in-seat timeout |
| Bennett et al. (1986) | | | | | | | |
| Strategy 1 PTD | 3 | MoMR SMR VI | Manual signing | DS | MO prompt: 1 sec. delay increase each session: Maximum 10 sec. delay | descriptive verbal praise, edibles | 10 sec. in-seat timeout |
| Strategy 2 SLP | | MI | | | 5 prompt levels: SD/SD, VI/SD, MO/SD, PP/SD, FP. 5 sec. response interval. | descriptive verbal praise, edibles | Present next prompt level; If error after FP, then 10 sec. timeout |

CODES: See Appendix A; See Appendix A; Ch = chained, DS = discrete; I = independent, VI = verbal instruction, G = gesture, MO = model, VP = visual prompt, PP = partial physical, FP = full physical manipulation, SD = discriminative stimulus, SLP = system of least prompts, S+ = correct stimulus, S- = incorrect stimulus, S = subject, N/D = not defined; CRF = continuous reinforcement, VR = variable reinforcement, MO = model, N/D = not defined; VR = verbal reprimand, MO = model, VI = verbal instruction, IVI = indirect verbal instruction, FP = full physical manipulation, NR = no response, N/D = not defined

Table 2 continued.

| Citation | Population Number/Diag. | Behavior Name | Behavior Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|
| Cavallaro & Bambara (1982) | | | | | | |
| Strategy 1 Incidental teaching | 1 | DB SLI | Two-word requesting | DS | S initiated then 4 prompt levels: G/VI/MO/MO. Response interval 3 sec. | praise, present object requested | present next prompt level; If incorrect after 2nd model presented object anyway |
| Strategy 2 Question-label | | | | | Described objects, events in the environment. Asked questions. Never required S to respond to gain materials. | None | None |
| Csapo (1981) | | | | | | | |
| Strategy 1 SLP | 6 | SMR PMR | Fluency in recept. color identification | DS | 4 prompt levels: I/MO/PP/FP. 3 sec. response interval. If 3 correct at one level, reinforce for corrects at decreased level of prompting. | praise, edibles CRF | N/D |
| Strategy 2 Most-least | | | | | 4 prompt levels: FP/PP/G/I. 3 corrects, move to next level. | praise, edibles CRF | N/D |
| Dorry (1976) | | | | | | | |
| Strategy 1 Fade word in | 48 | MoMR SMR | Word reading | DS | Picture was visible, word gradually faded in. | verbal praise edible | VR |
| Strategy 2 Fade picture out | | | | | Picture and word visible. picture gradually faded out. | verbal praise edible | VR |
| Strategy 3 Double-fade | | | | | Simultaneously faded word in and picture out. | verbal praise edible | VR |
| Strategy 4 Standard | | | | | Word and picture paired without fading. | verbal praise edible | VR |

| Citation | Population Number/Diag. | Behavior Name | Behavior Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|
| Ellis et al. (1980) | | | | | | |
| Strategy 1 Preresponse | 23 | MiMR MI | Apparatus assembly | Ch | Model preceded response | verbal praise | NO, trial repeated |
| Strategy 2 Error Correction | | | | | Model followed error | verbal praise | NO |
| Glendenning et al. (1983) | | | | | | |
| Strategy 1 SLP sequence | 12 | MoMR SMR | Tying string on box | Ch | VI/G/MO/PP | N/D | Reprompted response |
| Strategy 2 Most-least sequence | | | | | VI,PP/VI,PP/VI,G/VI | N/D | Reprompted response |
| Strategy 3 Most-least sequence | | | | | PP/Moderate phys. assist./ light phys. assist./G | N/D | Reprompted response |
| Godby et al. (in press) | | | | | | | |
| Strategy 1 PTD | 3 | Aut SMR MR | Recept. object id. | DS | NO prompt: 1 sec delay increase each session. Maximum 7 sec. delay. | descriptive verbal praise, edibles | 10 sec. in-seat timeout |
| Strategy 2 SLP | | | | | 5 prompt levels: I/G/MO/PP/FP. 5 sec. response interval. | descriptive verbal praise edibles | present next prompt level |

Table 2 continued.

| Citation | Population Number/Diag. | | Behavior Name | Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Haught et al. (1984) | | | | | | | |
| Strategy 1 Short task - Prereq. | 21 | MiMR MoMR | Apparatus assembly | Ch | MO preceded response (6 parts) | N/D | MO, then FP if needed |
| Strategy 2 Short task - Error Corr. | | | | | MO followed error (6 parts) | N/D | MO, then FP if needed |
| Strategy 3 Long task - Prereq. | | | | | MO preceded response (12 parts) | N/D | MO, then FP if needed |
| Strategy 4 Long task - | | | | | MO followed error (12 parts) | N/D | MO, then FP if needed |
| Irvin & Bellamy (1977) | | | | | | | |
| Strategy 1 Stimulus shaping | 51 | SMR | Discrim. of nut faces | DS | Raised vs. flat side of nut. Raised side of nut was exaggerated, decreased height of raised side. | social, verbal praise | Verbal, full or faded prompts used as needed. |
| Strategy 2 Stimulus fading | | | | | Added color to raised side. Color intensity gradually faded. | social, verbal praise | Verbal, full or faded prompts used as needed. |
| Strategy 3 Combined Shaping/fading | | | | | Combined both procedures and faded. | social, verbal praise | Verbal, full or faded prompts used as needed. |
| McGee et al. (1985) | | | | | | | |
| Strategy 1 Error Correction | 3 | Aut | Express labeling of prepositions | DS | Presented materials and SD. Seated at table. | descriptive praise, 5 sec. access to materials. | MO |
| Strategy 2 Incidental teaching | | | | | Materials on shelves. When S requested item, the SD was presented. | descriptive praise, 5 sec. access to materials. | MO |

| Citation | Population Number/Diag. | Behavior Name | Behavior Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|
| McGee & McCoy (1985) | | | | | | |
| Strategy 1 Error Corr. | 4 MoMR | Word reading | DS | Word presented for 10 sec. then picture superimposed on word. | illumination of light CRF: tokens VR3 | N/D |
| Strategy 2 Stim. fading | | | | Picture and word presented simultaneously: picture intensity gradually decreased After correct, decrease picture intensity 1 step. | illumination of light CRF: tokens VR3 | N/D |
| Strategy 3 PTD | | | | VP: 1 sec delay increase each correct response. Maximum 5 sec delay. | illumination of light CRF: tokens VR3 | N/D |
| Nosk & Bucher (1984) Experiment 1 | | | | | | |
| Strategy 1 SLP | 6 MoMR SMR | Placing pegs in pegboard | DS | 5 prompt levels: I/I,G/I,MO/I,PP I,FP. 5 sec. response interval | edible CRF | Present next prompt level |
| Strategy 2 Stim. shaping + SLP | | | | SLP prompts and gradually added S- | edible CRF | Present next prompt level |
| Experiment 2 | 6 MoMR SMR | Hang items on peg | DS | Same comparisons as above | N/D | N/D |

Table 2 continued.

| Citation | Population Number/Diag. | | Behavior Name | Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Neef et al. (1984) | | | | | | | |
| Strategy 1 Error Corr. | 4 | Aut DD | Yes/No response | DS | S labeled object, then yes/no (SD) was presented | descriptive praise and edible or tangible | NO. repeat SD until correct response occurred. |
| Strategy 2 Incidental teaching | | | | | S initiated request, then yes/no (SD) who presented | Yes questions-descriptive praise, delivery of item | Yes questions-withhold item. wait 1 sec. repeat question. prompt correct response. |
| | | | | | | No questions-descriptive praise, delivery of selected item | No questions-offer item. repeat question. prompt correct. and deliver item |
| Precious (1985) | | | | | | | |
| Strategy 1 PTD | 4 | LD | Sight word reading | DS | NO prompt: 1 sec. delay increase each block of 10 trials. Maximum 7 sec. delay. | verbal praise | VR. 10 sec in-seat timeout |
| Strategy 2 CTD | | | | | NO prompt: 3 sec. delay increase after 1st block of 10 trials. Maximum 3 sec. delay | verbal praise | VR. 10 sec in-seat timeout |
| Richmond & Bell (1983) | | | | | | | |
| Strategy 1 Stim. shaping | 15 | PHR | Size discrim. of circles | DS | Size of S- was gradually increased over 12 trials. | Verbal praise, edible | VR. remove materials |
| Strategy 2 Prompt-fade | | | | | Point prompt. The proximity of the point to the S+ was gradually decreased. | verbal praise, edible | VR. remove materials |
| Strategy 3 Error Corr. | | | | | S+ and S- at criterion levels throughout instruction. | verbal praise, edible | VR. remove materials |

Table 2 continued.

| Citation | Population Number/Diag. | Behavior Name | Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|
| Rynders et al. (1979) | | | | | | |
| Strategy 1 SLP | 20 DD | Ideas on assessment | DS | 4 prompt levels: I/VI.VI.NO/VI.PP | N/D | present next prompt level |
| Strategy 2 Error Corr. | | | | Presented SD and waited 15 sec. or 30 sec. for correct response. | N/D | VI up to 3 times if needed |
| Schreibman (1975) | | | | | | |
| Strategy 1 Most-least | 6 Aut | Visual/ auditory discrim. | DS | Visual task - Proximity of point prompt to S+ was gradually decreased. Aud. task - Paired buzzer with S+ Volume of buzzer faded. | Verbal praise, edibles | VR remove materials |
| Strategy 2 Stim. shaping | | | | Visual task - Size and position prompts were faded out. Redundant components were faded in. Aud. task - Redundant components faded in. Volume intensity gradually increased. | Verbal praise, edibles | VR remove materials |
| Strand & Morris (1986) | | | | | | |
| Strategy 1 Most-least | 21 SMR | Visual discrim. | DS | 8 prompt levels: VI, 6, FP/fade out prompts over 8 levels. Levels N/D.2 corrects, move to next step. | computer tunes, verbal praise, edible | If incorrect score error. If NR-IVI. If still NR-score error. |
| Strategy 2 Stim. shaping | | | | Faded in intensity of S-: 2 corrects, move to next step. | computer tunes, verbal praise, edible | If incorrect score error. If NR-IVI. If still NR score error. |
| Strategy 3 Error Corr. | | | | Stimuli presented. | computer tunes, verbal praise, edible | If incorrect score error. If NR-IVI. If still NR score error. |

Table 2 continued.

| Citation | Population Number/Diag. | | Behavior Name | Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|---|
| Thomas (1986) | | | | | | | |
| Strategy 1 PTD | 3 | LD | Sight word reading | DS | NO prompt: 1 sec. delay increase each session. Maximum 6 sec. delay | verbal praise | VR |
| Strategy 2 CTD | | | | | NO prompt: 3 sec. delay increase after 1st session. Maximum 3 sec. delay. | verbal praise | VR |
| Wallis et al. (1981) | | | | | | | |
| Strategy 1 SLP sequence | 14 | MiMR MoMR | Fold shirts: Set table: Use tape player | Ch | 4 prompt levels: I/VI/NO/PP | verbal praise | N/D |
| Strategy 2 Most-least sequence | | | | | 4 prompt levels: I/PP/NO/VI | verbal praise | N/D |
| Strategy 3 Most-least sequence | | | | | 4 prompt levels: I/PP/PP/Slight physical prompt | verbal praise | N/D |
| Wallis et al. (1984) | | | | | | | |
| Strategy 1 Whole task- Error corr. | 19 | MiMR M | Apparatus assembly | Ch | First trial-NO given before each response in task. Thereafter, no NO and given as much time as needed to complete response. | verbal praise | VR, NO, require correct response |
| Strategy 2 Whole task- PTD | | | | | First trial-same as above. 1 sec. delay increase each correct response. | verbal praise | VR, NO, require correct response |
| Strategy 3 Forward chain- Error corr. | | | | | New part of task only added after correct response. Given as much time as needed to complete response. | verbal praise | VR, NO, require correct response |
| Strategy 4 Forward chain- PTD | | | | | New part added only after anticipation. 1 sec. delay increase each correct response. | verbal praise | VR, NO, require correct response |

| Citation | Population Number/Diag. | Behavior Name | Behavior Type | Procedures | Consequences Correct Responses | Consequences Error Responses |
|---|---|---|---|---|---|---|
| Walls et al. (1980) | | | | | | |
| Strategy 1 Personal method | 12 | MoMR SMR | Apparatus assembly | Ch | Trainers taught however they wished. | Varied | Varied |
| Strategy 2 Whole task- Error corr. | | | | | MO entire task-then disassembled and presented to S. | Social praise | VR. MO. description. PP |
| Strategy 3 Backward chain- Preresponse | | | | | MO entire task. disassembled. last part and provided MO. description. PP, then S performed. | Social praise | VR. MO |
| Walsh & Lamberts (1979) | | | | | | | |
| Strategy 1 Stim. fading | 30 | MoMR | Sight word reading | DS | Word and picture presented simultaneously, picture gradually faded. | N/D | VR. MO S repeat MO |
| Strategy 2 Stim. shaping | | | | | Began with grossly dissimilar stimuli and gradually manipulated letters until stimuli more similar to target word. | N/D | VR. MO S repeat MO |
| Wolfe & Cuvo (1978) | | | | | | | |
| Strategy 1 Most-least | 24 | SMR | Recept. letter id. | DS | Point prompt, 3 prompt levels each increases distance of point from S+. 8/10 correct at each level, give probe trials. | praise. choice of reinforcer from tray | incorrect- VR. remove stimuli NR-"Let's try another one" |
| Strategy 2 Stim. shaping | | | | | Lines of letters thickened. gradually decrease thickness and height of lines. | praise. choice of reinforcer from tray | incorrect- VR. remove stimuli NR-"Let's try another one". |

Table 2 continued.

| Citation | Population Number | Diag. | Behavior Name | Type | Procedures | Consequences Correct Responses | Error Responses |
|---|---|---|---|---|---|---|---|
| Zane et al. (1981) | | | | | | | |
| Strategy 1 Backward chain- Preresponse | 12 | MoMR SMR | Apparatus assembly | Ch | MO then S performed. When no errors, another part removed and modeled. | Verbal praise | VR, FP |
| Strategy 2 Backward chain- Error corr. | | | | | No MO given before response | Verbal praise, MO | VR, FP |
| Strategy 3 Total task-Preresponse | | | | | MO before each step in task analysis. Then S performed. | Verbal praise | VR, FP |
| Strategy 4 Total task- Error corr. | | | | | No MO given: all parts presented. | verbal praise, MO | VR, FP |
| Zavlocki et al. (1983) | | | | | | | |
| Strategy 1 Stim. shaping on S+ | 12 | MiMR MoMR | Visual discrim. | DS | Size of S+ circle gradually faded. | 'Yes' | VR |
| Strategy 2 Stim. shaping on S- | | | | | Numerosity of S - was gradually increased. | 'Yes' | VR |
| Strategy 3 Stim. shaping on S+ and S- | | | | | Size faded simultaneously on S+ and S-; Numerosity faded simultaneously on S+ and S-. | 'Yes' | VR |
| Strategy 4 Error corr. | | | | | Stimuli were at criterion levels. | 'Yes' | VR |

Behavior/Popluation

Behaviors that were taught in these studies included expressive language skills (Bennett, Gast, Wolery, & Schuster, 1986; Cavallaro & Bambara, 1982; McGee, Krantz, & McClannahan, 1935; Neef et al., 1984), receptive language skills (Godby, Gast, & Wolery, in press), discrimination tasks (Csapo, 1981; Richmond & Bell, 1983; Schreibman, 1975; Strand & Morris, 1986; Zawlocki & Walls, 1983), daily living skills (Walls, Crist, Sienicki, & Grant, 1981), self-help skills (Mosk & Bucher, 1984; Rynders, Behlen, & Horrobin, 1979), vocational skills (Ellis et al., 1980; Glendenning, Adams, & Sternberg, 1983; Haught et al., 1984; Irvin & Bellamy, 1977; Walls et al., 1984; Walls et al., 1980; Zane et al., 1981), and cognitive skills such as reading (Ault, 1985; Dorry, 1976; McGee & McCoy, 1981; Precious, 1985; Thomas, 1986; Walsh & Lamberts, 1979), visual-motor tasks (Mosk & Bucher, 1984), preacademic items on an assessment tool (Rynders et al., 1979), and letter discrimination (Wolfe & Cuvo, 1978). The majority of these investigations taught discrete behaviors (e.g. Csapo, 1981; Walsh & Lamberts, 1979; Wolfe & Cuvo, 1978), while eight of the studies taught chained tasks. These chained tasks included all of the vocational behaviors and daily living skills (e.g., Ellis et al., 1980; Walls et al., 1981; Zane et al., 1981).

The populations that participated in these studies included persons with learning disabilities, mild to moderate retardation, autism, or multiple handicaps. Ages ranged from infants to adults with the majority being secondary-aged students or adults.

## Results

### Antecedent Prompting versus Error Correction

The most frequent comparison studied in the literature was an antecedent prompting procedure versus an error correction procedure to teach assembly skills (Ellis et al., 1980; Haught et al., 1984; Walls et al., 1980; Zane et al., 1981). Ellis et al. (1980), for example, taught 23 adults with mild mental retardation to assemble three apparatus. An antecedent prompting procedure in which a model was given before a trial, was compared with an error correction procedure, in which a model was given only after an error. Other comparisons were made in these studies in addition to the antecedent/error correction comparisons. For example, Haught et al. (1984) compared a short task with a long task; were both conducted with each procedure. Walls et al. (1980) compared a personal method (i.e., trainers were told to teach however they wanted), a structured whole method (i.e., an error correction procedure presented in a total task sequence), with a backward chaining method (i.e., a preresponse model procedure presented in a backward chaining sequence). Zane et al. (1981) compared a backward chaining sequence with a total task sequence conducted with each procedure.

Effectiveness. Three of these studies did not specify effectiveness measures but taught subjects with one procedure for a specific number of minutes then discontinued training at that time if criterion was not met (Ellis et al., 1980; Haught et al., 1984; Zane et al., 1981). The Walls et al. (1980) study stated that all procedures were effective except for one subject that did not meet criterion with the personal method.

Efficiency. In terms of efficiency all studies reported instructional time and error measures. Ellis et al. (1980) and Walls et al. (1980) both

reported no significant differences between procedures in terms of instructional time. Zane et al. (1981) reported that the total task antecedent model procedure required less time than any of the other procedures. Haught et al. (1984) only stated that the short task took less time than the long task. In terms of errors during training, all studies reported that the antecedent model procedure produced fewer errors than the error correction procedure (Ellis et al., 1980); Haught et al., 1984; Walls et al. 1980; Zane et al., 1981).

Stimulus Modification versus Other Procedures

Ten of the studies compared some type of stimulus manipulation procedure with one or more other procedures. These comparisons included within-stimulus fading (i.e., stimulus shaping) versus extra-stimulus fading (i.e., most-to-least procedure) (Schriebman, 1975; Wolfe & Cuvo, 1978); stimulus shaping versus stimulus fading (Irvin & Bellamy, 1977; Walsh & Lamberts, 1979), stimulus shaping versus error correction (Zawlocki & Walls, 1983), stimulus shaping versus antecedent prompt and fade versus error correction (Richmond & Bell, 1983); superimposition and stimulus fading versus progressive time delay versus error correction (McGee & McCoy, 1981), stimulus fading versus most-to-least versus error correction (Strand & Morris, 1986), three kinds of stimulus fading versus a preresponse prompt that was not faded (Dorry, 1976), and stimulus shaping plus system of least prompts versus system of least prompts only (Mosk & Bucher, 1984).

Effectiveness. Schreibman (1975) and Wolfe and Cuvo (1978) both found that the stimulus shaping procedure was more effective than a most-to-least procedure in teaching visual/auditory discriminations and letter recognition, respectively. In the Strand and Morris (1986) study, both stimulus fading and

most-to-least procedures were found to be more effective than an error correction procedure in teaching discrimination skills. Stimulus shaping was also more effective than stimulus fading in teaching sight word reading to students with trainable mental retardation (Walsh & Lamberts, 1979). Richmond and Bell (1983) found that all procedures (i.e., stimulus shaping, prompts and fade, error correction) were effective in teaching a size discrimination to adults with profound handicaps. In the Zawlocki and Walls (1983) investigation, error correction was not as effective as three stimulus shaping procedures in which the relevant dimension was faded on the S+, the S-, and the S+ and S- simultaneously. All shaping procedures resulted in increases in correct responding whereas the error correction procedure did not increase responding over chance levels. A combined stimulus shaping plus stimulus fading procedure was more effective than either procedure in isolation for teaching a bicycle axle assembly to adults with severe retardation (Irvin & Bellamy, 1977). Mosk and Bucher (1984) also found that the combined procedure of stimulus shaping plus system of least prompts was more effective than system of least prompts alone. McGee and McCoy (1981) reported mixed effectiveness results. Stimulus fading was most effective for two subjects, progressive time delay was most effective for one subject, and no difference in effectiveness between progressive delay and stimulus fading was found for one subject. The authors also reported that for all subjects, both fading and time delay were more effective than error correction. Subjects' history with either stimulus shaping or progressive time delay appeared to result in increased effectiveness of that procedure. In the Dorry (1976) study, word reading was taught to 48 adolescents and adults with mental retardation who had a mean IQ of 38. Four procedures taught sight word reading by pairing a

picture the subject could identify with the target word. The procedures included: 1) fade-word-in condition - the picture was always visible and the word was faded in; 2) fade-picture-out condition - the word and picture were initially paired and the picture was gradually faded out; 3) double-fade condition - the word was gradually faded in while the picture was faded out; and 4) standard condition - the word and picture were always paired without fading. The percentage of correct responses to the word only was then tested. Results indicated the fade picture out was the most effective condition followed by the double fade, the standard, and finally the fade word in condition.

Efficiency. All of these studies, with the exception of Walsh and Lamberts (1979), reported some type of efficiency data. Number or percentage of errors was most frequently reported and was included in seven studies (e.g. Richmond & Bell, 1983; Schreibman, 1975; Strand & Morris, 1986), trials to criterion measure was reported by four (Irvin & Bellamy, 1977; McGee & McCoy, 1981; Mosk & Bucher, 1984; Strand & Morris, 1986), and one study reported number and percentage of prompts given (Mosk & Bucher, 1984). In the studies which reported error efficiency measures, stimulus shaping or stimulus fading produced a lower number or percentage of errors than most-to-least (Schreibman, 1975), system of least prompts (Mosk & Bucher, 1984), time delay or error correction (McGee & McCoy, 1981), and antecedent prompt and fade or error correction (Richmond & Bell, 1983). No significant differences existed between most-to-least and stimulus fading procedures in terms of number of errors, but both had less errors than the error correction procedure in teaching discriminations (Strand & Morris, 1986). The combined stimulus shaping and stimulus fading procedure used in the Irvin and Bellamy (1977)

study produced less errors than the stimulus fading procedure, and stimulus fading resulted in fewer errors than stimulus shaping. Zawlocki and Walls (1983) did not report errors, but stated that fewer correct responses occurred in the error correction procedure than in any of the stimulus shaping conditions. Regarding the trials to criterion measure, stimulus shaping had fewer trials to criterion than a most-to-least strategy (Wolfe & Cuvo, 1978). Strand and Morris (1986) reported no significant differences in the number of trials between most-to-least and stimulus fading, but both procedures required less trials than error correction. Error correction had fewer trials followed by progressive delay and finally stimulus fading had the most trials in the McGee and McCoy (1981) investigation. Irvin and Bellamy (1977) reported that the combined stimulus manipulation procedures had the fewest trials to criterion followed by the stimulus fading procedure and then the stimulus shaping procedure.

Time Delay versus Other Procedures.

In addition to the McGee and McCoy (1981) study, progressive time delay was compared with the system of least prompts (Bennett et al., 1986; Godby et al., in press) and with an unlimited delay (i.e., error correction) procedure (Walls et al., 1984). Progressive delay was also compared with constant delay in teaching sight word reading to students with moderate retardation (Ault, 1985), and learning disabled subjects (Precious, 1985; Thomas, 1986).

Effectiveness. Both Bennett et al. (1986) and Godby et al. (in press) found that progressive time delay and system of least prompts were effective in teaching expressive manual signing and receptive object identification to students with moderate to severe retardation, respectively. Ault (1985), Precious (1985), and Thomas (1986) all found that both progressive and

constant time delay were effective procedures in teaching word reading to elementary children.

Efficiency. Both Bennett et al. (1986) and Godby et al. (in press) found progressive time delay to be more efficient than the system of least prompts on the efficiency measures of sessions, trials, errors, and direct instructional time to criterion. Each of the progressive versus constant delay comparison studies found only slight differences in efficiency and so considered the two procedures to be equally efficient on the measures of sessions, trials, errors, and direct instructional time to criterion. Walls et al. (1984) compared progressive delay with error correction when each procedure was taught using a total task and forward chaining sequence. Nineteen adults with a mean IQ of 77.7 were taught to assemble four apparatus. Assembly was not trained to criterion but each procedure was used in training for a maximum of 75 minutes. The authors reported efficiency measures of number of errors, training time, and number of prompts. Error correction in a total task sequence had more errors than the other procedures. In addition, total task required more prompts and less training time than forward chaining.

System of Least Prompts versus Other Procedures

Not only has the system of least prompts procedure been compared to time delay and stimulus shaping, but it also was compared to a most-to-least procedure (Csapo, 1981; Glendenning et al., 1983; Walls et al., 1981), and to an error correction procedure (Rynders et al., 1979).

Effectiveness. Csapo (1981) found both procedures (system of least prompts, most-to-least prompts) were effective in building fluency with students who had severe and profound handicaps. Both Glendenning et al. (1983) and Walls et al. (1981) compared one prompt sequence arranged in a

least-to-most order of assistance (i.e., system of least prompts), with two prompt sequences arranged in a most-to-least order of assistance. Neither study taught skills to criterion but stopped training after a specific number of trials or minutes so effectiveness data were not reported. Rynders et al. (1979) compared a system of least prompts procedure with an error correction procedure. Three-year-old children with down syndrome were compared to 3-year-old children without handicaps in solving preacademic tasks and self-help skills. The system of least prompts sequence (i.e., augmented instruction), consisted of the independent level, followed by verbal instruction, verbal instruction plus modeling, and verbal instruction plus manual guidance. Each prompt level was given contingent upon the subject not performing the task correctly. The error correction procedure (i.e., repeated verbal instruction) consisted of the subject being given the opportunity to perform, and contingent upon errors a verbal instruction was presented up to three times, if necessary. In terms of effectiveness, the authors stated that "despite either augmentative or repetitive verbal assistance, 36 to 42 percent of the problems remained unsolved by the Down's Syndrome children" (Rynders et al., 1979, p.72). The augmented instruction (system of least prompts), however, resulted in more problems being solved than the repeated verbal instruction procedure.

Efficiency. Csapo (1981) reported efficiency measures of errors per minute and mean increase of correct responses per minute. She stated that the system of least prompts was more efficient than the most-to-least procedure in building fluency of a color discrimination task. Walls et al. (1981) taught shirt folding, table setting, and use of a tape recorder. The authors found no efficiency differences between two most-to-least sequences and the system

of least prompts sequence in terms of number of errors to criterion, number of seconds to criterion, and percentage of correct responses. Glendenning et al. (1983) compared three prompt sequences in teaching string tying which involved: Sequence One was verbal cue, gesture, model and full physical assistance; Sequence Two was verbal cue plus full physical assistance, verbal cue plus light physical assistance, verbal cue plus gesture, and verbal cue; and Sequence Three was full physical assistance, moderate physical assistance, light physical assistance, and gesture. In terms of efficiency, the authors examined the aspects of the prompt sequences. For example, a verbal prompt alone was found to be more effective when presented last in a sequence rather than first. However, no difference existed if full physical guidance was presented first or last in a sequence. A gesture prompt was found to be more efficient when preceded by verbal cues, and Sequence Two, which included verbal cues, was more efficient than no verbal cues in Sequence Three. Overall the authors state that "using the more-restrictive to less-restrictive prompt sequence appears to represent not only a more success-based approach but also an approach that would require less branching via correction steps" (Glendenning et al., 1983, p. 325).

Naturalistic versus Other Strategies

Effectiveness. Three studies in the literature were found which compared incidental teaching with either a "question-label" procedure (Cavallaro & Bambara, 1982) or with error correction procedures (McGee et al., 1985; Neef et al., 1984). Cavallaro and Bambara (1982) compared incidental teaching with a question-label procedure in teaching a 5-year-old child with developmental delays to use two-word requests. In the question-label procedure, the teacher asked questions and described objects in the environment, but the child was

not required to speak before gaining access to materials. The incidental teaching procedure was more effective in teaching two word requests. When compared with error correction, incidental teaching was found to have no difference in effectiveness in teaching children with autism to expressively label prepositions (McGee et al., 1985). In the Neef et al. (1984) investigation, however, incidental teaching was effective whereas error correction was not in teaching yes/no responding to children with autism and severe handicaps.

Efficiency. The only efficiency measure found in these studies is reported by McGee et al. (1985) who stated that no significant difference in terms of training time existed between the two procedures.

## Summary

Based on the literature reviewed, the following statements can be made:

* Comparative studies have been conducted with students with mild to profound handicaps, autism, and multiple handicaps.
* The majority of the studies were conducted with secondary-aged students or adults.
* Both chained and discrete tasks have been taught in these studies.
* Most studies compared two instructional strategies although up to four have been compared.
* Four out of 27 studies did not report efficiency measures (Cavallaro & Bambara, 1982; Neef et al., 1984; Rynders et al., 1979, Walsh & Lamberts, 1979).
* The most frequently reported efficiency measure was errors to criterion or errors during training.
* An antecedent model procedure produced fewer errors than error correction procedures.
* Procedures using stimulus shaping or stimulus fading had less errors than a most-to-least procedure, system of least prompts, time delay, error correction, or an antecedent prompt and fade procedure.

* Mixed results exist for effectiveness and efficiency when the system of least prompts is compared to the most-to-least prompting procedure.

* Progressive delay was more efficient than system of least prompts in terms of number of sessions, errors, trials, and training time to criterion.

* Progressive and constant time delay appear to be equally effective and efficient. However, with some students efficiency differences exist, but no predictor variables could be identified to determine which of the two delay procedures would be more efficient with which students.

* In some cases, incidental teaching appears to be more effective than error correction.

* Integrated strategies appeared to be more effective than single strategies used alone.

## References


Ault, M. J. (1985). Comparison of delay procedures in teaching functional word reading to moderately handicapped children. Unpublished master's thesis, University of Kentucky, Lexington, KY.

Bennett, D. L., Gast, D. L., Wolery, M., & Schuster, J. (1986). Time delay and system of least prompts: A comparison in teaching manual sign production. Education and Training of the Mentally Retarded, 21, 117-129.

Billingsley, F. F., & Romer, L. T. (1983). Response prompting and the transfer of stimulus control: Methods, research, and a conceptual framework. Journal of the Association for the Severely Handicapped, 8(2), 3-12.

Cavallaro, C. C., & Bambara, L. M. (1982). Two strategies for teaching language during free play. Journal of the Assocation for the Severely Handicapped, 7(2), 80-92.

Csapo, M. (1981). Comparison of two prompting procedures to increase response fluency among severely handicapped learners. Journal of the Assocation for the Severely Handicapped, 6(1), 39-47.

Dorry, G. W. (1976). Attentional model for the effectiveness of fading in training reading-vocabulary with retarded persons. American Journal of Mental Deficiency, 81(3), 271-279.

Ellis, W. D., Walls, R. T., & Zane, T. (1980). Preresponse and error-correction prompting procedures for learning complex assembly tasks. Contemporary Educational Psychology, 5, 30-40.

Glendenning, N. J., Adams, G. L., & Sternberg, L. (1983). Comparison of prompt sequences. American Journal of Mental Deficiency, 88(3), 321-325.

Godby, S., Gast, D. L., & Wolery, M. (in press). A comparison of time delay and system of least prompts in teaching object identification. Analysis and Intervention in Developmental Disabilities.

Haught, P., Walls, R. T., & Crist, K. (1984). Placement of prompts, length of task, and level of retardation in learning complex assembly tasks. American Journal of Mental Deficiency, 89, 60-66.

Irvin, L. K., & Bellamy, G. T. (1977). Manipulation of stimulus features in vocational-skill training of severely retarded individuals. American Journal of Mental Deficiency, 81, 486-491.

McGee, G. G., Krantz, P. J., & McClannahan, L. E. (1985). The facilitative effects of incidental teaching on preposition use by autistic children. Journal of Applied Behavior Analysis, 18, 17-31.

McGee, G. G., & McCoy, J. F. (1981). Training procedures for acquisiton and retention of reading in retarded youth. Applied Research in Mental Retardation, 2, 263-276.

Mosk, M. D., & Bucher, B. (1984). Prompting and stimulus shaping procedure for teaching visual-motor skills to retarded children. Journal of Applied Behavior Analysis, 17, 23-34.

Neef, N. A., Walters, J., & Egel, A. L. (1984). Establishing generative yes/no responses in developmentally disabled children. Journal of Applied Behavior Analysis, 17, 453-460.

Precious, C. J. (1985). Efficiency study of two procedures: Constant and progressive time delay in teaching oral sight word reading. Unpublished master's thesis, University of Kentucky, Lexington, KY.

Richmond, G., & Bell, J. (1983). Comparison of three methods to train a size discrimination with profoundly mentally retarded students. American Journal of Mental Deficiency, 87, 574-576.

Rynders, J. E., Behlen, K. L., & Horrobin, J. M. (1979). Performance characteristics of preschool Down's syndrome children receiving augmented or repetitive verbal instruction. American Journal of Mental Deficiency, 84, 67-73.

Schoen, S. F. (1986). Assistance procedures to facilitate the transfer of stimulus control: Review and analysis. Education and Training of the Mentally Retarded, 21, 62-74.

Schreibman, L. (1975). Effects of within-stimulus and extra-stimulus prompting on discrimination learning in autistic children. Journal of Applied Behavior Analysis, 8, 91-112.

Strand, S. C., & Morris, R. C. (1986). Programmed training of visual discriminations: A comparison of techniques. Applied Research in Mental Retardation, 7, 165-181.

Thomas, T. (1986). Comparison of progressive and constant time delay in teaching oral sight word reading. Unpublished master's thesis, University of Kentucky, Lexington, KY.

Walls, R. T., Crist, K., Sienicki, D. A., & Grant, L. (1981). Prompt sequences in teaching independent living skills. Mental Retardation, 19, 243-246.

Walls, R. T., Dowler, D. L., Haught, P. A., Zawlocki, R. J. (1984). Progressive delay and unlimited delay of prompts in forward chaining and whole task training strategies. Education and Training of the Mentally Retarded, 19, 276-284.

Walls, R. T., Zane, T., & Thvedt, J. E. (1980). Trainers' personal methods compared to two structured training strategies. American Journal of Mental Deficiency, 84, 495-507.

Walsh, B. F., & Lamberts, F. (1979). Errorless discrimination and picture fading as techniques for teaching sight words to TMR students. American Journal of Mental Deficiency, 83, 473-479.

Wolfe, V. F., & Cuvo, A. J. (1978). Effects of within-stimulus and extra-stimulus prompting on letter discrimination by mentally retarded persons. American Journal of Mental Deficiency, 83, 297-303.

Zane, T., Walls, R. T., & Thvedt, J. E. (1981). Prompting and fading guidance procedures: Their effect on chaining and whole task teaching strategies. Education and Training of the Mentally Retarded, 16, 125-135.

Zawlocki, R. J., & Walls, R. T. (1983). Fading on the S+, the S-, both or neither. American Journal of Mental Deficiency, 87, 462-464.

# Summary Statements and Recommendations

## Chapter 12

Mark Wolery, Patricia Munson Doyle, Melinda Jones Ault, and David L. Gast

This document is a review of articles that investigated instructional strategies used with persons whose handicaps were moderate and severe. As noted in the introduction, a strategy was defined as a replicable, systematic approach for providing instruction that addressed both antecedent and consequent events. Since the review focused on strategies, instructional variables common across strategies, the content of instruction, and many other issues were not addressed. In short, this is not the "last word" on teaching; it is a synthesis and description of strategies that are used while teaching.

Ideally, the summary chapter of a document such as this would provide clear statements telling practitioners, "if you want to teach a given behavior to a particular student who has the following prerequisite behaviors, then you should use such and such strategy." Unfortunately, the current data base does not allow such recommendations. Strategy by skill, strategy by population, and strategy by setting recommendations are not possible. However, in each of the preceding chapters, summary statements about the literature were made. This chapter focuses on (a) summary statements that can be made across the strategies, (b) identification of issues for further research, and (c) guidelines for selecting instructional strategies.

## Across-Strategy Summary Statements

1. Reports exist attesting to the effectiveness of each strategy with a variety of behaviors and students. This statement has both positive and negative aspects. Apparently, less than a dozen separate instructional strategies can be used to teach almost any behavior to a wide variety of

students in different settings. This finding suggests that teacher preparation programs should ensure that their students can competently perform these strategies. Given this small number, the task of teacher preparation should be manageable. However, two qualifications must be noted. First, although some subjects in many studies performed better than others, there were few reports of total failures in the literature. Given the presence of the educability debate (Baer, 1981; Baumeister, 1981; Kauffman, 1981), however, it is clear that the strategies are not universally effective. If they were totally effective, then the educability debate would be solved. Second, variations in the implementation of the strategies can influence their effectiveness and efficiency. Examples include the types of instructional modifications discussed in the first chapter (e.g., using distributed rather than spaced trials, presenting stimuli concurrently rather than serially, requiring an active attending response, using response-related reinforcers, and many others). Simply using the strategies as they have been described does not ensure effectiveness nor efficiency. The teacher must attend to the environmental conditions in which instruction occurs, the behaviors being taught, the manner in which stimuli and assistance are provided, and the feedback given for students' responses.

2. Relatively few replication studies assessing the procedural parameters of the strategies exist. While the need for replication may exist in nearly all areas of research, the instructional strategy literature appears to suggest a need for a particular type of replication study: those that assess variations in the procedural parameters of the strategies. Such studies would allow investigators to systematically vary components of the strategies and assess their relative effectiveness and efficiency. As noted above, numerous reports

exist concerning the effectiveness of the strategies; however, those studies infrequently contain systematic variations of earlier studies. Thus, the differences in effectiveness or efficiency could not be attributed to specific variables in the latter studies. Without such studies, an empirical technology of instruction will not be developed.

3. The literature on instructional strategies was primarily developed using students who were upper-elementary age, secondary age, and adults. Across nearly all of the strategies, the majority of the investigations were conducted using subjects who were at least 12 years of age. Thus, a considerable need exists for assessing the effectiveness and efficiency of the strategies with younger populations.

4. Most studies occurred in public schools or in institutional settings. Although studies occurred in settings such as special schools, preschool centers, and in the community, the majority of the studies were in public school and institutional settings. Since these are frequently the primary educational environments of many students, it appears that the instructional strategies literature has been conducted in applied settings.

5. Many of the investigations targeted discrete rather than chained responses. Discrete responses are those which are brief and involve one behavior rather than a series or sequence of behaviors. Chained responses are those that involve a number of behaviors which, when performed in a specific sequence, are classified as a skill, task, or complex behavior. For example, many of the articles addressed discrete responses such as naming (pictures, objects, etc.), matching, or pointing to instructional stimuli. Fewer of the articles focused on skills such as toothbrushing, dressing, self-feeding, making a meal, or assembling an apparatus. Unfortunately, many of the

behaviors that are considered useful or practical by teachers and parents are classified as chained tasks. It appears that the knowledge of instructional strategies is, in large part, a body of information related to teaching discrete behaviors; the possible exception is the system of least prompts where a majority of the behaviors taught were chained responses. Thus, when teaching chained responses, the current literature would suggest using the system of least prompts.

6. The behaviors targeted in the investigations were, for the most part, socially valid responses. Because the review attempted to focus on applied studies, this finding may be an artifact of the methods used. However, it is clear that across strategies there was a tendency for the stimulus modification strategies to deal with less applied behaviors than were found with other instructional procedures. Further, it is clear that a large body of knowledge about teaching applied behaviors exists.

7. Relatively few studies exist where two or more of the instructional strategies were directly compared. Only 27 studies were found that compared two or more of the instructional strategies; the comparisons that have been made are shown in Table 1. As can be seen, error correction has been compared most frequently to other instructional strategies followed by the stimulus modification procedures (stimulus shaping and fading) and the system of least prompts. The antecedent prompt and fade procedure, constant time delay, and naturalistic teaching procedures are the three strategies receiving the least attention in the comparative literature. Given current trends to use naturalistic procedures, this lack of comparative research is striking.

Table 1

Number of Studies that have Compared Two or More Instructional Strategies[a]

| Instructional Strategies | Instructional Strategies[b] | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | EC | APT | APF | MTL | SLP | CTD | PTD | NT | SF | SS | IPS | Total |
| Error Correction | XXXXXX XXXXXX XXXXXX | 4 | 1 | 1 | 1 | | 2 | 2 | 2 | 2 | | 15 |
| Antecedent Prompt and Test | 4 | XXXXXX XXXXXX XXXXXX | | | | | | 1 | 1 | | | 6 |
| Antecedent Prompt and Fade | 1 | | XXXXXX XXXXXX XXXXXX | | | | | | | 1 | | 2 |
| Most-to-Least Prompting | 1 | | | XXXXXX XXXXXX XXXXXX | 3 | | | | 1 | 2 | | 7 |
| System of Least Prompts | 1 | | | 3 | XXXXXX XXXXXX XXXXXX | 0 | 2 | | | 1 | 1 | 8 |
| Constant Time Delay | | | | | | XXXXXX XXXXXX XXXXXX | 3 | | | | | 3 |
| Progressive Time Delay | 2 | | | | 2 | 3 | XXXXXX XXXXXX XXXXXX | | 1 | | | 8 |
| Naturalistic Teaching | 2 | 1 | | | | | | XXXXXX XXXXXX XXXXXX | | | | 3 |
| Stimulus Fading | 2 | 1 | | 1 | | | 1 | | XXXXXX XXXXXX | 3 | 1 | 9 |
| Stimulus Shaping | 2 | | 1 | 2 | 1 | | | | 3 | XXXXX XXXXX | 1 | 10 |
| Integrated Prompting Systems | | | | | 1 | | | | 1 | 1 | XXXXXX XXXXXX XXXXXX | 3 |

a Cells with "X's" indicate those where a comparison is not possible (i.e., comparison of a strategy to itself); numbers to the lower-left of the "X's" are redundant with those to the upper-right; blank cells indicate the comparisons that have not occurred.

b EC = error correction; APT = antecedent prompt and test; APF = antecedent prompt and fade; MTL = most-to-least prompting; SLP = system of least prompts; CTD = constant time delay; PTD = progressive time delay; NT = Naturalistic Teaching; SF = stimulus fading; SS = stimulus shaping; IPS = integrated prompting systems (i.e., those combining and two or more strategies).

A summary of the results from comparative investigations is as follows: Procedures using antecedent prompting appear to produce fewer errors than error correction procedures (Haught, Walls, & Crist, 1984; Walls, Zane, & Thvedt, 1980). Strategies using stimulus shaping and fading had less errors than a most-to-least procedure (Schreibman, 1975), system of least prompts (Mosk & Bucher, 1984), time delay (McGee & McCoy, 1981), error correction (McGee & McCoy, 1981), or an antecedent prompt and fade procedure (Richmond & Bell, 1983). Mixed results exist for effectiveness and efficiency when the system of least prompts is compared to the most-to-least prompting procedure (Csapo, 1981; Glendenning, Adams, & Sternberg, 1983). The system of least prompts appears more effective than error correction (Rynders, Behlen, & Horrobin, 1979). Progressive delay was more efficient than system of least prompts in terms of number of sessions, errors, trials, and training time to criterion (Bennett, Gast, Wolery, & Schuster, 1986; Godby, Gast, & Wolery, in press). Progressive and constant time delay appear to be equally effective and efficient; however, with some students efficiency differences exist, but no predictor variables could be identified to determine which of the two delay procedures would be more efficient with which students (Ault, 1985; Precious, 1985). In some cases, incidental teaching appears to be more effective than error correction (Neef, Walters, & Egel, 1984). Integrated strategies appeared to be more effective than strategies used alone (Mosk & Bucher, 1984).

Because of the questions and subjects involved in comparative investigations, special experimental designs are required. Traditional group comparison designs were used in some of the comparative investigations, but require that the subjects assigned to each compared condition must be

equivalent. If this requirement is not met, the threat of subject selection may be present and is likely to influence the results. When using subjects with moderate to profound retardation, autism, and multiple handicaps, establishing equivalence of groups requires a large population and may be difficult to document. As a result, many investigators have chosen to use single subject designs such as the multi-treatment (Birnbrauer, Peterson, & Solnick, 1974), parallel treatments (Gast & Wolery, 1985), alternating treatments (Barlow & Hayes, 1979), adapted alternating treatments (Sindelar, Rosenberg, & Wilson, 1985), or simultaneous treatments designs (Browning, 1967). Regardless of the design used, the investigator must control for sequence or order effects and multi-treatment interference (Tawney & Gast, 1984). Further, depending upon the research question, the investigator may wish to determine which strategy will result in criterion level performance and which strategy will be more efficient in establishing such performance (Wolery & Gast, 1986). In either case, the investigator must be able to document the effects of each treatment on independent responses that are of equal response difficulty.

8. Some methodological inadequacies were found in the literature. Although the purpose of this literature review was not to analyze the methodological adequacy of the investigations, several comments are pertinent. Some of the inadequacies can be remedied by more consistent reporting when writing articles for publication. Two areas deserve particular comment. First, the instructional strategies should be more consistently named. As noted in nearly every section, procedures that involved the same operational description were given different labels by different investigators. The system of least prompts strategy had the most names, but this may be due to

the fact that it also was the most frequently studied. Naming procedures consistently within the literature will help clarify and focus knowledge about a given strategy. Second, the operational descriptions of the strategies should be written more completely and clearly. In some cases, important information was not presented (e.g., how prompts were faded in the antecedent prompt and fade procedure, the response interval between prompts in the system of least prompts, and the criterion for moving from one delay interval to another in the time delay studies). In other cases, information was presented, but repeated readings by multiple readers could not produce a reliable interpretation of the text. Authors, as well as editors, should be more careful in ensuring that the final description of the study communicates the events that actually occurred.

Other methodological inadequacies may require changes in investigators' behaviors. While most studies provided reliablity estimates of the consistency with which student performance was measured, very few investigations included procedural reliability estimates (c . Billingsley, White, & Munson, 1980; Peterson, Homer, & Wonderlich, 1982). As noted earlier, variations in the manner in which the strategies are implemented can influence their effectiveness. Thus, investigators should be careful to document the extent and manner in which the strategies were implemented. At a minimum, procedural reliability should be collected in every experimental condition/phase, but it is desirable to collect it on at least 20 percent of the experimental sessions. The procedures for conducting such measures were adequately described by Billingsley et al. (1980), and require no more investigator time or measurement expertise than collecting dependent measure reliablity estimates. In addition to reporting procedural reliability,

investigators should assess and describe subjects' entry level skills. Such assessment and description is needed because (a) subjects' history and entry level skills can be used to explain the results, and (b) knowledge of the functional relationships existing prior to the study is needed for generalizing to other students (Birnbrauer, 1981). Examples of needed information are subjects' sensory abilities, compliance with task relevant commands, imitative abilities, expressive and receptive language performance on tasks similar to those in the investigation, matching abilities, response to tactile stimuli when physical prompts are used, reinforcer preferences, and their history with the procedure(s) being studied or compared.

## Issues for Future Research

Although some areas for future research have been noted above and in other sections of this document, several issues are included here to highlight their importance. First, the instructional strategies should be investigated with preschool and early elementary students who have moderate to profound retardation, autism, and multiple handicaps. Second, more research should be conducted with chained responses. Chained responses are frequently those needed by students to function independently, but the current knowledge base related to teaching such skills is more limited than the knowledge base related to teaching discrete responses. Third, investigations which document failures should be reported. These investigations should include (a) careful documentation of subjects' entry level functioning, (b) careful description and documentation of the procedures used and of the modifications made, and (c) clear description of the behaviors being taught. Further, investigators should be encouraged by editors to report findings where a strategy was

successful with some subjects but not with others. Fourth, more investigations that report on replications of the strategies with other subjects and populations should be conducted. Fifth, a series of studies that examine systematic variations of the procedural parameters of each strategy is needed. Sixth, more investigations that compare two or more strategies should be conducted. As noted in Table 1, at least 25 direct comparisons are possible but have not been conducted and described. Seventh, more integrated strategies should be investigated. Integrated strategies as defined by Schoen (1986) are combinations of two or more instructional strategies into a single procedure. In some cases (e.g., Mosk & Bucher, 1984), integrated strategies have been more effective than the strategies alone. Given this finding, integrated strategies deserve much more research attention. Eighth, the efficiency of the procedures should be assessed in all investigations that evaluate procedural variations of the instructional strategies, compare two or more strategies, or investigate integrated strategies. Examples of efficiency measures include sessions, trials, errors, and direct instructional time to criterion by procedure, and correct and error responses by prompt levels by procedure. Learning to learn phenomenon and other efficiency indicators such as incidental learning should also be investigated. Based on these suggestions, it is apparent that considerable research is needed before our knowledge of instructional strategies is complete.

## Issues For Consideration when Selecting Instructional Strategies

A considerable amount of literature has accumulated concerning the selection of strategies for reducing the occurrence of inappropriate behaviors (cf. Bailey, Wolery, & Sugai, in press; Barton, Brulle,, & Repp, 1983;

Donnellan, Mirenda, Mesaros, & Fassbender, 1984; Evans & Meyer, 1985; Favell et al., 1982; Gast & Wolery, 1987); however, selection of instructional strategies is frequently left to the preference of the trainer. As a result, this section attempts to list some general guidelines by which instructional strategies should be selected. The purpose of listing these guidelines is to (a) cause more reasoned selection of instructional strategies, and (b) stimulate discussion of the reasons why a given strategy should be considered. Each guideline addresses the selection issue from a slightly different perspective; thus, each is important. The relative value of each will undoubtedly vary from student to student, skill being taught, and the preferences and biases of the team selecting the strategy. As a result, the order in which the guidelines are listed is arbitrary.

Empirical Data Base

Teams should select strategies based on the existing empirical data base. Teams should determine whether research reports exist documenting the effectiveness and efficiency of the strategies under consideration. This analysis should be two-fold. First, it should determine whether (a) the skill targeted for instruction has been taught using the instructional strategies under consideration, (b) the subjects who will receive instruction have been taught with the strategies under consideration, and (c) the settings in which instruction will occur has been used in previous research. If no reports exist describing successful use of the strategies with behaviors, subjects, or settings similar to those targeted for instruction, then the team should use other selection criteria, and investigate and describe the effects of the strategy selected for instruction. If, on the other hand, several strategies

have been successful in teaching students to perform the targeted behaviors in similar settings, then the team should consider direct comparisons of the strategies.

Second, the literature should be reviewed to determine whether the instructional strategies under consideration have been compared with similar responses, subjects, and settings. If comparison studies exist, then ineffective strategies should be excluded from consideration. If both (all) procedures were effective, then the efficiency of the strategies should be analyzed, and the inefficient strategies excluded from consideration. When no comparison studies exist and when only efficient strategies are identified, then other selection variables should be considered.

Harmfulness of Procedures

The principles of primum non noscere (first not to injure) (Zigler & Sietz, 1975, p. 490) and the least dangerous assumption (Donnellan, 1984) should be considered. While most of the instructional strategies described in this report are relatively harmless, some involve physical contact with students that could set the stage for injury if inappropriate application occurred. When two or more strategies are equally effective and efficient based on their scientific data base, or if the scientific data base is lacking, then selection of strategies based on their potential for causing injury and harm is appropriate.

Intrusiveness and Restrictiveness

Teams should consider the intrusiveness and restrictiveness of procedures. Intrusiveness and restrictiveness are closely related issues: intrusiveness refers to the extent to which the instructional strategy

intrudes or impinges on a student's being; whereas restrictiveness refers to the extent to which students' freedoms are constrained. In some cases, a prompt is both intrusive and restrictive; for example, a full physical manipulation is intrusive because it involves an intrusion on to the student's body, and is restrictive because the student's freedom to move is constricted. Some instructional variables may be intrusive but not restrictive; for example, an error consequence such as a verbal reprimand may be intrusive but does not restrict a student's freedom. On the other hand, a 15-sec timeout contingent upon errors may be more restrictive than intrusive; the timeout restricts the students' access to reinforcing events but does not intrude on their body or personal well being. Strategies that are not intrusive and are not restrictive tend to be more "natural," that is, similiar to stimulus events in the environments to which generalization of the acquired behaviors are targeted. Since training natural behaviors in natural contexts is thought to facilitate generalization, instructional strategies that are less intrusive and less restrictive should be used. However, when strategies are evaluated and selected on the basis of intrusiveness and restrictiveness, they should be simultaneously evaluated on the basis of effectiveness. Ineffective instructional strategies should not be selected simply because they are not intrusive, are not restrictive, and appear "natural."

Response Patterns

When selecting instructional strategies, teams should consider students' response patterns. Response patterns include such variables as reinforcement history, attention to instructional stimuli, history with similar instructional content, and history with similar instructional formats. For

example, if physical contact with the teacher is a strong positive reinforcer, then instructional strategies that involve physical prompts may be less successful than those that do not rely on physical prompts. If students respond quickly to task directions without attending to the instructional stimuli or waiting for teacher assistance, then (a) procedures that delay assistance may be contra-indicated, (b) an attention response should be required, or (c) waiting for assistance should be taught. If students have a history of learning particular types of responses with a given procedure, then use of similar procedures may be indicated. Students with a history of one-on-one instruction may need specific instruction in group formats before a new instructional strategy in group formats should be used. If students have generalized imitative repertoires, then strategies that use models should be considered; if they do not, then those strategies should not be selected.

Phase of Performance

Instructional strategies should be selected that match the phase of learning evidenced by the student (Haring, Liberty, & White, 1980; Wolery & Brookfield-Norman, in press). Haring et al. (1980) have suggested that (a) different phases of learning exist (i.e., acquisition, fluency, maintenance, generalization, and adaption), and (b) each phase may require unique instructional manipulations. In general, acquisition is promoted by procedures that provide antecedent information to students. This review focused on strategies used to establish acquisition of targeted responses; however, teams must select strategies that focus on the other phases as well. Fluency appears to be established by procedures that manipulate consequences and increase practice time. Maintenance appears to be promoted by thinning

reinforcement schedules, delay reinforcers, using natural reinforcers, and duplicating natural reinforcement schedules. Generalization appears to be facilitated by careful selection of teaching examples; varying examples, teachers, teaching formats, instructional materials, and instructional settings; and matching the instructional environment to the generalization environment. When the phase of learning is identified for a student, then the instructional strategy that best matches that phase should be selected. The instructional strategies reviewed in this document can be used for establishing acquisition, and then components of those strategies can be manipulated to facilitate fluency, maintenance, and generalization.

## Principle of Parsimony

When all other factors are equal, teams should select procedures on the basis of parsimony (Etzel & LeBlanc, 1979). The principle of parsimony states that when two solutions are correct, then the simpler solution should be employed. Two advantages accrue from the use of simpler strategies: (a) fewer procedural errors are likely to occur, and (b) teachers must expend less effort. The chapters describing strategies in this document are roughly listed in order from the most to the least parsimonious. As with intrusiveness and restrictiveness, the principle of parsimony should apply only to those strategies that are effective; strategies should not be used only because they are simple.

## Social Validity

Social validity refers to the worth assigned by experts and consumers to the educational goals, procedures, and outcomes of an educational endeavor (Wolf, 1978). P.L. 94-142, through the IEP process, requires that

instructional goals and procedures be selected and used based on their social validity. That is, the team, including the parents, should determine whether the instructional objectives are worthwhile and whether the methods used to establish them are appropriate. Social validity involves judgments by different parties, thus, there may be some disagreement among team members about the social validity of given strategies. However, for intervention strategies designed to reduce the occurrence of inappropriate behaviors, it is clear that more intrusive and restrictive procedures are judged as socially valid if the behavior to be controlled is severe, and that judgements about the social validity of procedures is malable. Thus, no procedure is inherently socially valid, rather procedures appear to be judged valid for specific situations and those judgments can be changed if more information is provided about previous success and likely outcomes.

## Summary

The literature reviewed in this document can be summarized by eight statements:

(a) considerable evidence exists suggesting that the instructional strategies are effective across a wide array of behaviors and subjects;

(b) relatively few replication and parametric studies of the instructional strategies exist;

(c) secondary aged students and adults were used in most of the investigations;

(d) most studies occurred in public school and institutional setings;

(e) chained tasks were taught much less frequently than discrete responses;

(f) most of the behaviors taught were socially valid,

(g) relatively few studies comparing the instructional strategies have occurred, and

(h) the research has certain methodological weaknesses that should be addressed.

More research is needed that includes younger subjects and chained responses. Also, reports of failures of the strategies should be reported. More replication studies, comparative studies, integrated strategy studies, and efficiency studies should be conducted. Finally, instructional strategies should be selected based on their empirical data base, potential harmfulness, intrusiveness and restrictiveness, correlation with students' response patterns, match to students' phase of performance, parsimony, and social validity.

## References


Ault, M. J. (1985). Comparison of delay procedures in teaching functional word reading to moderately handicapped children. Unpublished master's thesis, University of Kentucky, Lexington, KY.

Baer, D. M. (1981). A hung jury and a Scottish verdict: "Not proven". Analysis and Intervention in Developmental Disabilities, 1, 91-97

Bailey, D. B., Wolery, M., & Sugai, G. M. (in press). Effective teaching: Principles and procedures of applied behavior analysis with exceptional children. Boston: Allyn and Bacon.

Barlow, D. H., & Hayes, S. C. (1979). Alternating treatments design: One strategy for comparing the effects of two treatments in single subject. Journal of Applied Behavior Analysis, 12, 199-210.

Barton, L. E., Brulle, A. R., & Repp, A. C. (1983). Aversive techniques and the doctrine of least restrictive alternative. Exceptional Education Quarterly, 3(4), 1-8.

Baumeister, A. A. (1981). The right to habilitation: What does it mean? Analysis and Intervention in Developmental Disabilities, 1, 61-74.

Bennett, D. L., Gast, D. L., Wolery, M., & Schuster, J. (1986). Time delay and system of least prompts: A comparison in teaching manual sign production. Education and Training of the Mentally Retarded, 21, 117-129.

Billingsley, F. F., White, O. R., & Munson, R. (1980). Procedural reliability: A rationale and an example. Behavioral Assessment, 2, 229-241.

Birnbrauer, J. S. (1981). External validity and experimental investigation of indvidiual behaviour. Analysis and Intervention in Developmental Disabilities, 1, 117-132.

Birnbrauer, J. S., Peterson, C. R., & Solnick, J. V. (1974). Design and interpretation of studies of single subjects. American Journal of Mental Deficiency, 79, 191-203.

Browning, R. M. (1967). A same-subject design for simultaneous comparison of three reinforcement contingencies. Behaviour Research and Therapy, 5, 237-243.

Csapo, M. (1981). Comparison of two prompting procedures to increase response fluency among severely handicapped learners. Journal of the Association for the Severely Handicapped, 6(1), 39-47.

Donnellan, A. M. (1984). The criterion of the least dangerous assumption. Behavior Disorders, 7, 531-556.

Donnellan, A. M., Mirenda, P. L., Mesaros, R. A., & Fassbender, L. L. (1984). Analyzing the communicative functions of aberrant behavior. Journal of the Association for Persons with Severe Handicaps, 9, 201-212.

Etzel, B. C., & LeBlanc, J. M. (1979). The simplest treatment alternative: Appropriate instructional control and errorless learning procedures for the difficult-to-teach child. Journal of Autism and Developmental Disorders, 9, 361-382.

Evans, I., & Meyer, L. H. (1985). An educative approach to behavior problems: A practical decision model for interventions with severely handicapped learners. Baltimore: Brookes.

Favell, J. E., Azrin, N. H., Baumeister, A. A., Carr, E. G., Dorsey, M. F., Forehand, R., Foxx, R. M., Lovaas, O. I., Rincover, A., Risley, T. R., Romanczyk, R. G., Russo, D. C., Schroeder, S. R., & Solnick, J. V. (1982). The treatment of self-injurious behavior. Behavior Therapy, 13, 529-554.

Gast, D. L., & Wolery, M. (1985). Parallel Treatments Design: An alternatives for comparing instructional procedures. Unpublished manuscript. Department of Special Education, University of Kentucky, Lexington.

Gast, D. L., & Wolery, M. (1987). Severe maladaptive behaviors. In M. E. Snell (Ed.), Systematic instruction of the moderately and severely handicapped, (3rd. ed.). Columbus, OH: Merrill.

Glendenning, N. J., Adams, G. L., & Sternberg, L. (1983). Comparison of prompt sequences. American Journal of Mental Deficiency, 88, 321-325.

Godby, S., Gast, D. L., & Wolery, M. (in press). A comparison of time delay and system of least prompts in teaching object identification. Analysis and Intervention in Developmental Disabilities.

Haring, N. G., Liberty, K. A., & White, O. R. (1980). Rules for data-based strategy decisions in instructional programs: Current research and instructional implications. In W. Sailor, B. Wilcox, & L. Brown (Eds.), Methods of instruction for severely handicapped students. (pp. 159-192). Baltimore: Paul Brookes.

Haught, P., Walls, R. T., & Crist, K. (1984). Placement of prompts, length of task, and level of retardation in learning complex assembly tasks. American Journal of Mental Deficiency, 89, 60-66.

Kauffman, J. M. (1981). Symposium Editor's introduction. Analysis and Intervention in Developmental Disabilities, 1, 1-3.

McGee, G. G., & McCoy, J. F. (1981). Training procedures for acquisiton and retention of reading in retarded youth. Applied Research in Mental Retardation, 2, 263-276.

Mosk, M. D., & Bucher, B. (1984). Prompting and stimulus shaping procedure for teaching visual-motor skills to retarded children. Journal of Applied Behavior Analysis, 17, 23-34.

Neef, N. A., Walters, J., & Egel, A. L. (1984). Establishing generative yes/no responses in developmentally disabled children. Journal of Applied Behavior Analysis, 17, 453-460.

Peterson, L., Homer, A. L., & Wonderlich, S. A. (1982). The integrity of independent variables in behavior analysis. Journal of Applied Behavior Analysis, 15, 477-492.

Precious, C. J. (1985). Efficiency study of two procedures: Constant and progressive time delay in teaching oral sight word reading. Unpublished master's thesis, University of Kentucky, Lexington, KY.

Richmond, G., & Bell, J. (1983). Comparison of three methods to train a size discrimination with profoundly mentally retarded students. American Journal of Mental Deficiency, 87, 574-576.

Rynders, J. E., Behlen, K. L., & Horrobin, J. M. (1979). Performance characteristics of preschool Down's syndrome children receiving augmented or repetitive verbal instruction. American Journal of Mental Deficiency, 84, 67-73.

Schoen, S. F. (1986). Assistance procedures to facilitate the transfer of stimulus control: Review and analysis. Education and Training of the Mentally Retarded, 21, 62-74.

Schreibman, L. (1975). Effects of within-stimulus and extra-stimulus prompting on discrimination learning in autistic children. Journal of Applied Behavior Analysis, 8, 91-112.

Sindelar, P. T., Rosenberg, M. S., & Wilson, R. J. (1985). An adapted alternating treatments design for instructional research. Education and Treatment of Children, 8, 67-76.

Tawney, J. W., & Gast, D. L. (1984). Single subject research in special education. Columbus, OH: Merrill.

Walls, R. T., Zane, T., & Thvedt, J. E. (1980). Trainers' personal methods compared to two structured training strategies. American Journal of Mental Deficiency, 84, 495-507.

Wolf, M. M. (1978). Social validity: The case for subjective measurement or how applied behavior analysis is finding its heart. Journal of Applied Behavior Analysis, 11, 305-312.

Zigler, E., & Sietz, V. (1975). On "an experimental evaluation of sensorimotor patterning": A critique. American Journal of Mental Deficiency, 79, 483-492.

Wolery, M., & Brookfield-Norman, J. (in press). (Pre-) academic instruction of handicapped preschool children. In S. L. Odom, & M. B. Karnes (Eds.), Research in early childhood special education. Baltimore: Paul Brooks.

Wolery, M., & Gast, D. L. (1986). Comparison of procedures: Problems and designs. Unpublished manuscript, University of Kentucky, Lexington, KY.

| Population Number/ Gender | Age/ Yrs. | Diagnosis | Setting | Effectiveness | Efficiency | Generalization | Maintenance | Design |
|---|---|---|---|---|---|---|---|---|
| arabic numerals = number of subjects | (0-0) = range<br>(x = 0) = mean<br>N/D = not defined | N/D = not defined<br>N = normal<br>LD = learning disabled<br>EC = economically disadvantaged<br>SCH = schizophrenic<br>SLI = speech language impaired<br>SED = severe behavior disordered<br>ED = emotionally disturbed<br>BMR = borderline mental retardation<br>DD = developmentally delayed/disabled<br>HI = hearing impaired<br>VI = visually impaired<br>Aut = autistic<br>MH = multiply handicapped<br>MiMR = mild mental retardation<br>MoMR= moderate mental retardation<br>SMR = severe mental retardation<br>PMR = profound mental retardation | IN = institution or residential<br>PS = public schools<br>CS = community settings<br>SS = special schools | + = total effectiveness<br>+/- = effective with some subjects, but not others: definite change in behavior, but not to criterion levels<br>- = not effective<br>+a = effective with modifications of the procedure<br>N/A = not applicable<br>>/< = parametric studies<br>arabic numeral = number of subjects | S = session or days to criterion<br>T = trials to criterion<br>E = errors to criterion<br>M = minutes (hours) to criterion<br>N/D = not defined<br>>/< = parametric studies<br>P/U = prompt level use<br>A = anecdotal<br>arabic numeral = number of subjects | +=occurred 80% and above<br>-=did not occur<br>+/-=gen. with some subjects and not others<br>P=people/ trainers<br>S=settings<br>T=task/ behavior/ stimuli<br>a=modification of training procedure<br>A=anecdotal<br>N/D=not defined | D=days<br>W=weeks<br>M=months<br>+(time unit)= maintenance occurred<br>-(time unit)= maintenance did not occur<br>+/-(time unit)= maintained with some subjects but not others<br>A=anecdotal<br>a=modification of training procedure<br>N/D=not defined | A-B= simple baseline treatment<br>GD=group<br>MB=multiple baseline<br>MP=multiple probe<br>AT= alternating treatments<br>WTD= withdrawl<br>REV= reversal<br>TT= teach/ test<br>PP=pre/ post<br>CC=changing criterion<br>PT= parallel treatment<br>ST= simultaneous treatment<br>RM= repeated measures<br>N/D=not defined |